



pears.CacheWarm



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE EVENT "pears"."CacheWarm" TYPE "DatabaseStart" ENABLE
HANDLER
BEGIN
  IF "PROPERTY"('IsService') = 'Yes' THEN
    message "string('IQX Cache Warming Started at ',CURRENT_TIMESTAMP) TO
console;
    unload SELECT * FROM "pears"."AccordEmployee" INTO file 'nul';
    unload SELECT * FROM "pears"."Company" INTO file 'nul';
    unload SELECT * FROM "pears"."CompanyAccount" INTO file 'nul';
    unload SELECT * FROM "pears"."ContactEvent" INTO file 'nul';
    unload SELECT * FROM "pears"."Department" INTO file 'nul';
    unload SELECT * FROM "pears"."Diary" INTO file 'nul';
    unload SELECT * FROM "pears"."Dictionary" INTO file 'nul';
    unload SELECT * FROM "pears"."Employment" INTO file 'nul';
    unload SELECT * FROM "pears"."IQacDocument" INTO file 'nul';
    unload SELECT * FROM "pears"."IQacJournal" INTO file 'nul';
    unload SELECT * FROM "pears"."Pay_Employee" INTO file 'nul';
    unload SELECT * FROM "pears"."Person" INTO file 'nul';
    unload SELECT * FROM "pears"."Phone" INTO file 'nul';
    unload SELECT * FROM "pears"."PhoneType" INTO file 'nul';
    unload SELECT * FROM "pears"."Placement" INTO file 'nul';
    unload SELECT * FROM "pears"."Progress" INTO file 'nul';
    unload SELECT * FROM "pears"."Search" INTO file 'nul';
    unload SELECT * FROM "pears"."Staff" INTO file 'nul';
    unload SELECT * FROM "pears"."Tag" INTO file 'nul';
    unload SELECT * FROM "pears"."TagChoice" INTO file 'nul';
    unload SELECT * FROM "pears"."TagValue" INTO file 'nul';
    unload SELECT * FROM "pears"."TempDesk" INTO file 'nul';
    unload SELECT * FROM "pears"."TempJobRate" INTO file 'nul';
    unload SELECT * FROM "pears"."TempJobRateMaster" INTO file 'nul';
    unload SELECT * FROM "pears"."TempJobType" INTO file 'nul';
    unload SELECT * FROM "pears"."TempPayBand" INTO file 'nul';
    unload SELECT * FROM "pears"."TempPoolMember" INTO file 'nul';
    unload SELECT * FROM "pears"."TempShift" INTO file 'nul';
    unload SELECT * FROM "pears"."TempShiftPlan" INTO file 'nul';
```



```
unload SELECT * FROM "pears"."TempProvTimeSheet" INTO file 'nul';
unload SELECT * FROM "pears"."TempProvTimesheetLine" INTO file 'nul';
unload SELECT * FROM "pears"."TempProvTimesheetShift" INTO file 'nul';
unload SELECT * FROM "pears"."TempTimeSheet" INTO file 'nul';
unload SELECT * FROM "pears"."TempTimesheetLine" INTO file 'nul';
unload SELECT * FROM "pears"."Vacancy" INTO file 'nul';
unload SELECT * FROM "pears"."VacancyRole" INTO file 'nul';
unload SELECT * FROM "pears"."VacancyRoleAllocation" INTO file 'nul';
unload SELECT * FROM "pears"."WPKAssignedRole" INTO file 'nul';
unload SELECT * FROM "pears"."WPKChangeTracker" INTO file 'nul';
unload SELECT * FROM "pears"."WPKForm" INTO file 'nul';
unload SELECT * FROM "pears"."WPKGGlobalSwitch" INTO file 'nul';
unload SELECT * FROM "pears"."WPKGGlobalSwitchGroup" INTO file 'nul';
unload SELECT * FROM "pears"."WPKGGlobalSwitchSetting" INTO file 'nul';
unload SELECT * FROM "pears"."WPKImage" INTO file 'nul';
unload SELECT * FROM "pears"."WPKLayout" INTO file 'nul';
unload SELECT * FROM "pears"."WPKLayoutView" INTO file 'nul';
unload SELECT * FROM "pears"."WPKPickList" INTO file 'nul';
unload SELECT * FROM "pears"."WPKPickListChoice" INTO file 'nul';
unload SELECT * FROM "pears"."WPKPickList" INTO file 'nul';
unload SELECT * FROM "pears"."WPKRole" INTO file 'nul';
unload SELECT * FROM "pears"."WPKView" INTO file 'nul';
unload SELECT * FROM "pears"."WPKViewItem" INTO file 'nul';
message "string"('IQX Cache Warming Completed at ',CURRENT_TIMESTAMP) TO
console
END IF
END
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:events:pears_cachewarm

Last update: **2026/08/07 19:24**

