



pears.CompanyHeadline



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."CompanyHeadline"( IN "RecordID" CHAR(20) )
RETURNS long VARCHAR
BEGIN
    DECLARE "RV" long VARCHAR;
    DECLARE "Part" long VARCHAR;
    DECLARE "NewLine" CHAR(2);
    SET "rv" = '';
    SET "Part" = '';
    SET "NewLine" = "char"(13)+"Char"(10);
    SELECT "list"(' '+'number") INTO "Part" FROM "phone" WHERE "PhoneTypeID" =
'CP' AND "Who" = 'C' AND "WhoID" = "RecordID";
    IF "isnull"("Part",'') <> '' THEN SET "RV" = 'Telephone: '+'Part"+"NewLine"
    END IF;
    SET "Part" = '';
    SELECT
"ReplaceStr"("Proper"("GetQuestText"('C','L0',"RecordID")), "Char"(9), '(s):
',1) INTO "Part" FROM "Dummy";
    IF "length"("Part") > 15 THEN SET "RV" = "RV"+"Part"
    END IF;
    SET "Part" = '';
    SELECT
"ReplaceStr"("Proper"("GetQuestText"('C','IN',"RecordID")), "Char"(9), ': ',1)
INTO "Part" FROM "Dummy";
    IF "length"("Part") > 17 THEN SET "RV" = "RV"+"Part"
    END IF;
    RETURN("RV")
END
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_companyheadline

Last update: 2026/08/07 19:24



