



pears.GetShiftBookedDescription



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."GetShiftBookedDescription"(  
  /* Application Maintained Function / Procedure - DO NOT EDIT*/  
  IN "vid" CHAR(20),IN "pid" CHAR(20),IN "edate" DATE )  
RETURNS CHAR(250)  
BEGIN  
  DECLARE "rv" CHAR(250);  
  FOR "fetchfor" AS "fetchcursor" no scroll cursor FOR  
    SELECT "string"("GetTempName"("pid"),'  
(',"tempshiftplan"."description",'',"dateformat"("tempshift"."timefrom",'hh  
:nn'),'-'',"dateformat"("tempshift"."timeto",'hh:nn'),'')' ) AS "bdesc"  
    FROM "tempshift" KEY JOIN("vacancy","tempshiftplan","person")  
    WHERE "vacancy"."vacancyid" = "vid" AND "tempshift"."shiftdate" =  
"edate" AND "tempshift"."personid" = "pid" AND "tempshift"."state" NOT IN(  
'U','C' ) ORDER BY "tempshift"."timefrom" ASC,"person"."keyname" ASC FOR  
READ ONLY  
  do  
    IF "rv" <> '' THEN  
      SET "rv" = "rv"+"bdesc"+', ' , '  
    END IF;  
    SET "rv" = "rv"+"bdesc"  
  END FOR;  
  RETURN "rv"  
END
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_getshiftbookeddescription

Last update: 2026/08/07 19:24

