



# pears.iqmoneyround



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Original SQL

```
CREATE FUNCTION "pears"."iqmoneyround"(  
  /* Application Maintained Function / Procedure - DO NOT EDIT*/  
  IN "val" NUMERIC )  
RETURNS NUMERIC  
BEGIN  
  DECLARE "c" NUMERIC;  
  DECLARE "neg" tinyint;  
  SET "neg" = 0;  
  IF "val" < 0 THEN  
    SET "neg" = 1  
  END IF;  
  SET "c" = ("truncate"("abs"("val"*1000)+.5,0)/1000);  
  IF "neg" = 1 THEN  
    SET "c" = 0-"c"  
  END IF;  
  SET "neg" = 0;  
  IF "c" < 0 THEN  
    SET "neg" = 1  
  END IF;  
  SET "c" = "truncate"("abs"("c"*100)+.5,0)/100;  
  IF "neg" = 1 THEN  
    SET "c" = 0-"c"  
  END IF;  
  RETURN "c"  
END
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears\\_iqmoneyround](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_iqmoneyround)

Last update: 2026/08/07 19:24

