



pears.KeyWordSearchAllowed



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."KeyWordSearchAllowed"(  
  /* Application Maintained Function / Procedure - DO NOT EDIT*/  
  IN "SearchString" long VARCHAR )  
RETURNS long VARCHAR  
BEGIN  
  IF "trim"("SearchString") = '' THEN  
    RETURN 'Search string cannot be empty, please review criteria and search  
again'  
  ELSE IF "trim"("replace"("SearchString",'*','')) = '' THEN  
    RETURN 'Cannot search on * alone, please review criteria and search  
again'  
  ELSE IF(("searchstring" LIKE '%~%') OR("searchstring" LIKE '%near%'))  
AND("searchstring" LIKE '%"%"') THEN  
    RETURN 'Cannot use " in full text proximity searches, please review  
criteria and search again'  
  ELSE RETURN  
  END IF END IF END IF  
END
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_keywordsearchallowed

Last update: 2026/08/07 19:24

