



pears.MasterTempRate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."MasterTempRate"(  
    /* Application Maintained Function / Procedure - DO NOT EDIT*/  
    IN "SchemeID" CHAR(20),IN "BandID" CHAR(20),IN "GradeID" CHAR(4),IN  
    "pFilter1" CHAR(4),IN "pFilter2" CHAR(4),IN "pFilter3" CHAR(4),IN "dFrom"  
    DATE,IN "dTo" DATE )  
    RETURNS CHAR(20)  
    BEGIN  
        DECLARE "rv" CHAR(20);  
        SET "rv" = NULL;  
        IF "trim"("isnull"("schemeid",'')) <> '' THEN  
            SELECT FIRST "r"."tempjobratemasterid" INTO "rv" FROM  
            "tempjobratemaster" AS "r" WHERE "r"."tempjobtypeid" = "schemeid" AND  
            "r"."temppaybandid" = "bandid"  
            AND "trim"("isnull"("r"."grade",'')) = "trim"("isnull"("gradeid",''))  
            AND "trim"("isnull"("r"."filter1",'')) =  
            "trim"("isnull"("pFilter1",''))  
            AND "trim"("isnull"("r"."filter2",'')) =  
            "trim"("isnull"("pFilter2",''))  
            AND "trim"("isnull"("r"."filter3",'')) =  
            "trim"("isnull"("pFilter3",''))  
            AND "isnull"("r"."startdate",'1900-01-01') <= "isnull"("dto",CURRENT  
            DATE) AND "isnull"("r"."enddate",'2200-01-01') >= "isnull"("dfrom",CURRENT  
            DATE)  
        END IF;  
        RETURN "rv"  
    END
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_mastertemprate

Last update: 2026/08/07 19:24



