



pears.PersonHeadline



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."PersonHeadline"( IN "RecordID" CHAR(20) )
RETURNS long VARCHAR
BEGIN
  DECLARE "RV" long VARCHAR;
  DECLARE "RS" long VARCHAR;
  DECLARE "Part" long VARCHAR;
  DECLARE "Shift" long VARCHAR;
  DECLARE "NewLine" CHAR(2);
  DECLARE "FRG" DECIMAL(10,1);
  SET "rv" = '';
  SET "rs" = '';
  SET "Part" = '';
  SET "Shift" = '';
  SELECT FIRST "company"."name" INTO "Part" FROM "employment" KEY
JOIN("placement","company") WHERE "employment"."personid" = "recordid" AND
"employment"."startdate" <= CURRENT DATE AND
"isnull"("employment"."leavedate",CURRENT DATE) >= CURRENT DATE ORDER BY
"employment"."startdate" DESC;
  SELECT FIRST "company"."name" INTO "Shift" FROM "TempShift" KEY LEFT OUTER
JOIN("vacancy" KEY JOIN "employment" KEY JOIN "company") WHERE
"tempshift"."personid" = "recordid" AND "TempShift"."ShiftDate" = CURRENT
DATE;
  IF "isnull"("Shift",'') <> '' THEN SET "RV" = "RV" + 'Shift today at:
' + "Shift"
  ELSE IF "isnull"("Part",'') <> '' THEN SET "RV" = "RV" + ' Currently Placed
at: ' + "Part"
  END IF END IF;
  RETURN "rv"
END
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_personheadline

Last update: **2026/08/07 19:24**

