



pears.psHealthShowButton



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."psHealthShowButton"(  
    /* Application Maintained Function / Procedure - DO NOT EDIT*/  
    IN "SourceID" CHAR(20), IN "IDType" CHAR(2) )  
RETURNS INTEGER  
BEGIN  
    IF "sourceid" IS NULL THEN  
        RETURN 0  
    END IF;  
    /* IDType R = recipient, S = temp shift, P = temp shift plan C = carer, V  
    = vacancy */  
    IF NOT EXISTS(SELECT * FROM "wpkgglobalswitchsetting" WHERE  
"wpkgglobalswitchid" = 'PSHealth' AND "value" = 'Y') THEN  
        RETURN 0  
    END IF;  
    /* in case some silly person turns switch on without tables installed  
    (check person only) */  
    IF NOT EXISTS(SELECT * FROM "sys"."systable" WHERE "table_name" =  
'PSHealthPerson') THEN  
        RETURN 0  
    END IF;  
    CASE "IDType"  
        WHEN 'R' THEN IF EXISTS(SELECT * FROM "pshealthperson" WHERE "personid" =  
"sourceid" AND "recipientflag" = 'R') THEN RETURN 1  
            END IF WHEN 'C' THEN IF EXISTS(SELECT * FROM "pshealthperson" WHERE  
"personid" = "sourceid" AND "recipientflag" = 'C') THEN RETURN 1  
            END IF WHEN 'V' THEN IF EXISTS(SELECT * FROM "pshealthvacancy" WHERE  
"vacancyid" = "sourceid") THEN RETURN 1  
            END IF WHEN 'S' THEN IF EXISTS(SELECT * FROM "pshealthshift" WHERE  
"tempshiftid" = "sourceid") THEN RETURN 1  
            END IF WHEN 'P' THEN IF EXISTS(SELECT * FROM "pshealthshift" WHERE  
"tempshiftplanid" = "sourceid") THEN RETURN 1  
            END IF  
    END CASE;  
    RETURN 0
```



END

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_pshealthshowbutton

Last update: **2026/08/07 19:24**

