



pears.SelfbillEmailBodyandSubject



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."SelfbillEmailBodyandSubject"(  
  IN "docid" CHAR(20),IN "BodyorSubject" CHAR(1) )  
RETURNS long VARCHAR  
BEGIN  
  DECLARE "rv" long VARCHAR;  
  DECLARE "invno" CHAR(12);  
  DECLARE "coname" CHAR(30);  
  DECLARE "crlf" CHAR(2);  
  SELECT "ourref" INTO "invno" FROM "iqacdocument" WHERE "documentid" =  
"docid";  
  SELECT "dbname" INTO "coname" FROM "params";  
  SET "crlf" = "char"(13)+"char"(10);  
  IF "BodyorSubject" = 'B' THEN  
    SET "rv" = "string"('Please find Invoice ', "invno", ' attached.  
' , "crlf");  
    SET "rv" = "string"("rv", "crlf");  
    SET "rv" = "string"("rv", 'Regards', "crlf");  
    SET "rv" = "string"("rv", "coname", "crlf");  
    SET "rv" = "string"("rv", "crlf");  
    SET "rv" = "string"("rv", 'If you are not the addressee indicated in this  
message (or responsible for delivery of the message to such person),');  
    SET "rv" = "string"("rv", 'you may not copy or deliver this message to  
anyone. In such case, you should destroy this message and kindly notify the  
sender by reply email.')  
  ELSE  
    SET "rv" = "string"("coname", ' Invoice ', "invno")  
  END IF;  
  RETURN("rv")  
END
```



From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_selfbillemailbodyandsubject

Last update: **2026/08/07 19:24**

