



pears.SoftWizardController



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."SoftWizardController"(  
  IN "pWizardID" CHAR(20),IN "pPageID" CHAR(50),IN "pItem" CHAR(20) )  
RETURNS CHAR(250)  
deterministic  
BEGIN  
  DECLARE "rv" CHAR(250);  
  CASE "pWizardID"  
  WHEN 'DEFAULT' THEN  
    CASE "pItem"  
    WHEN 'nextPageID' THEN  
      CASE "pPageID"  
      WHEN NULL THEN  
        SET "rv" = 'pageText_registration_tos'  
      WHEN 'pageText_registration_tos' THEN  
        SET "rv" = 'EmailCheck'  
      WHEN 'EmailCheck' THEN  
        SET "rv" = 'Details'  
      WHEN 'Details' THEN  
        SET "rv" = ':Division'  
      WHEN 'Division' THEN  
        SET "rv" = ':Department'  
      WHEN 'Department' THEN  
        SET "rv" = ':Terms'  
      WHEN 'Terms' THEN  
        SET "rv" = ':BANKDETAILS'  
      WHEN 'BANKDETAILS' THEN  
        SET "rv" = 'Quest_P'  
      WHEN 'Quest_P' THEN  
        SET "rv" = ':Quest_A$'  
      WHEN 'Quest_A$' THEN  
        SET "rv" = ':VIDEO'  
      WHEN 'VIDEO' THEN  
        SET "rv" = ':REFERENCES'  
      WHEN 'REFERENCES' THEN  
        SET "rv" = ':CVANDPHOTO'
```



```
WHEN 'CVANDPHOTO' THEN
  SET "rv" = ':DOCUMENTS'
WHEN 'DOCUMENTS' THEN
  SET "rv" = ':pageText_registration_complete:'
END CASE
WHEN 'pageCaption' THEN
  CASE "pPageID"
  WHEN 'pageText_registration_tos' THEN
    SET "rv" = 'Please read carefully...'
  WHEN 'EmailCheck' THEN
    SET "rv" = 'Email check...'
  WHEN 'Details' THEN
    SET "rv" = 'Please enter your details...'
  WHEN 'Quest_A$' THEN
    SET "rv" = 'Please supply the following information'
  WHEN 'Quest_P' THEN
    SET "rv" = 'Please supply the following information'
  END CASE
WHEN 'pageFooter' THEN
  CASE "pPageID"
  WHEN 'pageText_registration_tos' THEN
    SET "rv" = '!I accept the terms and conditions'
  END CASE
WHEN 'pageNumber' THEN
  CASE "pPageID"
  WHEN 'pageText_registration_tos' THEN
    SET "rv" = 0 /* Don't display progress yet */
  WHEN 'EmailCheck' THEN
    SET "rv" = 1
  WHEN 'Details' THEN
    SET "rv" = 2
  WHEN 'Division' THEN
    SET "rv" = 3
  WHEN 'Department' THEN
    SET "rv" = 4
  WHEN 'Terms' THEN
    SET "rv" = 5
  WHEN 'BANKDETAILS' THEN
    SET "rv" = 6
  WHEN 'Quest_P' THEN
    SET "rv" = 7
  WHEN 'Quest_A$' THEN
    SET "rv" = 8
  WHEN 'VIDEO' THEN
    SET "rv" = 9
  WHEN 'REFERENCES' THEN
    SET "rv" = 10
  WHEN 'CVandPHOTO' THEN
```



```
        SET "rv" = 11
    WHEN 'DOCUMENTS' THEN
        SET "rv" = 12
    WHEN 'pageText_registration_complete' THEN
        SET "rv" = 13
    END CASE
    WHEN 'totalPageCount' THEN
        SET "rv" = 13
    END CASE
END CASE;
RETURN "rv"
END
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_softwizardcontroller

Last update: **2026/08/07 19:24**

