



pears.TempCustomRateGenerator



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE FUNCTION "pears"."TempCustomRateGenerator"( IN "ID" CHAR(20),IN
"YearNo" INTEGER,IN "PeriodNo" INTEGER,IN "PeriodLength" CHAR(20),IN
"PeriodStartDate" DATE,IN "PeriodEndDate" DATE,IN "PersID" CHAR(20),IN
"VacID" CHAR(20),IN "PlacID" CHAR(20),IN "ProvTSID" CHAR(20),IN
"BehaviourFlag" SMALLINT )
RETURNS INTEGER
BEGIN
    -- Return null if not using custom rates (default)
    -- Return 1 if custom rates inserted into TempCustomJobRate table with
    GroupID column = ID param value
    -- BehaviourFlag param will be non-zero if requested rate behaviour is
    other than the default
    -- e.g. a different scheme selected during timesheet completion or an
    override scheme for AWR or secondary agency
    RETURN NULL
END
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:functions:pears_tempcustomrategenerator

Last update: 2026/08/07 19:24

