



pears.AutoMatchAddShiftToQueue



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."AutoMatchAddShiftToQueue"( IN @TempShiftPlanID
CHAR(20),IN @ActionType CHAR(20) )
BEGIN
    INSERT INTO "AutoMatchShiftQueue"( "TempshiftPlanID","ActionType" )
VALUES( @TempShiftPlanID,@ActionType )
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."AutoMatchAddShiftToQueue"
IS
{CREATE PROCEDURE pears."AutoMatchAddShiftToQueue"
(IN @TempShiftPlanID CHAR(20), IN @ActionType CHAR(20) )
BEGIN
    INSERT INTO "AutoMatchShiftQueue"( "TempshiftPlanID","ActionType" )
VALUES( @TempShiftPlanID,@ActionType )
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_automatchaddshifttoqueue

Last update: 2026/08/07 19:24

