



pears.CompanyHeadline



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."CompanyHeadline" IS
{CREATE FUNCTION pears.CompanyHeadline(IN RecordID CHAR(20))
RETURNS long VARCHAR
BEGIN
  DECLARE RV long VARCHAR;
  DECLARE Part long VARCHAR;
  DECLARE NewLine CHAR(2);
  SET rv='';
  SET Part='';
  SET NewLine="char"(13)+"Char"(10);
  SELECT list(' '+NUMBER) INTO Part FROM phone WHERE PhoneTypeID = 'CP' AND
Who = 'C' AND WhoID = RecordID;
  IF isnull(Part,'') <> '' THEN SET RV='Telephone: '+Part+NewLine
  END IF;
  SET Part='';
  SELECT ReplaceStr(Proper(GetQuestText('C','LO',RecordID)),"Char"(9),'(s):
',1) INTO Part FROM Dummy;
  IF LENGTH(Part) > 15 THEN SET RV=RV+Part
  END IF;
  SET Part='';
  SELECT ReplaceStr(Proper(GetQuestText('C','IN',RecordID)),"Char"(9),'(s):
',1) INTO Part FROM Dummy;
  IF LENGTH(Part) > 17 THEN SET RV=RV+Part
  END IF;
  RETURN(RV)
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_companyheadline

Last update: 2026/08/07 19:24



