



pears.CompanyKeyWordsUpdate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."CompanyKeyWordsUpdate"(  
    /* Application Maintained Function / Procedure - DO NOT EDIT*/  
    IN @ResetAll tinyint DEFAULT 0 )  
BEGIN  
    IF @ResetAll = 0 THEN  
        UPDATE "CompanyKeyWords"  
        SET "StandardKeyWords" = (SELECT "string"("c"."Name", '  
' , "c"."ClientCode", ' ', "c"."Addr1", ' ', "c"."Addr2", ' ', "c"."Addr3", '  
' , "c"."Town", ' ', "c"."County", ' ', "c"."PostCode", ' ',  
        (SELECT "list"(DISTINCT "string"("p"."forenames", ' ', "p"."surname", '  
' ), ' ') FROM "employment" AS "e" KEY JOIN "person" AS "p" WHERE "p"."status"  
= 'L' AND "e"."companyid" = "CompanyKeyWords"."CompanyID" AND  
"isnull"("leavedate", CURRENT DATE) >= CURRENT DATE),  
        (SELECT "list"("n"."number", ' ') FROM "Phone" AS "n" WHERE "n"."Who"  
= 'C' AND "n"."number" LIKE '% %' AND "n"."WhoID" =  
"CompanyKeyWords"."CompanyID"), ' ',  
        (SELECT "list"("replace"("n"."number", ' ', ' '), ' ') FROM "Phone" AS  
"n" WHERE "n"."Who" = 'C' AND "n"."WhoID" = "CompanyKeyWords"."CompanyID"))  
        FROM "Company" AS "c" WHERE "c"."CompanyID" =  
"CompanyKeyWords"."CompanyID"),  
        "TagKeyWords" =  
"nullif"("CompanyKeyWordsQuestion"("CompanyKeyWords"."CompanyID"), ' '),  
        "CustomKeyWords" =  
"nullif"("CompanyKeyWordsCustom"("CompanyKeyWords"."CompanyID"), ' '),  
        "RefreshRequired" = 0,  
        "CustomRefreshRequired" = 0,  
        "TagRefreshRequired" = 0 // this IS included above, so does NOT need  
TO be done again  
        WHERE "RefreshRequired" = 1;  
        // carry OUT any tag ONLY updates required  
        UPDATE "CompanyKeyWords"  
        SET "TagKeyWords" =  
"CompanyKeyWordsQuestion"("CompanyKeyWords"."CompanyID"),  
        "TagRefreshRequired" = 0  
        WHERE "TagRefreshRequired" = 1;
```



```
UPDATE "CompanyKeyWords"
SET "CustomKeyWords" =
"nullif"("CompanyKeyWordsCustom"("CompanyKeyWords"."CompanyID"), ''),
"CustomRefreshRequired" = 0
WHERE "CustomRefreshRequired" = 1
ELSEIF @ResetAll = 1 THEN
UPDATE "CompanyKeyWords" SET "RefreshRequired" = 1 // ALL records will
be refreshed ON the NEXT triggering OF the PROCEDURE (normally BY the event)
END IF
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."CompanyKeyWordsUpdate" IS
{CREATE PROCEDURE CompanyKeyWordsUpdate

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(IN @ResetAll tinyint DEFAULT 0)
BEGIN
    IF @ResetAll = 0 THEN
        UPDATE CompanyKeyWords
        SET
            StandardKeyWords = (SELECT string(c.Name, ' ', c.ClientCode, '
', c.Addr1, ' ', c.Addr2, ' ', c.Addr3, ' ', c.Town, ' ', c.County, ' ', c.PostCode, '
',
                                (SELECT list(DISTINCT string(p.forenames, ' ', p.surname, '
'), ' ') FROM employment e KEY JOIN person p WHERE p.status = 'L' AND
e.companyid =CompanyKeyWords.CompanyID AND isnull(leavedate, CURRENT
DATE)>=CURRENT DATE),
                                (SELECT list(n.number, ' ') FROM Phone n WHERE n.Who = 'C'
AND n.number LIKE '% %' AND n.WhoID = CompanyKeyWords.CompanyID), ' ',
                                (SELECT list(REPLACE(n.number, ' ', ''), ' ') FROM Phone n
WHERE n.Who = 'C' AND n.WhoID =CompanyKeyWords.CompanyID ) )
            FROM Company c WHERE c.CompanyID =
CompanyKeyWords.CompanyID),
            TagKeyWords =
NULLIF(CompanyKeyWordsQuestion(CompanyKeyWords.CompanyID), ''),
            CustomKeyWords =
NULLIF(CompanyKeyWordsCustom(CompanyKeyWords.CompanyID), ''),
            RefreshRequired = 0,
            CustomRefreshRequired = 0,
            TagRefreshRequired = 0 // this IS included above, so does NOT
need TO be done again
            WHERE RefreshRequired = 1;
            // carry OUT any tag ONLY updates required
            UPDATE CompanyKeyWords
            SET
            TagKeyWords =
```



```
CompanyKeyWordsQuestion(CompanyKeyWords.CompanyID),  
    TagRefreshRequired = 0  
WHERE TagRefreshRequired = 1;  
UPDATE CompanyKeyWords  
    SET  
    CustomKeyWords =  
NULLIF(CompanyKeyWordsCustom(CompanyKeyWords.CompanyID), ''),  
    CustomRefreshRequired = 0  
WHERE CustomRefreshRequired = 1;  
ELSEIF @ResetAll = 1  
    THEN UPDATE CompanyKeyWords SET RefreshRequired = 1; // ALL records will  
be refreshed ON the NEXT triggering OF the PROCEDURE (normally BY the event)  
END IF;  
END  
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_companykeywordsupdate

Last update: 2026/08/07 19:24

