



pears.CreateETimesheetRates



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."CreateETimesheetRates"(  
  /* Application Maintained Function / Procedure - DO NOT EDIT*/  
  IN "ptsid" CHAR(20),IN "ppersid" CHAR(20),IN "pvacid" CHAR(20),IN  
  "pplacid" CHAR(20),IN "pweekstart" DATE,IN "pweekend" DATE,  
  IN "pjobtypeid" CHAR(20) DEFAULT NULL,IN "punderlyingscheme" SMALLINT  
  DEFAULT 0 )  
BEGIN  
  DECLARE "pbandid" CHAR(20);  
  DECLARE "ppayrate" DOUBLE;  
  DECLARE "pchgrate" DOUBLE;  
  DECLARE "pgrade" CHAR(4);  
  DECLARE "pfilter1" CHAR(4);  
  DECLARE "pfilter2" CHAR(4);  
  DECLARE "pfilter3" CHAR(4);  
  DECLARE "plineno" SMALLINT;  
  DECLARE "pweekno" INTEGER;  
  SET "pweekno" = "weekcontaining"("pweekend");  
  SET "plineno" = 0;  
  IF "trim"("isnull"("pjobtypeid",'')) = '' THEN  
    SELECT "tempjobtypeid" INTO "pjobtypeid" FROM "vacancy" WHERE  
"vacancyid" = "pvacid"  
  END IF;  
  IF "punderlyingscheme" IS NULL THEN  
    SET "punderlyingscheme" = 0  
  END IF;  
  -- SQL taken from TimeSheetEntry.qRates  
  FOR "PRATEFOR" AS "PRATECUR" no scroll cursor FOR  
    SELECT  
"temppayband"."sortorder","temppayband"."TempPayBandID","temppayband"."descr  
ption","isnull"("tempjobrate"."Grade",'') AS "Grade",  
"tempjobrate"."filter1","tempjobrate"."filter2","tempjobrate"."filter3",  
"vacancytemprate"("pvacid","temppayband"."temppayBandID","tempjobrate"."grad  
e","tempjobrate"."filter1","tempjobrate"."filter2","tempjobrate"."filter3",  
tempjobrate"."Startdate","tempjobrate"."Enddate") AS "VacRateID",  
"mastertemprate"("pjobtypeid","temppayband"."temppayBandID","tempjobrate"."g
```



```
rade","tempjobrate"."filter1","tempjobrate"."filter2","tempjobrate"."filter3",
"tempjobrate"."Startdate","tempjobrate"."Enddate") AS "MasterID",
    "tempjobrate"."Startdate" AS "StartDate",
    "tempjobrate"."Enddate" AS "EndDate",
    "tempjobrate"."TempJobRateID",
    (SELECT FIRST "discount" FROM "tempjobtype" WHERE "tempjobtypeid" =
"pjobtypeid") AS "masterdiscount",
    "tempjobrate"."PayRate" AS "SavedPayRate",
    (SELECT FIRST "payrate" FROM "tempjobratemaster" WHERE
"tempjobratemasterid" = "masterid") AS "MasterPayRate",
    "isnull"((SELECT FIRST "payrate" FROM "tempjobrate" WHERE
"tempjobrateid" = "vacrateid"),"MasterPayRate") AS "OrigPayRate",
    "ModifiedTempRate"('P',"pvacid","ppersid","pplacid","temppayband"."temppayba
ndid","OrigPayRate") AS "ModifiedPayRate",
    "isnull"("SavedPayRate","ModifiedPayRate") AS "PayRate",
    "tempjobrate"."ChargeRate" AS "SavedChargeRate",
    (SELECT FIRST "chargerate" FROM "tempjobratemaster" WHERE
"tempjobratemasterid" = "masterid") AS "MasterChargeRate",
    "isnull"((SELECT FIRST "chargerate" FROM "tempjobrate" WHERE
"tempjobrateid" = "vacrateid"),"MasterChargeRate") AS "OrigChargeRate",
    "round"("origchargerate"-"isnull"((SELECT FIRST "discount" FROM
"vacancy" WHERE "vacancyid" = "pvacid"),0)*"origchargerate"/100),2) AS
"DiscountedCharge",
    "ModifiedTempRate"('C',"pvacid","ppersid","pplacid","temppayband"."temppayba
ndid","DiscountedCharge") AS "ModifiedChargeRate",
    "isnull"("SavedChargeRate","ModifiedChargeRate") AS "ChargeRate",
    "round"("masterchargerate"-
("isnull"("masterdiscount",0)*"masterchargerate"/100),2) AS
"MasterDiscountedCharge",
    "tempjobrate"."placementid","temppayband"."payrollflag"
FROM "tempjobrate" KEY JOIN "temppayband"
WHERE "tempjobrate"."placementid" = "pplacid" AND "punderlyingscheme"
= 0
    AND("startdate" IS NULL OR "startdate" <= "pweekend") AND("enddate" IS
NULL OR "enddate" >= "pweekstart")
    AND("tempjobrate"."grade" IS NULL OR "tempjobrate"."grade" LIKE
"isnull"("entitygrade"("pvacid","ppersid","pplacid",NULL),'%'))
    AND("tempjobrate"."filter1" IS NULL OR "tempjobrate"."filter1" LIKE
"isnull"("entityratefilter"(1,"pweekno","pvacid","ppersid","pplacid",NULL),'
%'))
    AND("tempjobrate"."filter2" IS NULL OR "tempjobrate"."filter2" LIKE
"isnull"("entityratefilter"(2,"pweekno","pvacid","ppersid","pplacid",NULL),'
%'))
    AND("tempjobrate"."filter3" IS NULL OR "tempjobrate"."filter3" LIKE
"isnull"("entityratefilter"(3,"pweekno","pvacid","ppersid","pplacid",NULL),'
%')) UNION ALL
SELECT
"temppayband"."sortorder","temppayband"."TempPayBandID","temppayband"."descr
```



```
ption","isnull"("tempjobrate"."Grade",'') AS "Grade",
"tempjobrate"."filter1","tempjobrate"."filter2","tempjobrate"."filter3",
    "tempjobrate"."TempJobRateID" AS "VacRateID",
"mastertemprate"("pjobtypeid","temppayband"."temppaybandID","tempjobrate"."g
rade","tempjobrate"."filter1","tempjobrate"."filter2","tempjobrate"."filter3
","tempjobrate"."Startdate","tempjobrate"."Enddate") AS "MasterID",
    "tempjobrate"."Startdate" AS "StartDate",
    "tempjobrate"."Enddate" AS "EndDate",
    CAST(NULL AS CHAR(20)) AS "TempJobRateID",
    (SELECT FIRST "discount" FROM "tempjobtype" WHERE "tempjobtypeid" =
"pjobtypeid") AS "masterdiscount",
    CAST(NULL AS DOUBLE) AS "SavedPayRate",
    (SELECT FIRST "payrate" FROM "tempjobratemaster" WHERE
"tempjobratemasterid" = "masterid") AS "MasterPayRate",
    "isnull"("tempjobrate"."payrate","MasterPayRate") AS "OrigPayRate",
"ModifiedTempRate"('P',"pvacid","ppersid","pplacid","temppayband"."temppayba
ndid","OrigPayRate") AS "ModifiedPayRate",
    "ModifiedPayRate" AS "PayRate",
    CAST(NULL AS DOUBLE) AS "SavedChargeRate",
    (SELECT FIRST "chargerate" FROM "tempjobratemaster" WHERE
"tempjobratemasterid" = "masterid") AS "MasterChargeRate",
    "isnull"("tempjobrate"."chargerate","MasterChargeRate") AS
"OrigChargeRate",
    "round"("origchargerate"-(("isnull"((SELECT FIRST "discount" FROM
"vacancy" WHERE "vacancyid" = "pvacid"),0)*"origchargerate"/100),2) AS
"DiscountedCharge",
"ModifiedTempRate"('C',"pvacid","ppersid","pplacid","temppayband"."temppayba
ndid","DiscountedCharge") AS "ModifiedChargeRate",
    "ModifiedChargeRate" AS "ChargeRate",
    "round"("masterchargerate"-
("isnull"("masterdiscount",0)*"masterchargerate"/100),2) AS
"MasterDiscountedCharge",
    CAST("pplacid" AS CHAR(20)) AS
"placementid","temppayband"."payrollflag"
FROM "tempjobrate" KEY JOIN "temppayband"
WHERE "tempjobrate"."vacancyid" = "pvacid" AND "punderlyingscheme" = 0
AND
"OverrideTempRate"(NULL,"pplacid","temppayband"."temppaybandid","tempjobrate
"."Grade","tempjobrate"."filter1","tempjobrate"."filter2","tempjobrate"."fil
ter3","tempjobrate"."Startdate","tempjobrate"."Enddate") IS NULL
    AND("startdate" IS NULL OR "startdate" <= "pweekend") AND("enddate" IS
NULL OR "enddate" >= "pweekstart")
    AND("tempjobrate"."grade" IS NULL OR "tempjobrate"."grade" LIKE
"isnull"("entitygrade"("pvacid","ppersid","pplacid",NULL),'%'))
    AND("tempjobrate"."filter1" IS NULL OR "tempjobrate"."filter1" LIKE
"isnull"("entityratefilter"(1,"pweekno","pvacid","ppersid","pplacid",NULL),'
%'))
    AND("tempjobrate"."filter2" IS NULL OR "tempjobrate"."filter2" LIKE
```



```
"isnull"("entityratefilter"(2,"pweekno","pvacid","ppersid","pplacid",NULL),'%'))
    AND("tempjobrate"."filter3" IS NULL OR "tempjobrate"."filter3" LIKE
"isnull"("entityratefilter"(3,"pweekno","pvacid","ppersid","pplacid",NULL),'%')) UNION ALL
SELECT
"temppayband"."sortorder","temppayband"."TempPayBandID","temppayband"."description","isnull"("tempjobratemaster"."Grade",'') AS "Grade",
"tempjobratemaster"."filter1","tempjobratemaster"."filter2","tempjobratemaster"."filter3",
    CAST(NULL AS CHAR(20)) AS "VacRateID",
    "tempjobratemaster"."tempjobratemasterid" AS "masterid",
    "tempjobratemaster"."Startdate" AS "StartDate",
    "tempjobratemaster"."Enddate" AS "EndDate",
    CAST(NULL AS CHAR(20)) AS "TempJobRateID",
    "tempjobtype"."discount" AS "masterdiscount",
    CAST(NULL AS DOUBLE) AS "SavedPayRate",
    "tempjobratemaster"."payrate" AS "MasterPayRate",
    "MasterPayRate" AS "OrigPayRate",
"ModifiedTempRate"('P',"pvacid","ppersid","pplacid","temppayband"."temppaybandid","OrigPayRate") AS "ModifiedPayRate",
    "ModifiedPayRate" AS "PayRate",
    CAST(NULL AS DOUBLE) AS "SavedChargeRate",
    "tempjobratemaster"."chargerate" AS "MasterChargeRate",
    "MasterChargeRate" AS "OrigChargeRate",
    "round"("origchargerate"-(("isnull"((SELECT FIRST "Discount" FROM
"vacancy" WHERE "vacancyid" = "pvacid"),0)*"origchargerate"/100),2) AS
"DiscountedCharge",
"ModifiedTempRate"('C',"pvacid","ppersid","pplacid","temppayband"."temppaybandid","DiscountedCharge") AS "ModifiedChargeRate",
    "ModifiedChargeRate" AS "ChargeRate",
    "round"("masterchargerate"-
("isnull"("masterdiscount",0)*"masterchargerate"/100),2) AS
"MasterDiscountedCharge",
    CAST("pplacid" AS CHAR(20)) AS
"placementid","temppayband"."payrollflag"
FROM "tempjobratemaster" KEY JOIN("tempjobtype","temppayband")
WHERE "tempjobtype"."tempjobtypeid" = "pjobtypeid"
AND("punderlyingscheme" = 1
OR("OverrideTempRate"("pvacid","pplacid","temppayband"."temppaybandid","tempjobratemaster"."Grade","tempjobratemaster"."filter1","tempjobratemaster"."filter2","tempjobratemaster"."filter3","tempjobratemaster"."Startdate","tempjobratemaster"."Enddate") IS NULL
    AND "tempjobtype"."dynamic" = 1))
    AND("startdate" IS NULL OR "startdate" <= "pweekend") AND("enddate" IS NULL OR "enddate" >= "pweekstart")
    AND("tempjobratemaster"."grade" IS NULL OR "tempjobratemaster"."grade" LIKE "isnull"("entitygrade"("pvacid","ppersid","pplacid",NULL),'%'))
```



```
        AND("tempjobratemaster"."filter1" IS NULL OR
"tempjobratemaster"."filter1" LIKE
"isnull"("entityratefilter"(1,"pweekno","pvacid","ppersid","pplacid",NULL),'
%'))
        AND("tempjobratemaster"."filter2" IS NULL OR
"tempjobratemaster"."filter2" LIKE
"isnull"("entityratefilter"(2,"pweekno","pvacid","ppersid","pplacid",NULL),'
%'))
        AND("tempjobratemaster"."filter3" IS NULL OR
"tempjobratemaster"."filter3" LIKE
"isnull"("entityratefilter"(3,"pweekno","pvacid","ppersid","pplacid",NULL),'
%'))
        ORDER BY 1 ASC,3 ASC,4 ASC FOR READ ONLY do
        SET "plineno" = "plineno"+1;
        SET "pbandid" = "temppaybandid";
        SET "ppayrate" = "payrate";
        SET "pchgrate" = "chargerate";
        SET "pgrade" = "grade";
        SET "pfilter1" = "filter1";
        SET "pfilter2" = "filter2";
        SET "pfilter3" = "filter3";
        INSERT INTO "tempprovtimesheetline"(
"tempprovtimesheetlineid","tempprovtimesheetid","temppaybandid","linenumber"
,"payrate","chargerate","grade","filter1","filter2","filter3" ) VALUES
(
"uniquekey"("plineno"),"ptsid","pbandid","plineno","ppayrate","pchgrate","pg
rade","pfilter1","pfilter2","pfilter3" )
        END FOR
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."CreateETimesheetRates" IS
{CREATE PROCEDURE CreateETimesheetRates

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(
    IN ptsid CHAR(20),IN ppersid CHAR(20),IN pvacid CHAR(20),IN pplacid
CHAR(20),IN pweekstart DATE,IN pweekend DATE,
    IN pjobtypeid CHAR(20) DEFAULT NULL,IN punderlyingscheme SMALLINT DEFAULT
0 )
BEGIN
    DECLARE pbandid CHAR(20);
    DECLARE ppayrate DOUBLE;
    DECLARE pchgrate DOUBLE;
    DECLARE pgrade CHAR(4);
    DECLARE pfilter1 CHAR(4);
    DECLARE pfilter2 CHAR(4);
```



```
DECLARE pfilter3 CHAR(4);
DECLARE plineno SMALLINT;
DECLARE pweekno INTEGER;
SET pweekno = weekcontaining(pweekend);
SET plineno = 0;
IF TRIM(isnull(pjobtypeid, '')) = '' THEN
    SELECT tempjobtypeid INTO pjobtypeid FROM vacancy WHERE vacancyid =
pvacid
END IF;
IF punderlyingscheme IS NULL THEN
    SET punderlyingscheme = 0
END IF;
-- SQL taken from TimeSheetEntry.qRates
FOR PRATEFOR AS PRATECUR no scroll cursor FOR
    SELECT
temppayband.sortorder, temppayband.TempPayBandID, temppayband.description, isnu
ll(tempjobrate.Grade, '') AS Grade,
    tempjobrate.filter1, tempjobrate.filter2, tempjobrate.filter3,
vacancytemprate(pvacid, temppayband.temppayBandID, tempjobrate.grade, tempjobra
te.filter1, tempjobrate.filter2, tempjobrate.filter3, tempjobrate.Startdate, tem
pjobrate.Enddate) AS VacRateID,
mastertemprate(pjobtypeid, temppayband.temppayBandID, tempjobrate.grade, tempjo
brate.filter1, tempjobrate.filter2, tempjobrate.filter3, tempjobrate.Startdate,
tempjobrate.Enddate) AS MasterID,
    tempjobrate.Startdate AS StartDate,
    tempjobrate.Enddate AS EndDate,
    tempjobrate.TempJobRateID,
    (SELECT FIRST discount FROM tempjobtype WHERE tempjobtypeid =
pjobtypeid) AS masterdiscount,
    tempjobrate.PayRate AS SavedPayRate,
    (SELECT FIRST payrate FROM tempjobratemaster WHERE tempjobratemasterid
= masterid) AS MasterPayRate,
    isnull((SELECT FIRST payrate FROM tempjobrate WHERE tempjobrateid =
vacrateid), MasterPayRate) AS OrigPayRate,
ModifiedTempRate('P', pvacid, ppersid, pplacid, temppayband.temppaybandid, OrigPa
yRate) AS ModifiedPayRate,
    isnull(SavedPayRate, ModifiedPayRate) AS PayRate,
    tempjobrate.ChargeRate AS SavedChargeRate,
    (SELECT FIRST chargerate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterChargeRate,
    isnull((SELECT FIRST chargerate FROM tempjobrate WHERE tempjobrateid =
vacrateid), MasterChargeRate) AS OrigChargeRate,
    round(origchargerate - (isnull((SELECT FIRST discount FROM vacancy WHERE
vacancyid = pvacid), 0) * origchargerate / 100), 2) AS DiscountedCharge,
ModifiedTempRate('C', pvacid, ppersid, pplacid, temppayband.temppaybandid, Discou
ntedCharge) AS ModifiedChargeRate,
    isnull(SavedChargeRate, ModifiedChargeRate) AS ChargeRate,
    round(masterchargerate -
```



```
(isnull(masterdiscount,0)*masterchagerate/100),2) AS
MasterDiscountedCharge,
    tempjobrate.placementid,temppayband.payrollflag
FROM tempjobrate KEY JOIN temppayband
WHERE tempjobrate.placementid = pplacid AND punderlyingscheme = 0
AND(startdate IS NULL OR startdate <= pweekend) AND(enddate IS NULL OR
enddate >= pweekstart)
AND(tempjobrate.grade IS NULL OR tempjobrate.grade LIKE
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter1 IS NULL OR tempjobrate.filter1 LIKE
isnull(entityratefilter(1,pweekno,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter2 IS NULL OR tempjobrate.filter2 LIKE
isnull(entityratefilter(2,pweekno,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter3 IS NULL OR tempjobrate.filter3 LIKE
isnull(entityratefilter(3,pweekno,pvacid,ppersid,pplacid,NULL),'%')) UNION
ALL
SELECT
temppayband.sortorder,temppayband.TempPayBandID,temppayband.description,isnu
ll(tempjobrate.Grade,'') AS Grade,
    tempjobrate.filter1,tempjobrate.filter2,tempjobrate.filter3,
    tempjobrate.TempJobRateID AS VacRateID,
mastertemprate(pjobtypeid,temppayband.temppayBandID,tempjobrate.grade,tempjo
brate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startdate,
tempjobrate.Enddate) AS MasterID,
    tempjobrate.Startdate AS StartDate,
    tempjobrate.Enddate AS EndDate,
    CAST(NULL AS CHAR(20)) AS TempJobRateID,
    (SELECT FIRST discount FROM tempjobtype WHERE tempjobtypeid =
pjobtypeid) AS masterdiscount,
    CAST(NULL AS DOUBLE) AS SavedPayRate,
    (SELECT FIRST payrate FROM tempjobratemaster WHERE tempjobratemasterid
= masterid) AS MasterPayRate,
    isnull(tempjobrate.payrate,MasterPayRate) AS OrigPayRate,
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPa
yRate) AS ModifiedPayRate,
    ModifiedPayRate AS PayRate,
    CAST(NULL AS DOUBLE) AS SavedChargeRate,
    (SELECT FIRST chagerate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterChargeRate,
    isnull(tempjobrate.chagerate,MasterChargeRate) AS OrigChargeRate,
    round(origchagerate-(isnull((SELECT FIRST discount FROM vacancy WHERE
vacancyid = pvacid),0)*origchagerate/100),2) AS DiscountedCharge,
ModifiedTempRate('C',pvacid,ppersid,pplacid,temppayband.temppaybandid,Discou
ntedCharge) AS ModifiedChargeRate,
    ModifiedChargeRate AS ChargeRate,
    round(masterchagerate-
(isnull(masterdiscount,0)*masterchagerate/100),2) AS
MasterDiscountedCharge,
```



```
CAST(pplacid AS CHAR(20)) AS placementid,temppayband.payrollflag
FROM tempjobrate KEY JOIN temppayband
WHERE tempjobrate.vacancyid = pvacid AND punderlyingscheme = 0
AND
OverrideTempRate(NULL,pplacid,temppayband.temppaybandid,tempjobrate.Grade,tempjobrate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startdate,tempjobrate.Enddate) IS NULL
AND(startdate IS NULL OR startdate <= pweekend) AND(enddate IS NULL OR enddate >= pweekstart)
AND(tempjobrate.grade IS NULL OR tempjobrate.grade LIKE
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter1 IS NULL OR tempjobrate.filter1 LIKE
isnull(entityratefilter(1,pweekno,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter2 IS NULL OR tempjobrate.filter2 LIKE
isnull(entityratefilter(2,pweekno,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter3 IS NULL OR tempjobrate.filter3 LIKE
isnull(entityratefilter(3,pweekno,pvacid,ppersid,pplacid,NULL),'%')) UNION
ALL
SELECT
temppayband.sortorder,temppayband.TempPayBandID,temppayband.description,isnull(tempjobratemaster.Grade,'') AS Grade,
tempjobratemaster.filter1,tempjobratemaster.filter2,tempjobratemaster.filter3,
CAST(NULL AS CHAR(20)) AS VacRateID,
tempjobratemaster.tempjobratemasterid AS masterid,
tempjobratemaster.Startdate AS StartDate,
tempjobratemaster.Enddate AS EndDate,
CAST(NULL AS CHAR(20)) AS TempJobRateID,
tempjobtype.discount AS masterdiscount,
CAST(NULL AS DOUBLE) AS SavedPayRate,
tempjobratemaster.payrate AS MasterPayRate,
MasterPayRate AS OrigPayRate,
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPayRate) AS ModifiedPayRate,
ModifiedPayRate AS PayRate,
CAST(NULL AS DOUBLE) AS SavedChargeRate,
tempjobratemaster.chargerate AS MasterChargeRate,
MasterChargeRate AS OrigChargeRate,
round(origchargerate-(isnull((SELECT FIRST Discount FROM vacancy WHERE vacancyid = pvacid),0)*origchargerate/100),2) AS DiscountedCharge,
ModifiedTempRate('C',pvacid,ppersid,pplacid,temppayband.temppaybandid,DiscountedCharge) AS ModifiedChargeRate,
ModifiedChargeRate AS ChargeRate,
round(masterchargerate-(isnull(masterdiscount,0)*masterchargerate/100),2) AS
MasterDiscountedCharge,
CAST(pplacid AS CHAR(20)) AS placementid,temppayband.payrollflag
FROM tempjobratemaster KEY JOIN(tempjobtype,temppayband)
```



```
WHERE tempjobtype.tempjobtypeid = pjobtypeid AND(punderlyingscheme = 1
OR(OverrideTempRate(pvacid,pplacid,temppayband.temppaybandid,tempjobratemast
er.Grade,tempjobratemaster.filter1,tempjobratemaster.filter2,tempjobratemast
er.filter3,tempjobratemaster.Startdate,tempjobratemaster.Enddate) IS NULL
AND tempjobtype."dynamic" = 1))
AND(startdate IS NULL OR startdate <= pweekend) AND(enddate IS NULL OR
enddate >= pweekstart)
AND(tempjobratemaster.grade IS NULL OR tempjobratemaster.grade LIKE
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobratemaster.filter1 IS NULL OR tempjobratemaster.filter1
LIKE isnull(entityratefilter(1,pweekno,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobratemaster.filter2 IS NULL OR tempjobratemaster.filter2
LIKE isnull(entityratefilter(2,pweekno,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobratemaster.filter3 IS NULL OR tempjobratemaster.filter3
LIKE isnull(entityratefilter(3,pweekno,pvacid,ppersid,pplacid,NULL),'%'))
ORDER BY 1 ASC,3 ASC,4 ASC FOR READ ONLY do
SET plineno = plineno+1;
SET pbandid = temppaybandid;
SET ppayrate = payrate;
SET pchgrate = chargerate;
SET pgrade = grade;
SET pfilter1 = filter1;
SET pfilter2 = filter2;
SET pfilter3 = filter3;
INSERT INTO tempprovtimesheetline(
tempprovtimesheetlineid,tempprovtimesheetid,temppaybandid,linenumber,payrate
,chargerate,grade,filter1,filter2,filter3 )
VALUES(
uniquekey(plineno),ptsid,pbandid,plineno,ppayrate,pchgrate,pgrade,pfilter1,p
filter2,pfilter3 )
END FOR
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_createetimesheetrates

Last update: 2026/08/07 19:24

