



# pears.EmployeeAcceptable



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."EmployeeAcceptable" IS
{CREATE FUNCTION EmployeeAcceptable

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(
  IN persid CHAR(20),IN compid CHAR(20),IN iTemp SMALLINT,IN VacID CHAR(20)
DEFAULT NULL,IN IncludeWithheld SMALLINT DEFAULT 0 )
RETURNS CHAR(1)
BEGIN
  DECLARE RESULT CHAR(1);
  SELECT IF IncludeWithheld <> 1 AND EXISTS(SELECT * FROM withholds WHERE
personid = persid AND companyid = compid) THEN 'W'
    ELSE IF IncludeWithheld <> 1 AND VacID IS NOT NULL AND EXISTS(SELECT *
FROM withholds WHERE VacancyID = VacID AND PersonID = persid) THEN 'V'
    ELSE IF IncludeWithheld <> 1 AND VacID IS NOT NULL AND EXISTS(SELECT
* FROM Person WHERE ExclusiveVacancyID <> VacID AND PersonID = persid) THEN
'X'
    ELSE IF isnull(itep,0) <> 0 THEN NULL
    ELSE IF EXISTS(SELECT * FROM employment WHERE personid = persid
AND companyid = compid AND temp = 0 AND isnull(leavedate,CURRENT DATE+10) >
CURRENT DATE) THEN 'C'
    ELSE IF EXISTS(SELECT * FROM employment WHERE personid =
persid AND companyid = compid AND temp = 0 AND leavedate >
dateadd(YEAR,-1,CURRENT DATE)) THEN 'R'
    ELSE NULL
    endif
  endif
endif
endif
endif
  INTO RESULT;
  RETURN RESULT
END
```



}

From:  
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:  
[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears\\_employeeacceptable](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_employeeacceptable)

Last update: **2026/08/07 19:24**

