



pears.GetTempAWRRate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."GetTempAWRRate" IS
{CREATE FUNCTION GetTempAWRRate

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(
  IN PayOrCharge CHAR(1),IN PlacOrVac CHAR(1),IN ID CHAR(20) )
RETURNS DOUBLE
BEGIN
  DECLARE rv DOUBLE;
  DECLARE pvacid CHAR(20);
  DECLARE ppersid CHAR(20);
  DECLARE pplacid CHAR(20);
  DECLARE pjobtypeid CHAR(20);
  DECLARE pdirectengagement SMALLINT;
  SET rv = NULL;
  IF placorvac = 'P' THEN
    SET pplacid = id;
    SELECT
pl.vacancyid,em.personid,v.tempjobtypeid,isnull(pl.directengagement,0) INTO
pvacid,ppersid,pjobtypeid,pdirectengagement FROM placement AS pl KEY
JOIN(employment AS em,vacancy AS v) WHERE pl.placementid = pplacid;
    FOR PRATEFOR AS PRATECUR no scroll cursor FOR
      SELECT
vacancytemprate(pvacid,temp payband.temp payBandID,temp jobrate.grade,temp jobra
te.filter1,temp jobrate.filter2,temp jobrate.filter3,temp jobrate.Startdate,tem
p jobrate.Enddate) AS VacRateID,
mastertemprate(pJobTypeID,temp payband.temp payBandID,temp jobrate.grade,temp jo
brate.filter1,temp jobrate.filter2,temp jobrate.filter3,temp jobrate.Startdate,
temp jobrate.Enddate) AS MasterID,
      temp payband.sortorder,
      temp payband.description,
      temp jobrate.Startdate AS StartDate,
      temp jobrate.Enddate AS EndDate,
      temp jobrate.Grade,
```



```
isnull(tempjobrate.filter1,'X') AS soAWR,  
tempjobrate.TempJobRateID,  
temppayband.TempPayBandID,  
tempjobrate.PayRate AS SavedPayRate,  
(SELECT FIRST payrate FROM tempjobratemaster WHERE  
tempjobratemasterid = masterid) AS MasterPayRate,  
isnull((SELECT FIRST payrate FROM tempjobrate WHERE tempjobrateid =  
vacrateid),MasterPayRate) AS OrigPayRate,  
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPa  
yRate) AS ModifiedPayRate,  
isnull(SavedPayRate,ModifiedPayRate) AS PayRate,  
tempjobrate.ChargeRate AS SavedChargeRate,  
(SELECT FIRST chargerate FROM tempjobratemaster WHERE  
tempjobratemasterid = masterid) AS MasterChargeRate,  
isnull((SELECT FIRST chargerate FROM tempjobrate WHERE tempjobrateid  
= vacrateid),MasterChargeRate) AS OrigChargeRate,  
round(origchargerate-(isnull((SELECT FIRST discount FROM vacancy  
WHERE vacancyid = pvacid),0)*origchargerate/100),2) AS DiscountedCharge,  
ModifiedTempRate('C',pvacid,ppersid,pplacid,temppayband.temppaybandid,Discou  
ntedCharge) AS ModifiedChargeRate,  
isnull(SavedChargeRate,ModifiedChargeRate) AS ChargeRate,  
isnull(temppayband.IsExpenses,0) AS IsExpenses  
FROM tempjobrate KEY JOIN temppayband  
WHERE tempjobrate.placementid = pplacid  
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS  
NULL OR enddate >= CURRENT DATE)  
AND(tempjobrate.grade IS NULL OR tempjobrate.grade LIKE  
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobrate.filter1 = 'Y' OR tempjobrate.filter1 IS NULL OR  
tempjobrate.filter1 LIKE  
isnull(entityratefilter(1,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobrate.filter2 IS NULL OR tempjobrate.filter2 LIKE  
isnull(entityratefilter(2,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobrate.filter3 IS NULL OR tempjobrate.filter3 LIKE  
isnull(entityratefilter(3,NULL,pvacid,ppersid,pplacid,NULL),'%')) UNION ALL  
SELECT tempjobrate.TempJobRateID AS VacRateID,  
mastertemprate(pJobTypeID,temppayband.temppayBandID,tempjobrate.grade,tempjo  
brate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startdate,  
tempjobrate.Enddate) AS MasterID,  
temppayband.sortorder,  
temppayband.description,  
tempjobrate.Startdate AS StartDate,  
tempjobrate.Enddate AS EndDate,  
tempjobrate.Grade,  
isnull(tempjobrate.filter1,'X') AS soAWR,  
CAST(NULL AS CHAR(20)) AS TempJobRateID,  
temppayband.TempPayBandID,  
CAST(NULL AS DOUBLE) AS SavedPayRate,
```



```
(SELECT FIRST payrate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterPayRate,
    isnull(tempjobrate.payrate,MasterPayRate) AS OrigPayRate,
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPa
yRate) AS ModifiedPayRate,
    ModifiedPayRate AS PayRate,
    CAST(NULL AS DOUBLE) AS SavedChargeRate,
    (SELECT FIRST chargerate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterChargeRate,
    isnull(tempjobrate.chargerate,MasterChargeRate) AS OrigChargeRate,
    round(origchargerate-(isnull((SELECT FIRST discount FROM vacancy
WHERE vacancyid = pvacid),0)*origchargerate/100),2) AS DiscountedCharge,
ModifiedTempRate('C',pvacid,ppersid,pplacid,temppayband.temppaybandid,Discou
ntedCharge) AS ModifiedChargeRate,
    ModifiedChargeRate AS ChargeRate,
    isnull(temppayband.IsExpenses,0) AS IsExpenses
FROM tempjobrate KEY JOIN temppayband
WHERE tempjobrate.vacancyid = pvacid AND pdirectengagement=0
AND
OverrideTempRate(NULL,pplacid,temppayband.temppaybandid,tempjobrate.Grade,te
mpjobrate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startd
ate,tempjobrate.Enddate) IS NULL
    AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS
NULL OR enddate >= CURRENT DATE)
    AND(tempjobrate.grade IS NULL OR tempjobrate.grade LIKE
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))
    AND(tempjobrate.filter1 = 'Y' OR tempjobrate.filter1 IS NULL OR
tempjobrate.filter1 LIKE
isnull(entityratefilter(1,NULL,pvacid,ppersid,pplacid,NULL),'%'))
    AND(tempjobrate.filter2 IS NULL OR tempjobrate.filter2 LIKE
isnull(entityratefilter(2,NULL,pvacid,ppersid,pplacid,NULL),'%'))
    AND(tempjobrate.filter3 IS NULL OR tempjobrate.filter3 LIKE
isnull(entityratefilter(3,NULL,pvacid,ppersid,pplacid,NULL),'%')) UNION ALL
SELECT CAST(NULL AS CHAR(20)) AS VacRateID,
    tempjobratemaster.tempjobratemasterid AS masterid,
    temppayband.sortorder,
    temppayband.description,
    tempjobratemaster.Startdate AS StartDate,
    tempjobratemaster.Enddate AS EndDate,
    tempjobratemaster.Grade,
    isnull(tempjobratemaster.filter1,'X') AS soAWR,
    CAST(NULL AS CHAR(20)) AS TempJobRateID,
    temppayband.TempPayBandID,
    CAST(NULL AS DOUBLE) AS SavedPayRate,
    tempjobratemaster.payrate AS MasterPayRate,
    MasterPayRate AS OrigPayRate,
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPa
yRate) AS ModifiedPayRate,
```



```
ModifiedPayRate AS PayRate,  
CAST(NULL AS DOUBLE) AS SavedChargeRate,  
tempjobratemaster.chargerate AS MasterChargeRate,  
MasterChargeRate AS OrigChargeRate,  
round(origchargerate-(isnull((SELECT FIRST Discount FROM vacancy  
WHERE vacancyid = pvacid),0)*origchargerate/100),2) AS DiscountedCharge,  
ModifiedTempRate('C',pvacid,ppersid,pplacid,tempmpayband.tempmpaybandid,Discou  
ntedCharge) AS ModifiedChargeRate,  
ModifiedChargeRate AS ChargeRate,  
isnull(tempmpayband.IsExpenses,0) AS IsExpenses  
FROM tempjobratemaster KEY JOIN(tempjobtype,tempmpayband)  
WHERE tempjobtype.tempjobtypeid = pjobtypeid AND pdirectengagement=0  
AND  
OverrideTempRate(pvacid,pplacid,tempmpayband.tempmpaybandid,tempjobratemaster.  
Grade,tempjobratemaster.filter1,tempjobratemaster.filter2,tempjobratemaster.  
filter3,tempjobratemaster.Startdate,tempjobratemaster.Enddate) IS NULL  
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS  
NULL OR enddate >= CURRENT DATE)  
AND(tempjobratemaster.grade IS NULL OR tempjobratemaster.grade LIKE  
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobratemaster.filter1 = 'Y' OR tempjobratemaster.filter1 IS  
NULL OR tempjobratemaster.filter1 LIKE  
isnull(entityratefilter(1,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobratemaster.filter2 IS NULL OR tempjobratemaster.filter2  
LIKE isnull(entityratefilter(2,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobratemaster.filter3 IS NULL OR tempjobratemaster.filter3  
LIKE isnull(entityratefilter(3,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND tempjobtype."dynamic" = 1  
ORDER BY isExpenses ASC, soAWR DESC,sortorder ASC,description  
ASC,startdate ASC,enddate ASC,grade ASC FOR READ ONLY do  
IF payorcharge = 'P' THEN  
SET rv = payrate  
ELSE  
SET rv = chargerate  
END IF;  
RETURN rv  
END FOR  
ELSE SET pvacid = id;  
SET pppersid = NULL;  
SET pplacid = NULL;  
SELECT tempjobtypeid INTO pjobtypeid FROM vacancy WHERE vacancyid =  
pvacid;  
FOR VRATEFOR AS VRATECUR no scroll cursor FOR  
SELECT  
mastertemprate(pJobTypeID,tempmpayband.tempmpayBandID,tempjobrate.grade,tempjo  
brate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startdate,  
tempjobrate.Enddate) AS MasterID,  
tempmpayband.sortorder,
```



```
temp payband.description,  
temp jobrate.Startdate AS StartDate,  
temp jobrate.Enddate AS EndDate,  
temp jobrate.Grade,  
isnull(temp jobrate.filter1,'X') AS soAWR,  
temp jobrate.VacancyID,  
temp jobrate.TempJobRateID,  
temp payband.TempPayBandID,  
temp jobrate.PayRate AS SavedPayRate,  
(SELECT FIRST payrate FROM temp jobratemaster WHERE  
temp jobratemasterid = masterid) AS OrigPayRate,  
isnull(SavedPayRate,OrigPayRate) AS PayRate,  
temp jobrate.ChargeRate AS SavedChargeRate,  
(SELECT FIRST chargerate FROM temp jobratemaster WHERE  
temp jobratemasterid = masterid) AS OrigChargeRate,  
isnull(SavedChargeRate,OrigChargeRate) AS ChargeRate,  
round(chargerate-(isnull(vacancy.discount,0)*chargerate/100),2) AS  
DiscountedCharge,  
isnull(temp payband.IsExpenses,0) AS IsExpenses  
FROM temp jobrate KEY JOIN(vacancy,temp payband)  
WHERE vacancy.vacancyid = pvacid  
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS  
NULL OR enddate >= CURRENT DATE)  
AND(temp jobrate.grade IS NULL OR temp jobrate.grade LIKE  
isnull(entitygrade(pvacid,NULL,NULL,NULL),'%'))  
AND(temp jobrate.filter1 = 'Y' OR temp jobrate.filter1 IS NULL OR  
temp jobrate.filter1 LIKE  
isnull(entityratefilter(1,NULL,pvacid,NULL,NULL,NULL),'%'))  
AND(temp jobrate.filter2 IS NULL OR temp jobrate.filter2 LIKE  
isnull(entityratefilter(2,NULL,pvacid,NULL,NULL,NULL),'%'))  
AND(temp jobrate.filter3 IS NULL OR temp jobrate.filter3 LIKE  
isnull(entityratefilter(3,NULL,pvacid,NULL,NULL,NULL),'%')) UNION ALL  
SELECT temp jobratemaster.temp jobratemasterid AS masterid,  
temp payband.sortorder,  
temp payband.description,  
temp jobratemaster.Startdate AS StartDate,  
temp jobratemaster.Enddate AS EndDate,  
temp jobratemaster.Grade,  
isnull(temp jobratemaster.filter1,'X') AS soAWR,  
CAST(pvacid AS CHAR(20)) AS VacancyID,  
CAST(NULL AS CHAR(20)) AS TempJobRateID,  
temp payband.TempPayBandID,  
CAST(NULL AS DOUBLE) AS SavedPayRate,  
temp jobratemaster.payrate AS OrigPayRate,  
OrigPayRate AS PayRate,  
CAST(NULL AS DOUBLE) AS SavedChargeRate,  
temp jobratemaster.chargerate AS OrigChargeRate,  
OrigChargeRate AS ChargeRate,
```



```
round(chargerate-(isnull((SELECT Discount FROM vacancy WHERE
vacancyid = pvacid),0)*chargerate/100),2) AS DiscountedCharge,
isnull(tempjobratemaster.IsExpenses,0) AS IsExpenses
FROM tempjobratemaster KEY JOIN(tempjobtype,temppayband)
WHERE tempjobtype.tempjobtypeid = pjobtypeid
AND
OverrideTempRate(pvacid,NULL,temppayband.temppaybandid,tempjobratemaster.Gra
de,tempjobratemaster.filter1,tempjobratemaster.filter2,tempjobratemaster.fil
ter3,tempjobratemaster.Startdate,tempjobratemaster.Enddate) IS NULL
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS
NULL OR enddate >= CURRENT DATE)
AND(tempjobratemaster.grade IS NULL OR tempjobratemaster.grade LIKE
isnull(entitygrade(pvacid,NULL,NULL,NULL),'%'))
AND(tempjobratemaster.filter1 = 'Y' OR tempjobratemaster.filter1 IS
NULL OR tempjobratemaster.filter1 LIKE
isnull(entityratefilter(1,NULL,pvacid,NULL,NULL,NULL),'%'))
AND(tempjobratemaster.filter2 IS NULL OR tempjobratemaster.filter2
LIKE isnull(entityratefilter(2,NULL,pvacid,NULL,NULL,NULL),'%'))
AND(tempjobratemaster.filter3 IS NULL OR tempjobratemaster.filter3
LIKE isnull(entityratefilter(3,NULL,pvacid,NULL,NULL,NULL),'%'))
AND tempjobtype."dynamic" = 1
ORDER BY IsExpenses ASC, soAWR DESC,sortorder ASC,description
ASC,startdate ASC,enddate ASC,grade ASC FOR READ ONLY do
IF payorcharge = 'P' THEN
SET rv = payrate
ELSE
SET rv = discountedcharge
END IF;
RETURN rv
END FOR END IF;
RETURN rv
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_gettempawrrate

Last update: **2026/08/07 19:24**

