



pears.GetTempRate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."GetTempRate" IS
{CREATE FUNCTION GetTempRate

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(
  IN PayOrCharge CHAR(1),IN PlacOrVac CHAR(1),IN ID CHAR(20) )
RETURNS DOUBLE
BEGIN
  DECLARE rv DOUBLE;
  DECLARE pvacid CHAR(20);
  DECLARE ppersid CHAR(20);
  DECLARE pplacid CHAR(20);
  DECLARE pjobtypeid CHAR(20);
  DECLARE pdirectengagement SMALLINT;
  SET rv = GetTempRateCustom("PayOrCharge","PlacOrVac" , "ID" );
  IF "rv" IS NOT NULL THEN RETURN "rv"
END IF;
IF placorvac = 'P' THEN
  SET pplacid = id;
  SELECT
pl.vacancyid,em.personid,v.tempjobtypeid,isNull(pl.directengagement,0) INTO
pvacid,ppersid,pjobtypeid,pdirectengagement FROM placement AS pl KEY
JOIN(employment AS em,vacancy AS v) WHERE pl.placementid = pplacid;
  FOR PRATEFOR AS PRATECUR no scroll cursor FOR
  SELECT
vacancytemprate(pvacid,temp payband.temp payBandID,temp jobrate.grade,temp jobra
te.filter1,temp jobrate.filter2,temp jobrate.filter3,temp jobrate.Startdate,tem
p jobrate.Enddate) AS VacRateID,
mastertemprate(pJobTypeID,temp payband.temp payBandID,temp jobrate.grade,temp jo
brate.filter1,temp jobrate.filter2,temp jobrate.filter3,temp jobrate.Startdate,
temp jobrate.Enddate) AS MasterID,
      temp payband.sortorder,
      temp payband.description,
      temp jobrate.Startdate AS StartDate,
```



```
tempjobrate.Enddate AS EndDate,
tempjobrate.Grade,
tempjobrate.filter3,
isnull(tempjobrate.filter2,'Z') AS soltd,
isnull(tempjobrate.filter1,'Z') AS soawr,
tempjobrate.TempJobRateID,
temppayband.TempPayBandID,
tempjobrate.PayRate AS SavedPayRate,
(SELECT FIRST payrate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterPayRate,
isnull((SELECT FIRST payrate FROM tempjobrate WHERE tempjobrateid =
vacrateid),MasterPayRate) AS OrigPayRate,
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPa
yRate) AS ModifiedPayRate,
isnull(SavedPayRate,ModifiedPayRate) AS PayRate,
tempjobrate.ChargeRate AS SavedChargeRate,
(SELECT FIRST chargerate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterChargeRate,
isnull((SELECT FIRST chargerate FROM tempjobrate WHERE tempjobrateid
= vacrateid),MasterChargeRate) AS OrigChargeRate,
round(origchargerate-(isnull((SELECT FIRST discount FROM vacancy
WHERE vacancyid = pvacid),0)*origchargerate/100),2) AS DiscountedCharge,
ModifiedTempRate('C',pvacid,ppersid,pplacid,temppayband.temppaybandid,Discou
ntedCharge) AS ModifiedChargeRate,
isnull(SavedChargeRate,ModifiedChargeRate) AS ChargeRate,
isnull(temppayband.IsExpenses,0) AS IsExpenses
FROM tempjobrate KEY JOIN temppayband
WHERE tempjobrate.placementid = pplacid
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS
NULL OR enddate >= CURRENT DATE)
AND(tempjobrate.grade IS NULL OR tempjobrate.grade LIKE
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter1 IS NULL OR tempjobrate.filter1 LIKE
isnull(entityratefilter(1,NULL,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter2 IS NULL OR tempjobrate.filter2 LIKE
isnull(entityratefilter(2,NULL,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter3 IS NULL OR tempjobrate.filter3 LIKE
isnull(entityratefilter(3,NULL,pvacid,ppersid,pplacid,NULL),'%')) UNION ALL
SELECT tempjobrate.TempJobRateID AS VacRateID,
mastertemprate(pJobTypeID,temppayband.temppayBandID,tempjobrate.grade,tempjo
brate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startdate,
tempjobrate.Enddate) AS MasterID,
temppayband.sortorder,
temppayband.description,
tempjobrate.Startdate AS StartDate,
tempjobrate.Enddate AS EndDate,
tempjobrate.Grade,
tempjobrate.filter3,
```



```
isnull(tempjobrate.filter2,'Z') AS soltd,
isnull(tempjobrate.filter1,'Z') AS soawr,
CAST(NULL AS CHAR(20)) AS TempJobRateID,
temppayband.TempPayBandID,
CAST(NULL AS DOUBLE) AS SavedPayRate,
(SELECT FIRST payrate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterPayRate,
isnull(tempjobrate.payrate,MasterPayRate) AS OrigPayRate,
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPayRate) AS ModifiedPayRate,
ModifiedPayRate AS PayRate,
CAST(NULL AS DOUBLE) AS SavedChargeRate,
(SELECT FIRST chargerate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS MasterChargeRate,
isnull(tempjobrate.chargerate,MasterChargeRate) AS OrigChargeRate,
round(origchargerate-(isnull((SELECT FIRST discount FROM vacancy
WHERE vacancyid = pvacid),0)*origchargerate/100),2) AS DiscountedCharge,
ModifiedTempRate('C',pvacid,ppersid,pplacid,temppayband.temppaybandid,DiscountedCharge) AS ModifiedChargeRate,
ModifiedChargeRate AS ChargeRate,
isnull(temppayband.IsExpenses,0) AS IsExpenses
FROM tempjobrate KEY JOIN temppayband
WHERE tempjobrate.vacancyid = pvacid AND pdirectengagement=0
AND
OverrideTempRate(NULL,pplacid,temppayband.temppaybandid,tempjobrate.Grade,tempjobrate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startdate,tempjobrate.Enddate) IS NULL
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS NULL OR enddate >= CURRENT DATE)
AND(tempjobrate.grade IS NULL OR tempjobrate.grade LIKE
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter1 IS NULL OR tempjobrate.filter1 LIKE
isnull(entityratefilter(1,NULL,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter2 IS NULL OR tempjobrate.filter2 LIKE
isnull(entityratefilter(2,NULL,pvacid,ppersid,pplacid,NULL),'%'))
AND(tempjobrate.filter3 IS NULL OR tempjobrate.filter3 LIKE
isnull(entityratefilter(3,NULL,pvacid,ppersid,pplacid,NULL),'%')) UNION ALL
SELECT CAST(NULL AS CHAR(20)) AS VacRateID,
tempjobratemaster.tempjobratemasterid AS masterid,
temppayband.sortorder,
temppayband.description,
tempjobratemaster.Startdate AS StartDate,
tempjobratemaster.Enddate AS EndDate,
tempjobratemaster.Grade,
tempjobratemaster.filter3,
isnull(tempjobratemaster.filter2,'Z') AS soltd,
isnull(tempjobratemaster.filter1,'Z') AS soawr,
CAST(NULL AS CHAR(20)) AS TempJobRateID,
```



```
temppayband.TempPayBandID,  
CAST(NULL AS DOUBLE) AS SavedPayRate,  
tempjobratemaster.payrate AS MasterPayRate,  
MasterPayRate AS OrigPayRate,  
ModifiedTempRate('P',pvacid,ppersid,pplacid,temppayband.temppaybandid,OrigPayRate) AS ModifiedPayRate,  
ModifiedPayRate AS PayRate,  
CAST(NULL AS DOUBLE) AS SavedChargeRate,  
tempjobratemaster.chargerate AS MasterChargeRate,  
MasterChargeRate AS OrigChargeRate,  
round(origchargerate-(isnull((SELECT FIRST Discount FROM vacancy  
WHERE vacancyid = pvacid),0)*origchargerate/100),2) AS DiscountedCharge,  
ModifiedTempRate('C',pvacid,ppersid,pplacid,temppayband.temppaybandid,DiscountedCharge) AS ModifiedChargeRate,  
ModifiedChargeRate AS ChargeRate,  
isnull(temppayband.IsExpenses,0) AS IsExpenses  
FROM tempjobratemaster KEY JOIN(tempjobtype,temppayband)  
WHERE tempjobtype.tempjobtypeid = pjobtypeid AND pdirectengagement=0  
AND  
OverrideTempRate(pvacid,pplacid,temppayband.temppaybandid,tempjobratemaster.  
Grade,tempjobratemaster.filter1,tempjobratemaster.filter2,tempjobratemaster.  
filter3,tempjobratemaster.Startdate,tempjobratemaster.Enddate) IS NULL  
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS  
NULL OR enddate >= CURRENT DATE)  
AND(tempjobratemaster.grade IS NULL OR tempjobratemaster.grade LIKE  
isnull(entitygrade(pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobratemaster.filter1 IS NULL OR tempjobratemaster.filter1  
LIKE isnull(entityratefilter(1,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobratemaster.filter2 IS NULL OR tempjobratemaster.filter2  
LIKE isnull(entityratefilter(2,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND(tempjobratemaster.filter3 IS NULL OR tempjobratemaster.filter3  
LIKE isnull(entityratefilter(3,NULL,pvacid,ppersid,pplacid,NULL),'%'))  
AND tempjobtype."dynamic" = 1  
ORDER BY IsExpenses ASC, startdate ASC,grade ASC,filter3 ASC,soLtd  
ASC,soAWR ASC,sortorder ASC FOR READ ONLY do  
IF payorcharge = 'P' THEN  
SET rv = payrate  
ELSE  
SET rv = chargerate  
END IF;  
RETURN rv  
END FOR  
ELSE SET pvacid = id;  
SET pppersid = NULL;  
SET pplacid = NULL;  
SELECT tempjobtypeid INTO pjobtypeid FROM vacancy WHERE vacancyid =  
pvacid;  
FOR VRATEFOR AS VRATECUR no scroll cursor FOR
```

**SELECT**

```
mastertemprate(pJobTypeID,temppayband.temppayBandID,tempjobrate.grade,tempjo
brate.filter1,tempjobrate.filter2,tempjobrate.filter3,tempjobrate.Startdate,
tempjobrate.Enddate) AS MasterID,
    temppayband.sortorder,
    temppayband.description,
    tempjobrate.Startdate AS StartDate,
    tempjobrate.Enddate AS EndDate,
    tempjobrate.Grade,
    tempjobrate.filter3,
    isnull(tempjobrate.filter2,'Z') AS soltd,
    isnull(tempjobrate.filter1,'Z') AS soawr,
    tempjobrate.VacancyID,
    tempjobrate.TempJobRateID,
    temppayband.TempPayBandID,
    tempjobrate.PayRate AS SavedPayRate,
    (SELECT FIRST payrate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS OrigPayRate,
    isnull(SavedPayRate,OrigPayRate) AS PayRate,
    tempjobrate.ChargeRate AS SavedChargeRate,
    (SELECT FIRST chargerate FROM tempjobratemaster WHERE
tempjobratemasterid = masterid) AS OrigChargeRate,
    isnull(SavedChargeRate,OrigChargeRate) AS ChargeRate,
    round(chargerate-(isnull(vacancy.discount,0)*chargerate/100),2) AS
DiscountedCharge,
    isnull(temppayband.IsExpenses,0) AS IsExpenses
FROM tempjobrate KEY JOIN(vacancy,temppayband)
WHERE vacancy.vacancyid = pvacid
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS
NULL OR enddate >= CURRENT DATE)
AND(tempjobrate.grade IS NULL OR tempjobrate.grade LIKE
isnull(entitygrade(pvacid,NULL,NULL,NULL),'%'))
AND(tempjobrate.filter1 IS NULL OR tempjobrate.filter1 LIKE
isnull(entityratefilter(1,NULL,pvacid,NULL,NULL,NULL),'%'))
AND(tempjobrate.filter2 IS NULL OR tempjobrate.filter2 LIKE
isnull(entityratefilter(2,NULL,pvacid,NULL,NULL,NULL),'%'))
AND(tempjobrate.filter3 IS NULL OR tempjobrate.filter3 LIKE
isnull(entityratefilter(3,NULL,pvacid,NULL,NULL,NULL),'%')) UNION ALL
SELECT tempjobratemaster.temppaybandid AS masterid,
    temppayband.sortorder,
    temppayband.description,
    tempjobratemaster.Startdate AS StartDate,
    tempjobratemaster.Enddate AS EndDate,
    tempjobratemaster.Grade,
    tempjobratemaster.filter3,
    isnull(tempjobratemaster.filter2,'Z') AS soltd,
    isnull(tempjobratemaster.filter1,'Z') AS soawr,
    CAST(pvacid AS CHAR(20)) AS VacancyID,
```



```
CAST(NULL AS CHAR(20)) AS TempJobRateID,
temppayband.TempPayBandID,
CAST(NULL AS DOUBLE) AS SavedPayRate,
tempjobratemaster.payrate AS OrigPayRate,
OrigPayRate AS PayRate,
CAST(NULL AS DOUBLE) AS SavedChargeRate,
tempjobratemaster.chargerate AS OrigChargeRate,
OrigChargeRate AS ChargeRate,
round(chargerate-(isnull((SELECT Discount FROM vacancy WHERE
vacancyid = pvacid),0)*chargerate/100),2) AS DiscountedCharge,
isnull(temppayband.IsExpenses,0) AS IsExpenses
FROM tempjobratemaster KEY JOIN(tempjobtype,temppayband)
WHERE tempjobtype.tempjobtypeid = pjobtypeid
AND
OverrideTempRate(pvacid,NULL,temppayband.temppaybandid,tempjobratemaster.Gra
de,tempjobratemaster.filter1,tempjobratemaster.filter2,tempjobratemaster.fil
ter3,tempjobratemaster.Startdate,tempjobratemaster.Enddate) IS NULL
AND(startdate IS NULL OR startdate <= CURRENT DATE) AND(enddate IS
NULL OR enddate >= CURRENT DATE)
AND(tempjobratemaster.grade IS NULL OR tempjobratemaster.grade LIKE
isnull(entitygrade(pvacid,NULL,NULL,NULL), '%'))
AND(tempjobratemaster.filter1 IS NULL OR tempjobratemaster.filter1
LIKE isnull(entityratefilter(1,NULL,pvacid,NULL,NULL,NULL), '%'))
AND(tempjobratemaster.filter2 IS NULL OR tempjobratemaster.filter2
LIKE isnull(entityratefilter(2,NULL,pvacid,NULL,NULL,NULL), '%'))
AND(tempjobratemaster.filter3 IS NULL OR tempjobratemaster.filter3
LIKE isnull(entityratefilter(3,NULL,pvacid,NULL,NULL,NULL), '%'))
AND tempjobtype."dynamic" = 1
ORDER BY IsExpenses ASC, startdate ASC,grade ASC,filter3 ASC,soLtd
ASC,soAWR ASC,sortorder ASC FOR READ ONLY do
IF payorcharge = 'P' THEN
SET rv = payrate
ELSE
SET rv = discountedcharge
END IF;
RETURN rv
END FOR END IF;
RETURN rv
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_gettemprate

Last update: 2026/08/07 19:24



