



pears.HideFromCombo



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."HideFromCombo" IS
{CREATE FUNCTION HideFromCombo

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(IN combovis CHAR(25))
RETURNS INTEGER
BEGIN
    DECLARE staffcombovis CHAR(25);
    DECLARE i INTEGER;
    DECLARE c CHAR(1);
    SET combovis=TRIM(combovis);
    IF isnull(combovis,'') = '' THEN
        RETURN 0
    END IF;
    SELECT TRIM(combovisibility) INTO staffcombovis FROM staff WHERE staffid =
userstaffid;
    IF isnull(staffcombovis,'') = '' THEN
        RETURN 0
    END IF;
    SET i=1;
    loop
        SET c=SUBSTRING(combovis,i,1);
        IF c = '' THEN
            RETURN 1
        END IF;
        IF staffcombovis LIKE '%'+c+'%' THEN
            RETURN 0
        END IF;
        SET i=i+1
    END loop
END
}
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_hidefromcombo

Last update: **2026/08/07 19:24**

