



pears.IQXNetUserHeadline



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."IQXNetUserHeadline" IS
{CREATE FUNCTION IQXNetUserHeadline(
  IN "pWebUserID" CHAR(20) )
RETURNS long VARCHAR
BEGIN
  DECLARE "userClass" CHAR(20);
  DECLARE "personName" CHAR(200);
  SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
  SET "personName" = (SELECT "person"."forenames" FROM "iqxnetuser" KEY JOIN
"iqxnetuserlink" KEY JOIN "person" WHERE "iqxnetuser"."iqxnetuserid" =
"pWebUserID");
  RETURN "string"('<h2> Hello ', "personName", ', welcome to your
portal.</h2>')
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_iqxnetuserheadline

Last update: **2026/08/07 19:24**

