



pears.KeyWordSearchAllowed



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."KeyWordSearchAllowed" IS
{CREATE FUNCTION KeyWordSearchAllowed

/* Application Maintained Function / Procedure - DO NOT EDIT*/

( IN SearchString Long VARCHAR )
RETURNS long VARCHAR
BEGIN
    IF TRIM(SearchString) = '' THEN
        RETURN 'Search string cannot be empty, please review criteria and
search again'
    ELSE IF TRIM(REPLACE(SearchString, '*', '' ) ) = '' THEN
        RETURN 'Cannot search on * alone, please review criteria and search
again'
    ELSE IF ((searchstring LIKE '%~%') OR (searchstring LIKE '%near%')) AND
(searchstring LIKE '%"%"') THEN
        RETURN 'Cannot use " in full text proximity searches, please review
criteria and search again'
    ELSE RETURN ;
    END IF END IF END IF;
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_keywordsearchallowed

Last update: 2026/08/07 19:24

