



pears.MergePhones



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."MergePhones"(  
  /* Application Maintained Function / Procedure - DO NOT EDIT*/  
  IN "sphonewho" CHAR(2),IN "ssourceid" CHAR(20),IN "stargetid" CHAR(20) )  
BEGIN  
  UPDATE "phone" AS "pq" SET "whoid" = "stargetid" WHERE "who" = "sphonewho"  
AND "whoid" = "ssourceid"  
  AND NOT EXISTS(SELECT * FROM "phone" WHERE "who" = "sphonewho" AND  
"whoid" = "stargetid"  
  AND "phonetypeid" = "pq"."phonetypeid" AND "number" = "pq"."number");  
  DELETE FROM "phone" WHERE "whoid" = "ssourceid" AND "who" = "sphonewho"  
END  
GO  
  
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."MergePhones" IS  
{CREATE PROCEDURE MergePhones  
  
/* Application Maintained Function / Procedure - DO NOT EDIT*/  
  
(IN sphonewho CHAR(2),IN ssourceid CHAR(20),IN stargetid CHAR(20))  
BEGIN  
  UPDATE phone AS pq SET whoid=stargetid WHERE who=sphonewho AND  
whoid=ssourceid  
  AND NOT EXISTS(SELECT* FROM phone WHERE who=sphonewho AND  
whoid=stargetid  
  AND phonetypeid=pq.phonetypeid AND NUMBER=pq.number);  
  DELETE FROM phone WHERE whoid=ssourceid AND who=sphonewho  
END  
}
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_mergephones



Last update: **2026/08/07 19:24**