



# pears.NetCandidateAddToShortlist



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Original SQL

```
CREATE PROCEDURE "pears"."NetCandidateAddToShortlist"( IN "pWebUserID"
CHAR(20),IN "pRefCode" CHAR(20),IN "pPersonID" CHAR(20) DEFAULT NULL,IN
"pNotes" long VARCHAR DEFAULT NULL )
RESULT( "pResult" CHAR(250) )
// IQXWeb
BEGIN
    DECLARE "pvacancyid" CHAR(20);
    DECLARE "pProgressID" CHAR(20);
    DECLARE "pUserStaffID" CHAR(20);
    DECLARE "DefaultStatus" CHAR(20);
    DECLARE "CreatePopup" CHAR(1);
    IF "pRefCode" IS NULL THEN
        SELECT '132:~RefCode required';
        RETURN
    END IF;
    SET "pPersonID" = "NetCandidateValidPersonID"("pWebUserID","pPersonID");
    IF "pPersonID" IS NULL THEN
        SELECT '97:~There is an error with the linking on your profile';
        RETURN
    END IF;
    IF EXISTS(SELECT * FROM "progress" WHERE "personid" = "pPersonID" AND
"vacancyid" = "pRefCode") THEN
        SELECT '135:~You have already applied for this job';
        RETURN
    END IF;
    SET "pUserStaffID" = (SELECT "staffid" FROM "vacancy" WHERE "vacancyid" =
"pRefCode");
    SET "DefaultStatus" = (SELECT top 1
"trim"("right"("description","length"("description")-
"charindex(':', "description"))) AS "DefaultState" FROM "IQXNetSwitch" WHERE
"IQXNetSwitchID" = 'DEFAPPLYVACSTATE' AND "value" = 1 ORDER BY
"IQXNetSwitchID" ASC);
    SET "CreatePopup" = (SELECT top 1 "isnull"("value",0) FROM "IQXNetSwitch"
WHERE "IQXNetSwitchID" = 'CANDSHORTLISTPOPOPUP' AND "value" = 1 ORDER BY
"IQXNetSwitchID" ASC);
```



```
SET "pProgressID" = (SELECT "uniquekey"('X'));
INSERT INTO "progress"(
"progressid","vacancyid","actiondate","status","personid","staffid","note" )
VALUES( "pProgressID","pRefCode",CURRENT
DATE,"isnull"("DefaultStatus",'H'),"pPersonID","pUserStaffID","pNotes" ) ;
IF "CreatePopup" = 1 THEN
CALL
"IQXNetPopup"("pWebUserID","pPersonID",NULL,"pRefCode",NULL,"pProgressID",'J
OBAPPLICATION','Web vacancy application',(SELECT "name" FROM "person" WHERE
"personid" = "pPersonID"))
END IF;
SELECT '0:~Success'
END /* DOC
2016-11-30 PC Test and doc
2017-12-13 PC modify to allow default state to be drawn from IQXWeb Switches
DEFAPPLYVACSTATE
2018-01-23 PC IW-368 allow or suppress popup
2018-06-14 PC modify for extended error handler
2018-10-10 MHS IW-456 multi-cand fix and tests
2019-03-05 PC IW-873 add top 1 and order by on subqueries
2019-03-05 PC IW-873 revised
2020-01-17 AW IW-12 added notes

Inputs:
pWebUserID
pRefCode

Outputs:
pResult

Tests:
invalid pWebUserID
Valid pWebUser=Candidate, invalid pRefCode
Valid pWebUser=Candidate, pRefCode
Valid pWebUser=client, pRefCode

*/
/* TEST
call NetTestSetup('');
update person set staffid='TEST' where personid='test';
update vacancy set staffid='TEST' where vacancyid='TEST';
delete from progress where personid='test';
select * from NetCandidateAddToShortlist(null,null);
expect pResult=132:~RefCode*;
select * from NetCandidateAddToShortlist('test.candidate',null);
expect pResult=132:~RefCode*;
select * from NetCandidateAddToShortlist('test.candidate','TEST');
expect pResult=0*;
```



```
select * from progress where personid='TEST';
expect vacancyid=TEST,status=A;
select * from NetCandidateAddToShortlist('test.candidate','TEST');
expect pResult=135:~*;
select * from NetCandidateAddToShortlist('test.client','TEST');
expect pResult=97:~There*;
delete from progress where personid='test';
update person set staffid=null where personid='test';
update vacancy set staffid=null where vacancyid='TEST';
*/
GO
```

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetCandidateAddToShortlist"
IS
```

```
{CREATE PROCEDURE pears."NetCandidateAddToShortlist"(IN pWebUserID CHAR(20),
IN pRefCode CHAR(20), IN pPersonID CHAR(20) DEFAULT NULL, IN pNotes long
VARCHAR DEFAULT NULL)
RESULT( pResult CHAR(250) )
// IQXWeb
BEGIN
```

```
    DECLARE pvacancyid CHAR(20);
    DECLARE pProgressID CHAR(20);
    DECLARE pUserStaffID CHAR(20);
    DECLARE DefaultStatus CHAR(20);
    DECLARE CreatePopup CHAR(1);
```

```
    IF pRefCode IS NULL THEN
        SELECT '132:~RefCode required';
        RETURN;
    END IF;
```

```
    SET pPersonID=NetCandidateValidPersonID(pWebUserID,pPersonID);
    IF pPersonID IS NULL THEN
        SELECT '97:~There is an error with the linking on your profile';
        RETURN;
    END IF;
```

```
    IF EXISTS(SELECT * FROM progress WHERE personid=pPersonID AND
vacancyid=pRefCode) THEN
        SELECT '135:~You have already applied for this job';
        RETURN;
    END IF;
```

```
    SET pUserStaffID=(SELECT staffid FROM vacancy WHERE vacancyid=pRefCode);
```

```
    SET DefaultStatus=(SELECT top 1
TRIM(RIGHT(description,LENGTH(description)-charindex(':',description))) AS
DefaultState FROM IQXNetSwitch WHERE IQXNetSwitchID='DEFAPPLYVACSTATE' AND
```



```
VALUE=1 ORDER BY IQXNetSwitchID ASC);
SET CreatePopup=(SELECT top 1 isnull(VALUE,0) FROM IQXNetSwitch WHERE
IQXNetSwitchID='CANDSHORTLISTPOPUP' AND VALUE=1 ORDER BY IQXNetSwitchID
ASC);

SET pProgressID=(SELECT uniquekey('X'));
INSERT INTO progress(
progressid,vacancyid,actiondate,STATUS,personid,staffId, note ) VALUES(
pProgressID,pRefCode,CURRENT
DATE,isnull(DefaultStatus,'H'),pPersonID,pUserStaffID,pNotes ) ;
IF CreatePopup = 1 THEN
CALL
IQXNetPopup(pWebUserID,pPersonID,NULL,pRefCode,NULL,pProgressID,'JOBAPPLICAT
ION', 'Web vacancy application',(SELECT name FROM person WHERE
personid=pPersonID));
END IF;

SELECT '0:~Success';
END

/* DOC
2016-11-30 PC Test and doc
2017-12-13 PC modify to allow default state to be drawn from IQXWeb Switches
DEFAPPLYVACSTATE
2018-01-23 PC IW-368 allow or suppress popup
2018-06-14 PC modify for extended error handler
2018-10-10 MHS IW-456 multi-cand fix and tests
2019-03-05 PC IW-873 add top 1 and order by on subqueries
2019-03-05 PC IW-873 revised
2020-01-17 AW IW-12 added notes

Inputs:
    pWebUserID
    pRefCode

Outputs:
    pResult

Tests:
    invalid pWebUserID
    Valid pWebUser=Candidate, invalid pRefCode
    Valid pWebUser=Candidate, pRefCode
    Valid pWebUser=client, pRefCode

*/

/* TEST
call NetTestSetup('');
```



```
update person set staffid='TEST' where personid='test';
update vacancy set staffid='TEST' where vacancyid='TEST';
delete from progress where personid='test';
select * from NetCandidateAddToShortlist(null,null);
expect pResult=132:~RefCode*;
select * from NetCandidateAddToShortlist('test.candidate',null);
expect pResult=132:~RefCode*;
select * from NetCandidateAddToShortlist('test.candidate','TEST');
expect pResult=0*;
select * from progress where personid='TEST';
expect vacancyid=TEST,status=A;
select * from NetCandidateAddToShortlist('test.candidate','TEST');
expect pResult=135:~*;
select * from NetCandidateAddToShortlist('test.client','TEST');
expect pResult=97:~There*;
delete from progress where personid='test';
update person set staffid=null where personid='test';
update vacancy set staffid=null where vacancyid='TEST';
*/
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears\\_netcandidateaddtoshortlist](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netcandidateaddtoshortlist)

Last update: 2026/08/07 19:24

