



pears.NetCandidateCreatePopup



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetCandidateCreatePopup"( IN "pWebUserID"
CHAR(20),IN "pConsultantID" CHAR(20),IN "pPayrollNumber" CHAR(10),IN
"pComment" CHAR(255),IN "pPersonID" CHAR(20) DEFAULT NULL )
RESULT( "pResult" CHAR(255) )
BEGIN
    // IQXNet
    DECLARE "ptype" CHAR(10);
    DECLARE "ptitle" CHAR(30);
    DECLARE "pStaffID" CHAR(20);
    SET "pPersonID" = "NetCandidateValidPersonID"("pWebUserID","pPersonID");
    IF "pPersonID" IS NULL THEN
        SELECT '95:~Unique candidate link required';
        RETURN
    END IF;
    SET "ptype" = 'WebsiteQuery';
    SET "ptitle" = 'Query from website'+IF "isnull"("pPayrollNumber",'') <> ''
THEN ' - '+'pPayrollNumber" endif;
    SET "pStaffID" = "isnull"("pConsultantID",(SELECT top 1 "staffid" FROM
"IQXNetMessageRecipient" WHERE "MessageType" = "ptype" ORDER BY "staffid"
ASC),(SELECT "staffid" FROM "person" WHERE "personid" = "pPersonID"));
    IF "pStaffID" IS NULL THEN
        SELECT '98:~Unable to create a reminder';
        RETURN
    END IF;
    IF "pPayrollNumber" IS NULL THEN
        SELECT '99:~Unable to create a reminder';
        RETURN
    END IF;
    IF "pComment" IS NULL THEN
        SELECT '97:~Please enter a comment, detailing your reasons';
        RETURN
    END IF;
    INSERT INTO "diary"(
"diaryid","staffid","personid","employmentid","vacancyid","placementid","pro
gressid","diaryfrom","description","notes","durationtype","popupminutes" )
```



```
VALUES
(
"uniquekey"("pStaffID"),"pStaffID","pPersonID",NULL,NULL,NULL,NULL,CURRENT
TIMESTAMP,"ptitle","pComment",'R',0 ) ;
SELECT '0:~success'
END /* DOC
2016-10-13 PC allow candidate to create a notification popup
2018-07-24 PC include improved error handler
2018-10-10 MHS IW-456 multi-cand fix and tests
2019-03-05 PC IW-873 add top 1 and order by on subqueries

Tests:
invalid pWebUserID
valid pWebUserID but no values
valid pWebUserId, valid pConsultantID
valid pWebUserId, valid pConsultantID, valid payrollnumber
valid pWebUserId, valid pConsultantID, valid payrollnumber, valid comment

*/
/* TEST
call NetTestSetup('');
select * from NetCandidateCreatePopup(null,null,null,null);
expect 95*;
select * from NetCandidateCreatePopup('test.candidate',null,null,null);
expect 98*;
select * from NetCandidateCreatePopup('test.candidate','TEST',null,null);
expect 99*;
select * from
NetCandidateCreatePopup('test.candidate','TEST','ABC123',null);
expect 97*;
select * from NetCandidateCreatePopup('test.candidate','TEST','ABC123','New
Comment');
expect 0*;
select top 1 staffid,personid,replace(description,' ','!') as
A,replace(notes,' ','!') as B from diary order by whenentered desc;
expect staffid=TEST,personid=TEST,A=Query!from!website!-
!ABC123,B=New!Comment;
delete from diary
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetCandidateCreatePopup" IS
{CREATE PROCEDURE pears."NetCandidateCreatePopup"(IN pWebUserID CHAR(20),IN
pConsultantID CHAR(20), IN pPayrollNumber CHAR(10), IN pComment CHAR(255),
IN pPersonID CHAR(20) DEFAULT NULL )
RESULT( pResult CHAR(255) )
BEGIN
// IQXNet
```



```
DECLARE "ptype" CHAR(10);
DECLARE "ptitle" CHAR(30);
DECLARE "pStaffID" CHAR(20);
SET pPersonID=NetCandidateValidPersonID(pWebUserID,pPersonID);
IF pPersonID IS NULL THEN
    SELECT '95:~Unique candidate link required';
    RETURN;
END IF;
SET "ptype" = 'WebsiteQuery';
SET "ptitle" = 'Query from website'+ IF isnull(pPayrollNumber,'')!='' THEN
' - '+pPayrollNumber endif;
SET pStaffID=isnull(pConsultantID,(SELECT top 1 staffid FROM
IQXNetMessageRecipient WHERE MessageType = ptype ORDER BY staffid),(SELECT
staffid FROM person WHERE personid=pPersonID));

IF pStaffID IS NULL THEN
    SELECT '98:~Unable to create a reminder';
    RETURN;
END IF;
IF pPayrollNumber IS NULL THEN
    SELECT '99:~Unable to create a reminder';
    RETURN;
END IF;
IF pComment IS NULL THEN
    SELECT '97:~Please enter a comment, detailing your reasons';
    RETURN;
END IF;
INSERT INTO diary(
diaryid,staffid,personid,employmentid,vacancyid,placementid,progressid,diary
from,description,notes,durationtype,popupminutes) VALUES(
    uniquekey(pStaffID),pStaffID,pPersonID,NULL,NULL,NULL,NULL,CURRENT
TIMESTAMP,ptitle,pComment,'R',0);
SELECT '0:~success'
END

/* DOC
2016-10-13 PC allow candidate to create a notification popup
2018-07-24 PC include improved error handler
2018-10-10 MHS IW-456 multi-cand fix and tests
2019-03-05 PC IW-873 add top 1 and order by on subqueries

Tests:
    invalid pWebUserID
    valid pWebUserID but no values
    valid pWebUserId, valid pConsultantID
    valid pWebUserId, valid pConsultantID, valid payrollnumber
    valid pWebUserId, valid pConsultantID, valid payrollnumber, valid
comment
```



```
*/  
  
/* TEST  
call NetTestSetup('');  
select * from NetCandidateCreatePopup(null,null,null,null);  
expect 95*;  
select * from NetCandidateCreatePopup('test.candidate',null,null,null);  
expect 98*;  
select * from NetCandidateCreatePopup('test.candidate','TEST',null,null);  
expect 99*;  
select * from  
NetCandidateCreatePopup('test.candidate','TEST','ABC123',null);  
expect 97*;  
select * from NetCandidateCreatePopup('test.candidate','TEST','ABC123','New  
Comment');  
expect 0*;  
select top 1 staffid,personid,replace(description,' ','!') as  
A,replace(notes,' ','!') as B from diary order by whenentered desc;  
expect staffid=TEST,personid=TEST,A=Query!from!website!-  
!ABC123,B=New!Comment;  
delete from diary  
*/  
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netcandidatecreatepopup

Last update: **2026/08/07 19:24**

