



pears.NetCandidateDocumentsFiltered



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetCandidateDocumentsFiltered"( IN "pWebUserID"
CHAR(20),IN "pPersonID" CHAR(20) DEFAULT NULL,IN "pExcludeList" CHAR(100)
DEFAULT NULL,IN "pHidePhoto" INTEGER DEFAULT 0 )
RESULT( "DocType" CHAR(50),"DocDescription" CHAR(50),"LastUpdate"
TIMESTAMP,"SpecialType" CHAR(50),"DocumentID" CHAR(20),"PersonID"
CHAR(20),"PublishToWeb" CHAR(8),"SortOrder" INTEGER )
-- 20111013 modified to ignore Reference document type
-- 20111205 modified to accept Candidate data from Candidate details popup
on Client/Current Requirements tab, Filled By column
-- 20120612 remove photo if agency.
-- 20130618 download link disappears if PublishToWeb not set
-- 20130813 modified to ignore parameterised list of doc types
BEGIN
  DECLARE "userClass" CHAR(20);
  DECLARE "isCandorAgency" SMALLINT;
  DECLARE LOCAL TEMPORARY TABLE "expandedExcludeList"(
    "DocType" CHAR(20) NULL,
  ) ON commit DELETE ROWS;
  DECLARE "TableIndex" INTEGER;
  DECLARE "TempString" CHAR(100);
  DECLARE "LoopCounter" INTEGER;
  DECLARE "StringFragment" CHAR(20);
  SET "TempString" = "pExcludeList";
  SET "LoopCounter" = 0;
  SET "TableIndex" = "length"("TempString");
  while "TableIndex" > 0 AND "LoopCounter" < 10 loop
    SET "TableIndex" = "charindex"(':', "TempString");
    IF "TableIndex" = 0 THEN SET "TableIndex" = "length"("TempString")+1;
    SET "LoopCounter" = 11
  END IF;
  SET "StringFragment" = "substring"("TempString",0,"TableIndex"-1);
  INSERT INTO "expandedExcludeList"( "DocType" ) VALUES( "StringFragment"
) ;
  SET "TempString" = "substring"("TempString","TableIndex"+1);
  SET "LoopCounter" = "LoopCounter"+1
```



```
END loop;
IF "iqxnethaspermission"("pwebuserid",'DOCCANDDOWNLOAD') = 0 THEN
    SET "pPersonID" = NULL
ELSE
    SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
    IF "userClass" = 'CANDIDATE' THEN
        SET "isCandorAgency" = 1;
        SET "pPersonID" =
"NetCandidateValidPersonID"("pWebUserID","pPersonID")
    ELSE IF "userClass" = 'AGENCY' THEN
        SET "isCandorAgency" = 1;
        SET "pPersonID" = (SELECT FIRST "pay_employee"."personid"
FROM "pay_employee" KEY JOIN "company" AS "agcomp" KEY JOIN
"employment" AS "agemp" KEY JOIN "iqxnetuserlink"
WHERE "pay_employee"."personid" = "ppersonid" AND
"iqxnetuserlink"."iqxnetuserid" = "pwebuserid")
    ELSE IF "userClass" = 'Client' THEN
        SET "isCandorAgency" = 2
    ELSE
        SET "isCandorAgency" = 0
    END IF END IF END IF END IF;
SELECT "documenttype"."description",
"oledocument"."description",
"isnull"("blobstore"."changedat","blobstore"."createdat"),'',
"oledocument"."oledocumentid",
"oledocument"."ownerid",
(IF "blobstore"."publishtoweb" <> 0 THEN 'Download' endif),
100+"isnull"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument"
JOIN "blobstore" ON "blobstore"."id" = "oledocument"."oledocumentid"
AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = 'P'
AND "oledocument"."ownerid" = "ppersonid"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND(("isCandorAgency" = 1 OR "blobstore"."publishtoweb" = 1)
OR("isCandorAgency" = 2 AND "blobstore"."publishtoweb" = 1))
AND NOT "documenttype"."description" = any(SELECT "DocType" FROM
"expandedExcludeList") UNION ALL
SELECT 'Primary','CV',
"isnull"("blobstore"."changedat","blobstore"."createdat"),'PRIMARY_CV',
NULL,
"blobstore"."id",
(IF "blobstore"."publishtoweb" <> 0 THEN 'Download' endif),
1 AS "ord"
FROM "blobstore"
WHERE "blobstore"."class" = 'V'
```



```
    AND "blobstore"."id" = "pPersonID"
    AND "blobstore"."zipped" = 2
    AND(("isCandorAgency" = 1 OR "blobstore"."publishtoweb" = 1)
OR("isCandorAgency" = 2 AND "blobstore"."publishtoweb" = 1)) UNION ALL
    SELECT 'Primary','Photo',
    "isnull"("blobstore"."changedat","blobstore"."createdat"),'PRIMARY_PHOTO',
    NULL,
    "blobstore"."id",
    (IF "blobstore"."publishtoweb" <> 0 THEN 'Download' endif),
    2 AS "ord"
    FROM "blobstore"
    WHERE "blobstore"."class" = 'J'
    AND "blobstore"."id" = "pPersonID"
    AND(("userClass" = 'AGENCY' AND "blobstore"."publishtoweb" = 1 AND
    "pHidePhoto" = 0) OR("userClass" = 'CANDIDATE') OR("userClass" = 'Client'
    AND "blobstore"."publishtoweb" = 1))
    ORDER BY "ord" ASC
END /* DOC
2018-10-22 MHS IW-456 multi-cand fix and tests
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetCandidateDocumentsFiltered" IS
{CREATE PROCEDURE pears."NetCandidateDocumentsFiltered"( IN "pWebUserID"
CHAR(20),IN "pPersonID" CHAR(20) DEFAULT NULL,IN "pExcludeList" CHAR(100)
DEFAULT NULL,IN "pHidePhoto" INTEGER DEFAULT 0 )
RESULT( "DocType" CHAR(50),"DocDescription" CHAR(50),"LastUpdate"
TIMESTAMP,"SpecialType" CHAR(50),"DocumentID" CHAR(20),"PersonID"
CHAR(20),"PublishToWeb" CHAR(8),"SortOrder" INTEGER )
-- 20111013 modified to ignore Reference document type
-- 20111205 modified to accept Candidate data from Candidate details popup
on Client/Current Requirements tab, Filled By column
-- 20120612 remove photo if agency.
-- 20130618 download link disappears if PublishToWeb not set
-- 20130813 modified to ignore parameterised list of doc types
BEGIN
    DECLARE "userClass" CHAR(20);
    DECLARE "isCandorAgency" SMALLINT;
    DECLARE LOCAL TEMPORARY TABLE "expandedExcludeList"(
        "DocType" CHAR(20) NULL,
    ) ON commit DELETE ROWS;
    DECLARE "TableIndex" INTEGER;
    DECLARE "TempString" CHAR(100);
    DECLARE "LoopCounter" INTEGER;
    DECLARE "StringFragment" CHAR(20);
    SET "TempString" = "pExcludeList";
    SET "LoopCounter" = 0;
```



```
SET "TableIndex" = "length"("TempString");
while "TableIndex" > 0 AND "LoopCounter" < 10 loop
    SET "TableIndex" = "charindex"(':', "TempString");
    IF "TableIndex" = 0 THEN SET "TableIndex" = "length"("TempString")+1;
    SET "LoopCounter" = 11
END IF;
SET "StringFragment" = "substring"("TempString",0,"TableIndex"-1);
INSERT INTO "expandedExcludeList"("DocType") VALUES("StringFragment"
) ;
SET "TempString" = "substring"("TempString","TableIndex"+1);
SET "LoopCounter" = "LoopCounter"+1
END loop;
IF "iqxnethaspermission"("pwebuserid",'DOCCANDDOWNLOAD') = 0 THEN
    SET "pPersonID" = NULL
ELSE
    SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
    IF "userClass" = 'CANDIDATE' THEN
        SET "isCandorAgency" = 1;
        SET pPersonID=NetCandidateValidPersonID(pWebUserID,pPersonID);
    ELSE IF "userClass" = 'AGENCY' THEN
        SET "isCandorAgency" = 1;
        SET "pPersonID" = (SELECT FIRST "pay_employee"."personid"
FROM "pay_employee" KEY JOIN "company" AS "agcomp" KEY JOIN
"employment" AS "agemp" KEY JOIN "iqxnetuserlink"
WHERE "pay_employee"."personid" = "ppersonid" AND
"iqxnetuserlink"."iqxnetuserid" = "pwebuserid")
    ELSE IF "userClass" = 'Client' THEN
        SET "isCandorAgency" = 2
    ELSE
        SET "isCandorAgency" = 0
    END IF
END IF END IF END IF;
SELECT "documenttype"."description",
"oledocument"."description",
"isnull"("blobstore"."changedat","blobstore"."createdat"),'',
"oledocument"."oledocumentid",
"oledocument"."ownerid",
(IF "blobstore"."publishtoweb" <> 0 THEN 'Download' endif),
100+"isnull"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument"
JOIN "blobstore" ON "blobstore"."id" = "oledocument"."oledocumentid"
AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = 'P'
AND "oledocument"."ownerid" = "ppersonid"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND(("isCandorAgency" = 1 OR "blobstore"."publishtoweb" = 1)
```



```
OR("isCandorAgency" = 2 AND "blobstore"."publishtoweb" = 1))
  AND NOT "documenttype"."description" = any(SELECT "DocType" FROM
"expandedExcludeList") UNION ALL
  SELECT 'Primary','CV',
    "isnull"("blobstore"."changedat","blobstore"."createdat"),'PRIMARY_CV',
    NULL,
    "blobstore"."id",
    (IF "blobstore"."publishtoweb" <> 0 THEN 'Download' endif),
    1 AS "ord"
  FROM "blobstore"
  WHERE "blobstore"."class" = 'V'
  AND "blobstore"."id" = "pPersonID"
  AND "blobstore"."zipped" = 2
  AND(("isCandorAgency" = 1 OR "blobstore"."publishtoweb" = 1)
OR("isCandorAgency" = 2 AND "blobstore"."publishtoweb" = 1)) UNION ALL
  SELECT 'Primary','Photo',
    "isnull"("blobstore"."changedat","blobstore"."createdat"),'PRIMARY_PHOTO',
    NULL,
    "blobstore"."id",
    (IF "blobstore"."publishtoweb" <> 0 THEN 'Download' endif),
    2 AS "ord"
  FROM "blobstore"
  WHERE "blobstore"."class" = 'J'
  AND "blobstore"."id" = "pPersonID"
  AND(("userClass" = 'AGENCY' AND "blobstore"."publishtoweb" = 1 AND
"pHidePhoto" = 0) OR("userClass" = 'CANDIDATE') OR("userClass" = 'Client'
AND "blobstore"."publishtoweb" = 1))
  ORDER BY "ord" ASC
END

/* DOC
2018-10-22 MHS IW-456 multi-cand fix and tests
*/
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netcandidatedocumentsfiltered

Last update: 2026/08/07 19:24

