



pears.NetCandidateEmploymentHistory



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetCandidateEmploymentHistory"( IN "pWebUserID"
CHAR(20),IN "pPersonID" CHAR(20) DEFAULT NULL )
RESULT( "CompanyName" CHAR(60),"Position" CHAR(60),"ActionDate"
CHAR(20),"PositionState" CHAR(50),"VacancyID" CHAR(20),"ThisProgressID"
CHAR(20),"ProgressState" CHAR(10),"ProjectRejectStatus" CHAR(10) )
// IQXWeb
BEGIN
  SET "pPersonID" = "NetCandidateValidPersonID"("pWebUserID","pPersonID");
  SELECT DISTINCT
    "c"."name",
    "v"."position",
    "p"."actiondate",
    (IF "pPersonID" IS NULL THEN
      "isnull"((SELECT(IF "final" = 1 THEN "s"."name" endif) FROM "status"
AS "s" WHERE "type" = 'R' AND "s"."status" = "ProjectRejectStatus"),'In
progress')
    ELSE
      (SELECT "s"."name" FROM "status" AS "s" WHERE "type" = 'R' AND
"s"."status" = "ProgressState") // CHANGE this TO give actual STATUS
endif) AS "FinalProgressState",
    "v"."vacancyid",
    (SELECT "max"("progressid") FROM "progress" WHERE "vacancyid" =
"v"."vacancyid" AND "personid" = "p"."personid") AS "ThisProgressID",
    (SELECT "Status" FROM "progress" WHERE "progressid" = "ThisProgressID")
AS "ProgressState",
    (SELECT "rejectstatus" FROM "status" AS "s" WHERE "type" = 'R' AND
"s"."status" = "ProgressState") AS "ProjectRejectStatus"
  FROM "progress" AS "p"
  KEY JOIN "vacancy" AS "v"
  KEY JOIN "employment" AS "e"
  KEY JOIN "company" AS "c"
  , "progress" AS "p"
  KEY JOIN "person" AS "pe"
  WHERE "p"."personid" = "pPersonID"
  ORDER BY "p"."actiondate" DESC
```



```
END /* DOC
2018-04-03 PC IW-375 job search history
use pWebUserID from candidate portal or pPersonID from other portal
2018-10-22 MHS IW-456 multi-cand fix. Would only work for candidate portal
(if at all) but no sign of it being used anywhere.
2019-03-05 PC added parameters to output to avoid schema mismatch
*/
/* TEST
call NetTestSetup('')

*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetCandidateEmploymentHistory" IS
{CREATE PROCEDURE pears."NetCandidateEmploymentHistory"(IN pWebUserID
CHAR(20),pPersonID CHAR(20) DEFAULT NULL)
RESULT(CompanyName CHAR(60),POSITION CHAR(60),ActionDate
CHAR(20),PositionState CHAR(50),VacancyID CHAR(20),ThisProgressID
CHAR(20),ProgressState CHAR(10),ProjectRejectStatus CHAR(10))
// IQXWeb
BEGIN

    SET pPersonID=NetCandidateValidPersonID(pWebUserID,pPersonID);

    SELECT DISTINCT
        c.name,
        v.position,
        p.actiondate,
        (IF pPersonID IS NULL THEN
            isnull((SELECT (IF final=1 THEN s.name END IF) FROM STATUS s
WHERE TYPE='R' AND s.status=ProjectRejectStatus),'In progress')
        ELSE
            (SELECT s.name FROM STATUS s WHERE TYPE='R' AND
s.status=ProgressState) // CHANGE this TO give actual STATUS
        END IF) AS FinalProgressState,
        v.vacancyid,
        (SELECT MAX(progressid) FROM progress WHERE vacancyid=v.vacancyid
AND personid=p.personid) AS ThisProgressID,
        (SELECT STATUS FROM progress WHERE progressid=ThisProgressID) AS
ProgressState,
        (SELECT rejectstatus FROM STATUS s WHERE TYPE='R' AND
s.status=ProgressState) AS ProjectRejectStatus
    FROM
        progress p
        KEY JOIN vacancy v
        KEY JOIN employment e
        KEY JOIN company c,
```



```
        progress p
            KEY JOIN person pe
WHERE
    p.personid=pPersonID
ORDER BY
    p.actiondate DESC

END

/* DOC
2018-04-03 PC IW-375 job search history
    use pWebUserID from candidate portal or pPersonID from other portal
2018-10-22 MHS IW-456 multi-cand fix. Would only work for candidate portal
(if at all) but no sign of it being used anywhere.
2019-03-05 PC added parameters to output to avoid schema mismatch
*/

/* TEST
call NetTestSetup('')

*/
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netcandidateemploymenthistory

Last update: **2026/08/07 19:24**

