



pears.NetCandidatePersonHeadline



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetCandidatePersonHeadline"( IN "pWebUserID"
CHAR(20),IN "pPersonID" CHAR(20) DEFAULT NULL )
RESULT( "pHeadline" long VARCHAR )
// IQXWeb
BEGIN
    SET "pPersonID" = "NetCandidateValidPersonID"("pWebUserID","pPersonID");
    SELECT "PersonHeadline"("pPersonID")
END /* DOC
2017-06-06 PC Test and doc
2018-03-28 PC insert top 1 into subquery
2018-10-22 MHS IW-456 multi-cand fix and tests
*/
/* TEST
call NetTestSetup('');
select * from NetCandidatePersonHeadline('test.candidate');
expect row;

*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetCandidatePersonHeadline"
IS
{CREATE PROCEDURE pears."NetCandidatePersonHeadline"(pWebUserID CHAR(20),IN
pPersonID CHAR(20) DEFAULT NULL)
RESULT(pHeadline long VARCHAR )
// IQXWeb
BEGIN
    SET pPersonID=NetCandidateValidPersonID(pWebUserID,pPersonID);
    SELECT PersonHeadline(pPersonID);
END

/* DOC
2017-06-06 PC Test and doc
2018-03-28 PC insert top 1 into subquery
2018-10-22 MHS IW-456 multi-cand fix and tests
```



```
*/  
  
/* TEST  
call NetTestSetup('');  
select * from NetCandidatePersonHeadline('test.candidate');  
expect row;  
  
*/  
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netcandidatepersonheadline

Last update: **2026/08/07 19:24**

