



pears.NetCandidatePersonID



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetCandidatePersonID"( IN "pWebUserID" CHAR(20) )
RESULT( "PersonID" CHAR(20) )
// IQXWeb
BEGIN
    SELECT "NetCandidateValidPersonID"("pWebUserID",NULL) AS "PersonID" WHERE
"PersonID" IS NOT NULL
END /* DOC
2016-12-02 PC test and doc
2018-10-22 MHS IW-456 multi-cand fix and tests

Inputs:
pWebUserID

Outputs:
PersonID

Tests:
invalid pWebUserID
valid pWebUserID

*/
/* TEST
call NetTestSetup('');
select * from NetCandidatePersonID(null);
expect EOF;
select * from NetCandidatePersonID('test.candidate');
expect PersonID=TEST;

*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetCandidatePersonID" IS
{CREATE PROCEDURE pears."NetCandidatePersonID"( IN pWebUserID CHAR(20) )
RESULT( PersonID CHAR(20) )
// IQXWeb
```



```
BEGIN
  SELECT NetCandidateValidPersonID(pWebUserID,NULL) AS PersonID WHERE
  PersonID IS NOT NULL;
END
```

```
/* DOC
2016-12-02 PC test and doc
2018-10-22 MHS IW-456 multi-cand fix and tests
```

```
Inputs:
  pWebUserID
```

```
Outputs:
  PersonID
```

```
Tests:
  invalid pWebUserID
  valid pWebUserID
```

```
*/
```

```
/* TEST
call NetTestSetup('');
select * from NetCandidatePersonID(null);
expect EOF;
select * from NetCandidatePersonID('test.candidate');
expect PersonID=TEST;
```

```
*/
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netcandidatepersonid

Last update: **2026/08/07 19:24**

