



pears.NetCandidateSaveQuestions



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetCandidateSaveQuestions"( IN "pWebUserID"
CHAR(20),IN "qanswers" long VARCHAR DEFAULT NULL,IN "pExperience" long
VARCHAR DEFAULT NULL,IN "pSourceID" CHAR(20) DEFAULT NULL,IN "pPersonID"
CHAR(20) DEFAULT NULL )
RESULT( "pResult" CHAR(250) )
// IQXWeb
BEGIN
    DECLARE "qOriginID" CHAR(20);
    DECLARE "CombinedNote" long VARCHAR;
    SET "pPersonID" = "NetCandidateValidPersonID"("pWebUserID","pPersonID");
    IF "pPersonID" IS NULL THEN
        SELECT '97:~Unique candidate link required';
        RETURN
    END IF;
    IF "isnull"("pSourceID",'') <> '' THEN
        SET "qOriginID" = "isnull"("pSourceID",(SELECT top 1 "originid" FROM
"origin" WHERE "descrip" IN( 'none','unknown' ) ORDER BY "sortorder" ASC));
        UPDATE "person" SET "originid" = "qOriginID" WHERE "personid" =
"pPersonID"
    END IF;
    IF "isnull"("pExperience",'none') <> 'none' THEN
        SET "CombinedNote" = "string"('What is your experience:
',"pExperience","char"(13),"char"(13),(SELECT top 1 "notes" FROM "person"
WHERE "personid" = "pPersonID"));
        UPDATE "person" SET "notes" = "CombinedNote" WHERE "personid" =
"pPersonID"
    END IF;
    IF "isnull"("qanswers",'none') <> 'none' THEN
        CALL "IQXNetSaveQuestionnaire"("pPersonID","qanswers")
    END IF;
    SELECT '0:~Success'
END /* DOC
2017-11-07 GJ Created - Probably needs tweaking
2017-11-24 PC Needed tweaking :slightly_smiling_face:
2017-11-27 PC modified for Experience and Source fields
```



2018-02-02 PC spelling change
2018-07-19 GJ Changed to not change the sourceID when this procedure is called for the 2nd time
2018-10-22 MHS IW-456 multi-cand fix
2019-03-05 PC IW-873 add top 1 and order by on subqueries

Inputs:

pWebUserID
qanswers

Outputs:

pResult

*/
GO

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetCandidateSaveQuestions"
IS
{CREATE PROCEDURE pears."NetCandidateSaveQuestions"( IN pWebUserID
CHAR(20),IN qanswers long VARCHAR DEFAULT NULL,IN pExperience long VARCHAR
DEFAULT NULL,IN pSourceID CHAR(20) DEFAULT NULL, IN pPersonID CHAR(20)
DEFAULT NULL )
RESULT( pResult CHAR(250) )
// IQXWeb
BEGIN
    DECLARE qOriginID CHAR(20);
    DECLARE CombinedNote long VARCHAR;

    SET pPersonID=NetCandidateValidPersonID(pWebUserID,pPersonID);
    IF pPersonID IS NULL THEN
        SELECT '97:~Unique candidate link required';
        RETURN;
    END IF;

    IF isnull(pSourceID,'') != '' THEN
        SET qOriginID = isnull(pSourceID,(SELECT top 1 originid FROM origin
WHERE descrip IN ('none','unknown') ORDER BY sortorder));
        UPDATE person SET originid=qOriginID WHERE personid=pPersonID;
    END IF;

    IF isnull(pExperience,'none') != 'none' THEN
        SET CombinedNote = string('What is your experience:
',pExperience,CHAR(13),CHAR(13),(SELECT top 1 notes FROM person WHERE
personid=pPersonID));
        UPDATE person SET notes=CombinedNote WHERE personid=pPersonID;
    END IF;
```



```
IF isnull(qanswers,'none') != 'none' THEN
    CALL "IQXNetSaveQuestionnaire"(pPersonID,"qanswers");
END IF;
SELECT '0:~Success';
END

/* DOC
2017-11-07 GJ Created - Probably needs tweaking
2017-11-24 PC Needed tweaking :slightly_smiling_face:
2017-11-27 PC modified for Experience and Source fields
2018-02-02 PC spelling change
2018-07-19 GJ Changed to not change the sourceID when this procedure is
called for the 2nd time
2018-10-22 MHS IW-456 multi-cand fix
2019-03-05 PC IW-873 add top 1 and order by on subqueries

Inputs:
    pWebUserID
    qanswers

Outputs:
    pResult

*/
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netcandidatesavequestions

Last update: 2026/08/07 19:24

