



pears.NetClientCandidateSubmit



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetClientCandidateSubmit"( IN "pWebUserID"
CHAR(20),IN "pPersonID" CHAR(20),IN "pLineID" CHAR(20),IN "pIsShift" INTEGER
)
RESULT( "pResult" CHAR(250) )
// IQXWeb
BEGIN
    DECLARE "sname" CHAR(100);
    DECLARE "RefCode" CHAR(20);
    DECLARE "VacID" CHAR(20);
    IF "IQXNetHasPermission"("pWebUserID",'SUBMITCANDIDATES') = 0 THEN
        SELECT '99:~Permission denied';
        RETURN
    END IF;
    SET "sname" = (SELECT "name" FROM "person" WHERE "personid" =
"pPersonID");
    IF "pIsShift" = 0 THEN
        IF(SELECT "count"() FROM "progress" WHERE "vacancyid" = "pLineID" AND
"personid" = "ppersonid") = 0 THEN
            INSERT INTO "progress"(
"progressid","vacancyid","personid","staffid","status","actiondate" )
VALUES(
"uniquekey"("ppersonid"+"plineid"),"pLineid","ppersonid","userstaffid",'A',C
URRENT DATE ) ;
            SET "RefCode" = (SELECT "refcode" FROM "vacancy" WHERE "vacancyid" =
"pLineID");
            SET "VacID" = "pLineID"
        ELSE
            SELECT '101:~This person is already in the short list';
            RETURN
        END IF
    ELSE SET "vacid" = (SELECT top 1 "vacancyid" FROM "tempshiftplan" WHERE
"tempshiftplanid" = "pLineID" ORDER BY "tempshiftplanid" ASC);
        IF(SELECT "count"() FROM "progress" WHERE "vacancyid" = "vacid" AND
"personid" = "ppersonid") = 0 THEN
            INSERT INTO "progress"(
```



```
"progressid","vacancyid","personid","staffid","status","actiondate" )
VALUES(
"uniquekey"("ppersonid"+"plineid"),"vacid","ppersonid","userstaffid",'A',CUR
RENT DATE ) ;
    SET "RefCode" = (SELECT "referencecode" FROM "tempshiftplan" WHERE
"tempshiftplanid" = "pLineID")
    ELSE
    SELECT '101:~This person is already in the short list';
    RETURN
END IF END IF;
IF "isnull"("RefCode",'') <> '' THEN
    SET "RefCode" = '('+"RefCode"+')'
END IF;
CALL
"IQXNetPopup"("pWebUserID","pPersonID",NULL,"VacID",NULL,NULL,'SUBMITCANDIDA
TE','Candidate submitted by client '+'RefCode',"sname");
SELECT '0:~Success'
END /* DOC
```

2017-01-05 PC receive suggested candidate for shortlist of vacancy

2017-08-01 PC divert all entries to the progress table

2019-02-07 PC IW-809 modify to allow for entries into TempShiftProgress

Tests:

all invalid

pWebUserID valid

all valid for vacancy but no permission

all valid for vacancy with permission

all valid for vacancy repeated

all valid for shift with permission

all valid for shift repeated

*/

/* TEST

call NetTestSetup('');

update iqxnetuserlink set employmentid=null where IQXNetUserLinkID in
('test.client','test.agency','test.candidate','test.owner');

update iqxnetuserlink set employmentid='TEST' where
IQXNetUserLinkID='test.client';

update tempshiftplan set referencecode='TestRefPlan' where
tempshiftplanid='TEST';

delete from progress where vacancyid='TEST';

delete from iqxnetrightallowed where iqxnetrightid='SUBMITCANDIDATES' and
iqxnetuserclassid='CLIENT';

delete from iqxnetrightassigned where iqxnetrightid='SUBMITCANDIDATES' and
iqxnetuserid='test.client';

select * from NetClientCandidateSubmit(null,null,null,null);

expect pResult=99*;

select * from NetClientCandidateSubmit('test.client',null,null,null);



```
expect pResult=99*;
select * from NetClientCandidateSubmit('test.client','TEST','TEST',0);
expect pResult=99*;
INSERT INTO iqxnetrightallowed
(iqxnetrightid,ixxnetuserclassid,id,MaintainOnWeb) values
('SUBMITCANDIDATES','CLIENT','*',1);
insert into iqxnetrightassigned (ixxnetuserid,ixxnetrightid,Assigned) values
('test.client','SUBMITCANDIDATES',1);
select * from NetClientCandidateSubmit('test.client','TEST','TEST',0);
expect pResult=0*;
select * from progress where vacancyid='test';
expect personid=TEST;

select top 1 *,replace(description,' ','_') as A from diary order by
whenentered desc;
expect staffid=TEST,A=Candidate_submitted*;
delete from progress where vacancyid='TEST';
select * from NetClientCandidateSubmit('test.client','TEST','TEST',1);
expect pResult=0*;
select * from NetClientCandidateSubmit('test.client','TEST','TEST',1);
expect pResult=1*;

select top 1 *,replace(description,' ','_') as B from diary order by
whenentered desc;
expect staffid=TEST,B=Candidate_submitted*;
update tempshiftplan set referencecode=null where tempshiftplanid='TEST';
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetClientCandidateSubmit"
IS
{CREATE PROCEDURE pears."NetClientCandidateSubmit"( IN "pWebUserID"
CHAR(20),IN "pPersonID" CHAR(20),IN "pLineID" CHAR(20),IN "pIsShift"
INTEGER)
RESULT( "pResult" CHAR(250) )
// IQXWeb
BEGIN
    DECLARE sname CHAR(100);
    DECLARE RefCode CHAR(20);
    DECLARE VacID CHAR(20);
    IF "IQXNetHasPermission"("pWebUserID",'SUBMITCANDIDATES') = 0 THEN
        SELECT '99:~Permission denied';
        RETURN
    END IF;
    SET sname=(SELECT name FROM person WHERE personid = pPersonID);

    IF pIsShift=0 THEN
        IF (SELECT COUNT(*) FROM progress WHERE vacancyid=pLineID AND
```



```
personid=ppersonid) = 0 THEN
    INSERT INTO "progress"(
        "progressid","vacancyid","personid","staffid","status","actiondate" )
VALUES(
    "uniquekey"("ppersonid"+"plineid"),"pLineid","ppersonid","userstaffid",'A',C
URRENT DATE );
    SET RefCode = (SELECT refcode FROM vacancy WHERE vacancyid =
pLineID);
    SET VacID = pLineID;
ELSE
    SELECT '101:~This person is already in the short list';
    RETURN;
END IF;
ELSE
    SET vacid=(SELECT top 1 vacancyid FROM tempshiftplan WHERE
tempshiftplanid=pLineID ORDER BY tempshiftplanid);
    IF (SELECT COUNT(*) FROM progress WHERE vacancyid=vacid AND
personid=ppersonid) = 0 THEN
        INSERT INTO "progress"(
            "progressid","vacancyid","personid","staffid","status","actiondate" )
VALUES(
            "uniquekey"("ppersonid"+"plineid"),"vacid","ppersonid","userstaffid",'A',CUR
RENT DATE );
        SET RefCode = (SELECT referencecode FROM tempshiftplan WHERE
tempshiftplanid = pLineID);
    ELSE
        SELECT '101:~This person is already in the short list';
        RETURN;
    END IF;
END IF;
IF "isnull"(RefCode,'') <> '' THEN
    SET RefCode = '('+RefCode+')'
END IF;
CALL
"IQXNetPopup"("pWebUserID","pPersonID",NULL,"VacID",NULL,NULL,'SUBMITCANDIDA
TE','Candidate submitted by client '+RefCode,sname);
SELECT '0:~Success';
END
```

/ DOC*

2017-01-05 PC receive suggested candidate for shortlist of vacancy

2017-08-01 PC divert all entries to the progress table

2019-02-07 PC IW-809 modify to allow for entries into TempShiftProgress

Tests:

all invalid

pWebUserID valid

all valid for vacancy but no permission



```
all valid for vacancy with permission
all valid for vacancy repeated
all valid for shift with permission
all valid for shift repeated

*/

/* TEST
call NetTestSetup('');
update iqxnetuserlink set employmentid=null where IQXNetUserLinkID in
('test.client','test.agency','test.candidate','test.owner');
update iqxnetuserlink set employmentid='TEST' where
IQXNetUserLinkID='test.client';
update tempshiftplan set referencecode='TestRefPlan' where
tempshiftplanid='TEST';
delete from progress where vacancyid='TEST';
delete from iqxnetrightallowed where iqxnetrightid='SUBMITCANDIDATES' and
iqxnetuserclassid='CLIENT';
delete from iqxnetrightassigned where iqxnetrightid='SUBMITCANDIDATES' and
iqxnetuserid='test.client';
select * from NetClientCandidateSubmit(null,null,null,null);
expect pResult=99*;
select * from NetClientCandidateSubmit('test.client',null,null,null);
expect pResult=99*;
select * from NetClientCandidateSubmit('test.client','TEST','TEST',0);
expect pResult=99*;
INSERT INTO iqxnetrightallowed
(iqxnetrightid,iqxnetuserclassid,id,MaintainOnWeb) values
('SUBMITCANDIDATES','CLIENT','*',1);
insert into iqxnetrightassigned (iqxnetuserid,iqxnetrightid,Assigned) values
('test.client','SUBMITCANDIDATES',1);
select * from NetClientCandidateSubmit('test.client','TEST','TEST',0);
expect pResult=0*;
select * from progress where vacancyid='test';
expect personid=TEST;

select top 1 *,replace(description,' ','_') as A from diary order by
whenentered desc;
expect staffid=TEST,A=Candidate_submitted*;
delete from progress where vacancyid='TEST';
select * from NetClientCandidateSubmit('test.client','TEST','TEST',1);
expect pResult=0*;
select * from NetClientCandidateSubmit('test.client','TEST','TEST',1);
expect pResult=1*;

select top 1 *,replace(description,' ','_') as B from diary order by
whenentered desc;
expect staffid=TEST,B=Candidate_submitted*;
```



```
update tempshiftplan set referencecode=null where tempshiftplanid='TEST';  
*/  
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netclientcandidatesubmit

Last update: **2026/08/07 19:24**

