



pears.NetClientCombinedRequirementTemplates



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetClientCombinedRequirementTemplates"( IN
"pWebUserID" CHAR(20) )
RESULT( "VacancyID" CHAR(20),"Position" long VARCHAR,"DateFrom"
CHAR(10),"DateTo" CHAR(10),"Description" CHAR(2048),"VacType"
CHAR(5),"SiteDetails" CHAR(300) )
BEGIN
  // IQXWeb
  DECLARE "CompanyCount" INTEGER;
  SET "CompanyCount" = (SELECT "count"() FROM "iqxnetuserlink" WHERE
"iqxnetuserid" = "pWebUserID");
  SELECT DISTINCT
    "v"."VacancyID" AS "LineID",
    (IF "isnull"("SiteDetails",'') <> '' THEN
      "string"("v"."Position",' ','c"."Name",' ','SiteDetails")
    ELSE
      "string"("v"."Position",' ','c"."Name")
    endif) AS "Position",
    "dateformat"("v"."startdate",'dd/mm/yyyy') AS "DateFrom",
    "dateformat"("v"."expiry",'dd/mm/yyyy') AS "DateTo",
    "v"."othernotes" AS "Description",
    'CV' AS "VacType",
    "isnull"("string"("v"."sitename",(IF "isnull"("v"."addr1",'') <> ''
THEN(IF "v"."Sitename" <> '' THEN ', ' endif)+"v"."addr1" endif),(IF
"isnull"("v"."addr2",'') <> '' THEN ', '+v"."addr2" endif),(IF
"isnull"("v"."addr3",'') <> '' THEN ', '+v"."addr3" endif),(IF
"isnull"("v"."Town",'') <> '' THEN ', '+v"."town" endif),(IF
"isnull"("v"."postcode",'') <> '' THEN ', '+v"."postcode"
endif))), "GetCompanyAddressOnLine"("e"."companyid")) AS "SiteDetails"
  FROM "Vacancy" AS "v"
  KEY JOIN "Employment" AS "e"
  KEY JOIN "Company" AS "c"
  WHERE "c"."CompanyID" = any(SELECT "companyid" FROM "employment" KEY
JOIN "iqxnetuserlink" WHERE "iqxnetuserid" = "pWebUserID")
```



```
AND "v"."temp" = 1
AND "v"."Status" = '['
AND "isnull"((SELECT "desktype" FROM "tempdesk" WHERE "tempdeskid" =
"v"."tempdeskid"),'') <> 'S'
AND "isnull"("v"."expiry",'2099-12-31') >= CURRENT DATE UNION
SELECT DISTINCT
"v"."VacancyID" AS "LineID",
(IF "isnull"("SiteDetails",'') <> '' THEN
"string"("v"."Position",' ','c"."Name",' ','SiteDetails")
ELSE
"string"("v"."Position",' ','c"."Name")
endif) AS "Position",
"dateformat"("v"."startdate",'dd/mm/yyyy') AS "DateFrom",
"dateformat"("v"."expiry",'dd/mm/yyyy') AS "DateTo",
"v"."othernotes" AS "Description",
'SV' AS "VacType",
"isnull"("string"("v"."sitename",(IF "isnull"("v"."addr1",'') <> ''
THEN(IF "v"."Sitename" <> '' THEN ' ' endif)+"v"."addr1" endif),(IF
"isnull"("v"."addr2",'') <> '' THEN ' '+"v"."addr2" endif),(IF
"isnull"("v"."addr3",'') <> '' THEN ' '+"v"."addr3" endif),(IF
"isnull"("v"."Town",'') <> '' THEN ' '+"v"."town" endif),(IF
"isnull"("v"."postcode",'') <> '' THEN ' '+"v"."postcode"
endif)),"GetCompanyAddressOnLine"("e"."companyid")) AS "SiteDetails"
FROM "TempShiftTemplateAllowed"
KEY JOIN "Vacancy" AS "v"
KEY JOIN "Employment" AS "e"
KEY JOIN "Company" AS "c"
WHERE "c"."CompanyID" = any(SELECT "companyid" FROM "employment" KEY
JOIN "iqxnetuserlink" WHERE "iqxnetuserid" = "pWebUserID")
AND "v"."temp" = 1 AND "isnull"((SELECT "desktype" FROM "tempdesk" WHERE
"tempdeskid" = "v"."tempdeskid"),'') = 'S'
AND "v"."status" = 'C'
AND "isnull"("v"."expiry",'2099-12-31') >= CURRENT DATE UNION
SELECT DISTINCT
"v"."VacancyID" AS "LineID",
"string"("v"."Position",' ','c"."Name",' ','SiteDetails") AS
"Position",
"dateformat"("v"."startdate",'dd/mm/yyyy') AS "DateFrom",
NULL AS "DateTo",
"v"."othernotes" AS "Description",
'PV' AS "VacType",
"isnull"("string"("v"."sitename",(IF "isnull"("v"."addr1",'') <> ''
THEN(IF "v"."Sitename" <> '' THEN ' ' endif)+"v"."addr1" endif),(IF
"isnull"("v"."addr2",'') <> '' THEN ' '+"v"."addr2" endif),(IF
"isnull"("v"."addr3",'') <> '' THEN ' '+"v"."addr3" endif),(IF
"isnull"("v"."Town",'') <> '' THEN ' '+"v"."town" endif),(IF
"isnull"("v"."postcode",'') <> '' THEN ' '+"v"."postcode"
endif)),"GetCompanyAddressOnLine"("e"."companyid")) AS "SiteDetails"
```



```
FROM "Vacancy" AS "v"
    KEY JOIN "Employment" AS "e"
    KEY JOIN "Company" AS "c"
WHERE "c"."CompanyID" = any(SELECT "companyid" FROM "employment" KEY
JOIN "iqxnetuserlink" WHERE "iqxnetuserid" = "pWebUserID")
AND "v"."temp" = 0
AND "v"."Status" = '['
AND "isnull"("v"."expiry",'2099-12-31') >= CURRENT DATE
ORDER BY 3 ASC,2 ASC
END /* DOC
2016-10-18 PC Create combined template list for Client Requirements
2017-01-20 PC IW-69 Add PV category
2019-02-18 PC IW-826 add details to template dropdown
2019-02-20 PC slightly modify output and test routines to remove comma when
no company details
2019-02-21 PC IW-825 modify to include site details
*/
/* TEST
call NetTestSetup('');
update vacancy set
temp=0,status=null,tempdeskid=null,expiry=null,othernotes='test' where
vacancyid='test';
update iqxnetuserlink set employmentid=null where IQXNetUserLinkID in
('test.client','test.agency','test.candidate','test.owner');
update iqxnetuserlink set employmentid='TEST' where
IQXNetUserLinkID='test.client';
update tempdesk set desktype='C' where tempdeskid='test';
select * from NetClientCombinedRequirementTemplates(null);
expect EOF;
select * from NetClientCombinedRequirementTemplates('test.client');
expect EOF;
update vacancy set
temp=1,status='[',tempdeskid='TEST',expiry=dateadd(dd,-1,now(*)) where
vacancyid='test';
select * from NetClientCombinedRequirementTemplates('test.client');
expect EOF;
update vacancy set expiry=dateadd(dd,1,now(*)),status='[',temp=1 where
vacancyid='test';
select vacancyID,Position,replace(replace(Description,',','!'),' ','~') as
A,VacType from NetClientCombinedRequirementTemplates('test.client');
expect Vacancyid=TEST,Position=test test,A=test,VacType=CV;
insert into tempdesk (tempdeskid,departmentid,name,desktype) on existing
update defaults off values ('TEST2','~~','test2','S');
update vacancy set temp=1,tempdeskid='TEST2',expiry=dateadd(dd,1,now(*))
where vacancyid='test';
select vacancyID,Position,replace(replace(Description,',','!'),' ','~') as
B,VacType from NetClientCombinedRequirementTemplates('test.client');
expect EOF;
```



```
update vacancy set expiry=dateadd(dd,1,now(*)),status='C',temp=1 where
vacancyid='test';
update tempdesk set desktype='S' where tempdeskid='test';
select vacancyID,Position,replace(replace(Description,',','!'),' ','~') as
C,VacType from NetClientCombinedRequirementTemplates('test.client');
expect Vacancyid=TEST,Position=test test,C=test,VacType=SV;
update vacancy set temp=0,status=null,tempdeskid=null,expiry=null where
vacancyid='test';
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetClientCombinedRequirementTemplates" IS
{CREATE PROCEDURE pears."NetClientCombinedRequirementTemplates"(IN
pWebUserID CHAR(20))
RESULT(VacancyID CHAR(20),POSITION long VARCHAR,DateFrom CHAR(10),DateTo
CHAR(10),Description CHAR(2048),VacType CHAR(5),SiteDetails CHAR(300) )
BEGIN
// IQXWeb
DECLARE CompanyCount INTEGER;
SET CompanyCount = (SELECT COUNT() FROM ixqnetuserlink WHERE ixqnetuserid
= pWebUserID);
SELECT DISTINCT
v.VacancyID AS LineID,
(IF isnull(SiteDetails,'') != '' THEN
string(v.Position,' ',c."Name",' ',SiteDetails)
ELSE
string(v.Position,' ',c."Name")
endif) AS POSITION,
dateformat(v.startdate,'dd/mm/yyyy') AS DateFrom,
dateformat(v.expiry,'dd/mm/yyyy') AS DateTo,
v.othernotes AS Description,
'CV' AS VacType,
isnull(string(v.sitename,(IF isnull(v.addr1,'') != '' THEN (IF
v.Sitename != '' THEN ', ' endif)+v.addr1 endif),(IF isnull(v.addr2,'') !=
'' THEN ', ' + v.addr2 endif),(IF isnull(v.addr3,'') != '' THEN ', '
+v.addr3 endif),(IF isnull(v.Town,'') != '' THEN ', ' + v.town endif),(IF
isnull(v.postcode,'') != '' THEN ', ' + v.postcode endif
)),GetCompanyAddressOnLine(e.companyid)) AS SiteDetails

FROM
Vacancy AS v
KEY JOIN Employment e
KEY JOIN Company AS c
WHERE
c.CompanyID = any(SELECT companyid FROM employment KEY JOIN
ixqnetuserlink WHERE ixqnetuserid = pWebUserID)
AND v.temp = 1
```



```
AND v.Status = '['
AND isnull((SELECT desktype FROM tempdesk WHERE tempdeskid =
v.tempdeskid),'') <> 'S'
AND isnull(v.expiry,'2099-12-31') >= CURRENT DATE
UNION
SELECT DISTINCT
v.VacancyID AS LineID,
(IF isnull(SiteDetails,'') != '' THEN
string(v.Position,' ',c."Name",' ',SiteDetails)
ELSE
string(v.Position,' ',c."Name")
endif) AS POSITION,
dateformat(v.startdate,'dd/mm/yyyy') AS DateFrom,
dateformat(v.expiry,'dd/mm/yyyy') AS DateTo,
v.othernotes AS Description,
'SV' AS VacType,
isnull(string(v.sitename,(IF isnull(v.addr1,'') != '' THEN (IF
v.Sitename != '' THEN ' ' endif)+v.addr1 endif ),(IF isnull(v.addr2,'') !=
'' THEN ' ' + v.addr2 endif ),(IF isnull(v.addr3,'') != '' THEN ' '
+v.addr3 endif ),(IF isnull(v.Town,'') != '' THEN ' ' + v.town endif ),(IF
isnull(v.postcode,'') != '' THEN ' ' + v.postcode endif
)),GetCompanyAddressOnLine(e.companyid)) AS SiteDetails
FROM
TempShiftTemplateAllowed
KEY JOIN Vacancy AS v
KEY JOIN Employment e
KEY JOIN Company AS c
WHERE
c.CompanyID = any(SELECT companyid FROM employment KEY JOIN
iqxnetuserlink WHERE iqxnetuserid = pWebUserID)
AND v.temp = 1 AND isnull((SELECT desktype FROM tempdesk WHERE
tempdeskid = v.tempdeskid),'') = 'S'
AND v.status = 'C'
AND isnull(v.expiry,'2099-12-31') >= CURRENT DATE
UNION
SELECT DISTINCT
v.VacancyID AS LineID,
string(v.Position,' ',c."Name",' ',SiteDetails) AS POSITION,
dateformat(v.startdate,'dd/mm/yyyy') AS DateFrom,
NULL AS DateTo,
v.othernotes AS Description,
'PV' AS VacType,
isnull(string(v.sitename,(IF isnull(v.addr1,'') != '' THEN (IF
v.Sitename != '' THEN ' ' endif)+v.addr1 endif ),(IF isnull(v.addr2,'') !=
'' THEN ' ' + v.addr2 endif ),(IF isnull(v.addr3,'') != '' THEN ' '
+v.addr3 endif ),(IF isnull(v.Town,'') != '' THEN ' ' + v.town endif ),(IF
isnull(v.postcode,'') != '' THEN ' ' + v.postcode endif
)),GetCompanyAddressOnLine(e.companyid)) AS SiteDetails
```



```
FROM
    Vacancy AS v
    KEY JOIN Employment e
    KEY JOIN Company AS c
WHERE
    c.CompanyID = any(SELECT companyid FROM employment KEY JOIN
iqxnetuserlink WHERE iqxnetuserid = pWebUserID)
    AND v.temp = 0
    AND v.Status = '['
    AND isnull(v.expiry, '2099-12-31') >= CURRENT DATE
ORDER BY 3 ASC, 2 ASC
END

/* DOC
2016-10-18 PC Create combined template list for Client Requirements
2017-01-20 PC IW-69 Add PV category
2019-02-18 PC IW-826 add details to template dropdown
2019-02-20 PC slightly modify output and test routines to remove comma when
no company details
2019-02-21 PC IW-825 modify to include site details
*/

/* TEST
call NetTestSetup('');
update vacancy set
temp=0,status=null,tempdeskid=null,expiry=null,othernotes='test' where
vacancyid='test';
update iqxnetuserlink set employmentid=null where IQXNetUserLinkID in
('test.client','test.agency','test.candidate','test.owner');
update iqxnetuserlink set employmentid='TEST' where
IQXNetUserLinkID='test.client';
update tempdesk set desktype='C' where tempdeskid='test';
select * from NetClientCombinedRequirementTemplates(null);
expect EOF;
select * from NetClientCombinedRequirementTemplates('test.client');
expect EOF;
update vacancy set
temp=1,status='[',tempdeskid='TEST',expiry=dateadd(dd,-1,now(*)) where
vacancyid='test';
select * from NetClientCombinedRequirementTemplates('test.client');
expect EOF;
update vacancy set expiry=dateadd(dd,1,now(*)),status='[',temp=1 where
vacancyid='test';
select vacancyID,Position,replace(replace(Description,',','!'),' ','~') as
A,VacType from NetClientCombinedRequirementTemplates('test.client');
expect Vacancyid=TEST,Position=test test,A=test,VacType=CV;
insert into tempdesk (tempdeskid,departmentid,name,desktype) on existing
update defaults off values ('TEST2','~~','test2','S');
```



```
update vacancy set temp=1,tempdeskid='TEST2',expiry=dateadd(dd,1,now(*))
where vacancyid='test';
select vacancyID,Position,replace(replace(Description,',','!'),' ','~') as
B,VacType from NetClientCombinedRequirementTemplates('test.client');
expect EOF;
update vacancy set expiry=dateadd(dd,1,now(*)),status='C',temp=1 where
vacancyid='test';
update tempdesk set desktype='S' where tempdeskid='test';
select vacancyID,Position,replace(replace(Description,',','!'),' ','~') as
C,VacType from NetClientCombinedRequirementTemplates('test.client');
expect Vacancyid=TEST,Position=test test,C=test,VacType=SV;
update vacancy set temp=0,status=null,tempdeskid=null,expiry=null where
vacancyid='test';
*/
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netclientcombinedrequirementtemplates

Last update: **2026/08/07 19:24**

