



pears.NetClientRequirementSiteDetailsUpdate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetClientRequirementSiteDetailsUpdate"(  
    IN "pWebUserID" CHAR(20),  
    IN "pRole" CHAR(35),  
    IN "pSiteName" CHAR(50),  
    IN "pSiteContact" CHAR(100),  
    IN "paddr1" CHAR(40),  
    IN "paddr2" CHAR(40),  
    IN "paddr3" CHAR(40),  
    IN "ptown" CHAR(30),  
    IN "pcounty" CHAR(30),  
    IN "pcountry" CHAR(30),  
    IN "ppostcode" CHAR(20),  
    IN "pSitePhoneNumbers" CHAR(100),  
    IN "pSiteFax" CHAR(50),  
    IN "pSiteEmail" CHAR(100),  
    IN "pVacancyID" CHAR(20) )  
RESULT(  
    "result" CHAR(50) )  
BEGIN  
    IF "IQXNetHasPermission"("pWebUserID", 'ORDERJOBS') = 0 THEN  
        RETURN  
    END IF;  
    UPDATE "vacancy"  
        SET "Role" = "pRole",  
            "Sitename" = "pSiteName",  
            "SiteContact" = "pSiteContact",  
            "addr1" = "paddr1",  
            "addr2" = "paddr2",  
            "addr3" = "paddr3",  
            "town" = "ptown",  
            "county" = "pcounty",  
            "country" = "pcountry",  
            "postcode" = "ppostcode",
```



```
"SitePhoneNumbers" = "pSitePhoneNumbers",
"SiteFax" = "pSiteFax",
"SiteEmail" = "pSiteEmail"
WHERE "vacancyid" = "pVacancyID";
SELECT '0:~Success'
END /* DOC
28-11-2019 GJ Created IW-1044
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetClientRequirementSiteDetailsUpdate" IS
{CREATE PROCEDURE pears."NetClientRequirementSiteDetailsUpdate"(
    IN pWebUserID CHAR(20),
    IN pRole CHAR(35),
    IN pSiteName CHAR(50),
    IN pSiteContact CHAR(100),
    IN paddr1 CHAR(40),
    IN paddr2 CHAR(40),
    IN paddr3 CHAR(40),
    IN ptown CHAR(30),
    IN pcounty CHAR(30),
    IN pcountry CHAR(30),
    IN ppostcode CHAR(20),
    IN pSitePhoneNumbers CHAR(100),
    IN pSiteFax CHAR(50),
    IN pSiteEmail CHAR(100),
    IN pVacancyID CHAR(20)
)
RESULT(
    RESULT CHAR(50)
)
BEGIN

    IF IQXNetHasPermission(pWebUserID, 'ORDERJOBS') = 0 THEN
        RETURN;
    END IF;

    UPDATE vacancy
    SET
        ROLE = pRole,
        Sitename = pSiteName,
        SiteContact = pSiteContact,
        addr1 = paddr1,
        addr2 = paddr2,
        addr3 = paddr3,
        town = ptown,
        county = pcounty,
```



```
country = pcountry,
postcode = ppostcode,
SitePhoneNumbers = pSitePhoneNumbers,
SiteFax = pSiteFax,
SiteEmail = pSiteEmail
WHERE
vacancyid = pVacancyID;

SELECT '0:~Success'
END
/* DOC
28-11-2019 GJ Created IW-1044
*/
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netclientrequirementsitedetailsupdate

Last update: **2026/08/07 19:24**

