



pears.NetClientVacanciesSingleLineRefresh



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetClientVacanciesSingleLineRefresh"( IN
  "pWebUserID" CHAR(20),IN "pLineNo" CHAR(21) DEFAULT NULL )
RESULT( "ResultString" long VARCHAR )
-- 20120528 return values for Client Comment, Temp and location for a single
line, to allow refresh without redrawing entire table
-- 20130213 created from GenevaNetClientVacanciesSingleLineRefresh
BEGIN
  DECLARE "LookupType" CHAR(1);
  DECLARE "LookupID" CHAR(20);
  DECLARE "SecAgencyCode" CHAR(1);
  SET "LookupType" = "substring"("pLineNo",1,1);
  SET "LookupID" = "substring"("pLineNo",2);
  SET "SecAgencyCode" = 'A';
  IF "LookupType" = 'V' THEN
    SELECT "isnull"((SELECT "name" FROM "person" WHERE "personid" =
      "t"."personid"),"GetQuestAnswer"('S','TS2',"t"."tempshiftid"))+(IF(SELECT
      "status" FROM "person" WHERE "personid" = "t"."personid") = "SecAgencyCode"
    THEN ' (S)' endif)
    +': '
    +"substring"("GetQuestAnswer"('S','TS3',"t"."tempshiftid"),1,149)+': '+ "p"."C
    lientNote" AS "ResultString"
    FROM "vacancy" AS "v"
    KEY JOIN "tempshift" AS "t"
    KEY JOIN "Employment" AS "e"
    KEY JOIN("Company","Person")
    KEY JOIN "tempshiftplan" AS "p"
    WHERE "t"."tempshiftid" = "LookupID"
  ELSE
    SELECT "isnull"((SELECT "name" FROM "person" WHERE "personid" =
      "ts"."personid"),"GetQuestAnswer"('S','TS2',"p"."tempshiftplanid"))+(IF(SELE
      CT "status" FROM "person" WHERE "personid" = "ts"."personid") =
      "SecAgencyCode" THEN ' (S)' endif)
    +': '
    +"substring"("GetQuestAnswer"('S','TS3',"p"."tempshiftplanid"),1,149)+': '+ "p
    "."ClientNote" AS "ResultString"
```



```
FROM "TempShiftPlan" AS "p"
    KEY JOIN "Vacancy" AS "v"
    KEY JOIN "Employment" AS "e"
    KEY JOIN("Company","Person" AS "Pe")
    LEFT OUTER JOIN "tempshift" AS "ts" ON "p"."tempshiftplanid" =
"ts"."tempshiftplanid" AND "ts"."state" <> 'C'
    WHERE "p"."TempShiftPlanID" = "LookupID"
END IF
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetClientVacanciesSingleLineRefresh" IS
{CREATE PROCEDURE pears."NetClientVacanciesSingleLineRefresh"( IN
"pWebUserID" CHAR(20),IN "pLineNo" CHAR(21) DEFAULT NULL )
RESULT( "ResultString" long VARCHAR )
-- 20120528 return values for Client Comment, Temp and location for a single
line, to allow refresh without redrawing entire table
-- 20130213 created from GenevaNetClientVacanciesSingleLineRefresh
BEGIN
    DECLARE "LookupType" CHAR(1);
    DECLARE "LookupID" CHAR(20);
    DECLARE "SecAgencyCode" CHAR(1);
    SET "LookupType" = "substring"("pLineNo",1,1);
    SET "LookupID" = "substring"("pLineNo",2);
    SET "SecAgencyCode" = 'A';
    IF "LookupType" = 'V' THEN
        SELECT "isnull"((SELECT "name" FROM "person" WHERE "personid" =
"t"."personid"),"GetQuestAnswer"('S','TS2',"t"."tempshiftid"))+(IF(SELECT
"status" FROM "person" WHERE "personid" = "t"."personid") = "SecAgencyCode"
THEN ' (S)' endif)
        +': '
+"substring"("GetQuestAnswer"('S','TS3',"t"."tempshiftid"),1,149)+': '+ "p"."C
lientNote" AS "ResultString"
        FROM "vacancy" AS "v"
        KEY JOIN "tempshift" AS "t"
        KEY JOIN "Employment" AS "e"
        KEY JOIN("Company","Person")
        KEY JOIN "tempshiftplan" AS "p"
        WHERE "t"."tempshiftid" = "LookupID"
    ELSE
        SELECT "isnull"((SELECT "name" FROM "person" WHERE "personid" =
"ts"."personid"),"GetQuestAnswer"('S','TS2',"p"."tempshiftplanid"))+(IF(SELE
CT "status" FROM "person" WHERE "personid" = "ts"."personid") =
"SecAgencyCode" THEN ' (S)' endif)
        +': '
+"substring"("GetQuestAnswer"('S','TS3',"p"."tempshiftplanid"),1,149)+': '+ "p
"."ClientNote" AS "ResultString"
```



```
FROM "TempShiftPlan" AS "p"  
    KEY JOIN "Vacancy" AS "v"  
    KEY JOIN "Employment" AS "e"  
    KEY JOIN("Company","Person" AS "Pe")  
    LEFT OUTER JOIN "tempshift" AS "ts" ON "p"."tempshiftplanid" =  
"ts"."tempshiftplanid" AND "ts"."state" <> 'C'  
    WHERE "p"."TempShiftPlanID" = "LookupID"  
END IF  
END  
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netclientvacanciessinglelinerefresh

Last update: **2026/08/07 19:24**

