



pears.NetDepartmentList



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetDepartmentList"( IN "pWebUserID" CHAR(20),IN
"pDivisionID" CHAR(20) )
RESULT( "DepartmentID" CHAR(20),"DepartmentName" CHAR(60) )
// IQXWeb
BEGIN
    SELECT "d"."departmentid",
        "d"."name"
    FROM "department" AS "d"
    WHERE("d"."divisionid" = "pDivisionID" OR "d"."divisionid" IS NULL)
    AND "d"."publishtoweb" = 1
    ORDER BY "d"."name" ASC
END /*DOC
2017-08-09 PC create a list of departments within a division which are
enabled for web
2018-05-03 VHS/MHS include departments which are non-divisional
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetDepartmentList" IS
{CREATE PROCEDURE pears."NetDepartmentList"(IN pWebUserID CHAR(20),IN
pDivisionID CHAR(20) )
RESULT(DepartmentID CHAR(20),DepartmentName CHAR(60))
// IQXWeb
BEGIN
    SELECT
        d.departmentid,
        d.name
    FROM
        department d
    WHERE
        (d.divisionid=pDivisionID OR d.divisionid IS NULL)
        AND d.publishtoweb=1
    ORDER BY d.name
END
```



```
/*DOC
2017-08-09 PC create a list of departments within a division which are
enabled for web
2018-05-03 VHS/MHS include departments which are non-divisional
*/
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netdepartmentlist

Last update: **2026/08/07 19:24**

