



pears.NetDivisionList



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetDivisionList"( IN "pWebUserID" CHAR(20) )
RESULT( "DivisionID" CHAR(20),"DivisionName" CHAR(60) )
// IQXWeb
BEGIN
    SELECT top 10000
        "DivisionID",
        "isnull"("WebDescription","name") AS "DivisionName"
    FROM "division"
    WHERE "publishtoweb" = 1
    ORDER BY "DivisionName" ASC
END /*DOC
2017-08-09 PC create a list of divisions which are attached to departments
which are enabled for web
2017-10-31 PC modify name to refer to web description column
2018-02-20 PC key join changed to left outer join, refer to VHS
2018-05-03 VHS/MHS remove deparment dependency. Departments chosen after
division
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetDivisionList" IS
{CREATE PROCEDURE pears."NetDivisionList"(IN pWebUserID CHAR(20))
RESULT(DivisionID CHAR(20),DivisionName CHAR(60))
// IQXWeb
BEGIN
    SELECT top 10000
        DivisionID,
        isnull(WebDescription,name) AS DivisionName
    FROM
        division
    WHERE
        publishtoweb=1
    ORDER BY
        DivisionName
END
```



```
/*DOC
```

```
2017-08-09 PC create a list of divisions which are attached to departments  
which are enabled for web
```

```
2017-10-31 PC modify name to refer to web description column
```

```
2018-02-20 PC key join changed to left outer join, refer to VHS
```

```
2018-05-03 VHS/MHS remove deparment dependency. Departments chosen after  
division
```

```
*/
```

```
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netdivisionlist

Last update: **2026/08/07 19:24**

