



# pears.NetFavouriteTitle



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetFavouriteTitle" IS
{CREATE FUNCTION pears."NetFavouriteTitle"( IN "pNodeID" CHAR(20) )
RETURNS CHAR(250)
BEGIN
    DECLARE "rv" CHAR(250);
    SELECT(CASE "type"
        WHEN 'C' THEN (SELECT "string"("name",',',',',"addr1",',',',',"postcode") FROM
"company" WHERE "companyid" = "favourites"."id")
        WHEN 'E' THEN (SELECT "string"("p"."name",',',',',"c"."name") FROM
"employment" AS "e" KEY JOIN("company" AS "c","person" AS "p") WHERE
"e"."employmentid" = "favourites"."id")
        WHEN 'P' THEN (SELECT "name" FROM "person" WHERE "personid" =
"favourites"."id")
        WHEN 'V' THEN (SELECT v.position+' - '+ c.name FROM vacancy v KEY JOIN
employment KEY JOIN company c WHERE vacancyid=favourites.id)
        WHEN 'L' THEN (SELECT pe.name+' as '+v.position+' at '+c.name FROM
placement KEY JOIN employment em KEY JOIN person pe,placement KEY JOIN
vacancy v KEY JOIN employment KEY JOIN company c WHERE
placementid=favourites.id)
        ELSE "Description"
    END) INTO "rv" FROM "Favourites" WHERE "FavouritesID" = "pNodeID";
    RETURN "rv"
END
/* TEST
call NetTestSetup('');
insert into favourites (FavouritesID,Parent,ID,StaffID,Description,Type) on
existing update values ('F1',null,null,'TEST','Favourites','H');
insert into favourites (FavouritesID,Parent,ID,StaffID,Description,Type) on
existing update values ('F2','F1','TEST','TEST','TestPerson','P');
insert into favourites (FavouritesID,Parent,ID,StaffID,Description,Type) on
existing update values ('F3','F1','TEST','TEST','TestPerson','C');
insert into favourites (FavouritesID,Parent,ID,StaffID,Description,Type) on
existing update values ('F4','F1','TEST','TEST','TestPerson','E');
update company set addr1='AddressLine',postcode='XX1 1XX' where
companyid='TEST';
```



```
select NetFavouriteTitle('F1');
expect Favourites;
expect EOF;
select NetFavouriteTitle('F2');
expect test;
expect EOF;
select replace(NetFavouriteTitle('F3'),' ','!');
expect test! AddressLine! XX1 1XX;
expect EOF;
select replace(NetFavouriteTitle('F4'),' ','!');
expect test! test;
expect EOF;
select replace(NetFavouriteTitle('F5'),' ','!');
expect;
expect EOF;
update company set addr1='',postcode='' where companyid='TEST';
*/

/* DOC
2016-08-11 V1.2 Vacancy line and Placement line added
*/
}
```

From:  
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:  
[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears\\_netfavouritetitle](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netfavouritetitle)

Last update: **2026/08/07 19:24**

