



pears.NetOLEDocuments



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetOLEDocuments"( IN "pWebUserID" CHAR(20),IN
"pOwnerType" CHAR(1),IN "pOwnerID" CHAR(20) )
RESULT( "DocType" CHAR(50),"DocDescription" CHAR(50),"LastUpdate"
TIMESTAMP,"DocumentID" CHAR(20),"SortOrder" INTEGER )
-- 20120821 standard document list
BEGIN
  DECLARE "userClass" CHAR(20);
  SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
  IF "pownertype" = 'P' THEN -- Candidate docs
    IF "iqxnethaspermission"("pwebuserid",'DOCCANDDOWNLOAD') = 0 THEN
      SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0;
      RETURN
    END IF;
    IF "userclass" = 'CANDIDATE' THEN -- Own published docs only
      SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
      FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
      WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
      AND "oledocument"."ownerid" = any(SELECT "personid" FROM
"iqxnetuserlink" WHERE "personid" = "pownerid" AND "iqxnetuserid" =
"pwebuserid")
      AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'AGENCY' THEN -- Can see published docs for any
candidate owned by the agency
      SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
      FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
```



```
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "person"."personid" FROM
"person" KEY JOIN "pay_employee" KEY JOIN "company" AS "agcomp" KEY JOIN
"employment" AS "agemp" KEY JOIN "iqxnetuserlink" AS "l" WHERE
"person"."personid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'CLIENT' THEN -- Can see PUBLISHED docs for any
candidate
    SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = "pownerid"
    AND "blobstore"."publishtoweb" = 1
    ELSE
    SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF END IF END IF END IF;
IF "pownertype" = 'C' THEN -- Company docs
    IF "userclass" = 'CLIENT' OR "userclass" = 'AGENCY' THEN -- Can see docs
belonging to the company
    SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "e"."companyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" WHERE "e"."companyid" =
"pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE -- Candidates can not presently access company docs
    SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF END IF;
IF "pownertype" = 'V' THEN -- Vacancy docs
    IF "userclass" = 'CANDIDATE' THEN -- Can access any vacancy for which
short-listed
    SELECT
```



```
"documenttype"."description","oledocument"."description","isnull"("blobstore"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "r"."vacancyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "person" AS "p" KEY JOIN "progress" AS "r"
WHERE "r"."vacancyid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'AGENCY' THEN -- Can access any vacancy cascaded
to the agency
    SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "c"."vacancyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" KEY JOIN "company" KEY JOIN
"cascadedvacancy" AS "c" WHERE "c"."vacancyid" = "pownerid" AND
"l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'CLIENT' THEN -- Clients own vacancies
    SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "v"."vacancyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" KEY JOIN "company" KEY
JOIN "employment" AS "ve" KEY JOIN "vacancy" AS "v" WHERE "v"."vacancyid" =
"pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE
    SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF END IF END IF END IF;
IF "pownertype" = 'L' THEN -- Placement docs
    IF "userclass" = 'CANDIDATE' THEN -- Candidates own placements
```



```
SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND "oledocument"."ownerid" = any(SELECT "pl"."placementid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "person" AS "p" KEY JOIN "employment" KEY
JOIN "placement" AS "pl" WHERE "pl"."placementid" = "pownerid" AND
"l"."iqxnetuserid" = "pwebuserid")
AND "blobstore"."publishtoweb" = 1
ELSE IF "userclass" = 'AGENCY' THEN -- Agency candidates placements
SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND "oledocument"."ownerid" = any(SELECT "pl"."placementid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "agemp" KEY JOIN "company"
AS "agcomp" KEY JOIN "pay_employee" KEY JOIN "person" KEY JOIN "employment"
KEY JOIN "placement" AS "pl" WHERE "pl"."placementid" = "pownerid" AND
"l"."iqxnetuserid" = "pwebuserid")
AND "blobstore"."publishtoweb" = 1
ELSE IF "userclass" = 'CLIENT' THEN -- Client's own placements
SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND "oledocument"."ownerid" = any(SELECT "pl"."placementid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" KEY JOIN "company" KEY
JOIN "employment" AS "ple" KEY JOIN "placement" AS "pl" WHERE
"pl"."placementid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
AND "blobstore"."publishtoweb" = 1
ELSE
SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
END IF END IF END IF END IF;
```



```
IF "pownertype" = 'R' THEN -- Progress docs
  IF "userclass" = 'CANDIDATE' THEN -- Candidates own progress
    SELECT
      "documenttype"."description","oledocument"."description","isnull"("blobstore"
      ".changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"
      ("documenttype"."sortorder",0) AS "ord"
      FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
      "oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
      KEY JOIN "documenttype"
      WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
      AND "oledocument"."ownerid" = any(SELECT "r"."progressid" FROM
      "iqxnetuserlink" AS "l" KEY JOIN "person" AS "p" KEY JOIN "progress" AS "r"
      WHERE "r"."progressid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
      AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'AGENCY' THEN -- Agency candidates progress
      SELECT
        "documenttype"."description","oledocument"."description","isnull"("blobstore"
        ".changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"
        ("documenttype"."sortorder",0) AS "ord"
        FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
        "oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
        KEY JOIN "documenttype"
        WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
        AND "oledocument"."ownerid" = any(SELECT "r"."progressid" FROM
        "iqxnetuserlink" AS "l" KEY JOIN "employment" AS "agemp" KEY JOIN "company"
        AS "agcomp" KEY JOIN "pay_employee" KEY JOIN "person" KEY JOIN "progress" AS
        "r" WHERE "r"."progressid" = "pownerid" AND "l"."iqxnetuserid" =
        "pwebuserid")
        AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'CLIENT' THEN -- Progress for clients vacancies
      SELECT
        "documenttype"."description","oledocument"."description","isnull"("blobstore"
        ".changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"
        ("documenttype"."sortorder",0) AS "ord"
        FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
        "oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
        KEY JOIN "documenttype"
        WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
        AND "oledocument"."ownerid" = any(SELECT "r"."progressid" FROM
        "iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" KEY JOIN "company" KEY
        JOIN "employment" AS "ve" KEY JOIN "vacancy" AS "v" KEY JOIN "progress" AS
        "r" WHERE "r"."progressid" = "pownerid" AND "l"."iqxnetuserid" =
        "pwebuserid")
        AND "blobstore"."publishtoweb" = 1
    ELSE
```



```
        SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF
END IF
END IF
END IF
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetOLEDocuments" IS
{CREATE PROCEDURE pears."NetOLEDocuments"( IN "pWebUserID" CHAR(20),IN
"pOwnerType" CHAR(1),IN "pOwnerID" CHAR(20) )
RESULT( "DocType" CHAR(50),"DocDescription" CHAR(50),"LastUpdate"
TIMESTAMP,"DocumentID" CHAR(20),"SortOrder" INTEGER )
-- 20120821 standard document list
BEGIN
    DECLARE "userClass" CHAR(20);
    SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
    IF "pownertype" = 'P' THEN -- Candidate docs
        IF "iqxnethaspermission"("pwebuserid",'DOCCANDDOWNLOAD') = 0 THEN
            SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0;
            RETURN
        END IF;
        IF "userclass" = 'CANDIDATE' THEN -- Own published docs only
            SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
                FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
                WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
                AND "oledocument"."ownerid" = any(SELECT "personid" FROM
"iqxnetuserlink" WHERE "personid" = "pownerid" AND "iqxnetuserid" =
"pwebuserid")
                AND "blobstore"."publishtoweb" = 1
        ELSE IF "userclass" = 'AGENCY' THEN -- Can see published docs for any
candidate owned by the agency
            SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
                FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
                WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
```



```
        AND "oledocument"."ownerid" = any(SELECT "person"."personid" FROM
"person" KEY JOIN "pay_employee" KEY JOIN "company" AS "agcomp" KEY JOIN
"employment" AS "agemp" KEY JOIN "iqxnetuserlink" AS "l" WHERE
"person"."personid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
        AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'CLIENT' THEN -- Can see PUBLISHED docs for any
candidate
        SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
        FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
        WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
        AND "oledocument"."ownerid" = "pownerid"
        AND "blobstore"."publishtoweb" = 1
    ELSE
        SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF
END IF
END IF END IF;
IF "pownertype" = 'C' THEN -- Company docs
    IF "userclass" = 'CLIENT' OR "userclass" = 'AGENCY' THEN -- Can see docs
belonging to the company
        SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
        FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
        WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
        AND "oledocument"."ownerid" = any(SELECT "e"."companyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" WHERE "e"."companyid" =
"pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
        AND "blobstore"."publishtoweb" = 1
    ELSE -- Candidates can not presently access company docs
        SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF END IF;
IF "pownertype" = 'V' THEN -- Vacancy docs
    IF "userclass" = 'CANDIDATE' THEN -- Can access any vacancy for which
short-listed
        SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
```



```
("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "r"."vacancyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "person" AS "p" KEY JOIN "progress" AS "r"
WHERE "r"."vacancyid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'AGENCY' THEN -- Can access any vacancy cascaded
to the agency
    SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "c"."vacancyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" KEY JOIN "company" KEY JOIN
"cascadedvacancy" AS "c" WHERE "c"."vacancyid" = "pownerid" AND
"l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE IF "userclass" = 'CLIENT' THEN -- Clients own vacancies
    SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
    FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
    WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
    AND "oledocument"."ownerid" = any(SELECT "v"."vacancyid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" KEY JOIN "company" KEY
JOIN "employment" AS "ve" KEY JOIN "vacancy" AS "v" WHERE "v"."vacancyid" =
"pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
    AND "blobstore"."publishtoweb" = 1
    ELSE
    SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF
    END IF
    END IF END IF;
IF "pownertype" = 'L' THEN -- Placement docs
    IF "userclass" = 'CANDIDATE' THEN -- Candidates own placements
```



```
SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND "oledocument"."ownerid" = any(SELECT "pl"."placementid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "person" AS "p" KEY JOIN "employment" KEY
JOIN "placement" AS "pl" WHERE "pl"."placementid" = "pownerid" AND
"l"."iqxnetuserid" = "pwebuserid")
AND "blobstore"."publishtoweb" = 1
ELSE IF "userclass" = 'AGENCY' THEN -- Agency candidates placements
SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND "oledocument"."ownerid" = any(SELECT "pl"."placementid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "agemp" KEY JOIN "company"
AS "agcomp" KEY JOIN "pay_employee" KEY JOIN "person" KEY JOIN "employment"
KEY JOIN "placement" AS "pl" WHERE "pl"."placementid" = "pownerid" AND
"l"."iqxnetuserid" = "pwebuserid")
AND "blobstore"."publishtoweb" = 1
ELSE IF "userclass" = 'CLIENT' THEN -- Client's own placements
SELECT
"documenttype"."description","oledocument"."description","isnull"("blobstore
"."changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull
"("documenttype"."sortorder",0) AS "ord"
FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
"oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
KEY JOIN "documenttype"
WHERE "oledocument"."ownertype" = "pownertype"
AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
AND "oledocument"."ownerid" = any(SELECT "pl"."placementid" FROM
"iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" KEY JOIN "company" KEY
JOIN "employment" AS "ple" KEY JOIN "placement" AS "pl" WHERE
"pl"."placementid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
AND "blobstore"."publishtoweb" = 1
ELSE
SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
END IF
```



```
END IF
END IF END IF;
IF "pownertype" = 'R' THEN -- Progress docs
  IF "userclass" = 'CANDIDATE' THEN -- Candidates own progress
    SELECT
      "documenttype"."description","oledocument"."description","isnull"("blobstore"
      ".changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"
      ("documenttype"."sortorder",0) AS "ord"
      FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
      "oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
      KEY JOIN "documenttype"
      WHERE "oledocument"."ownertype" = "pownertype"
  AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
      AND "oledocument"."ownerid" = any(SELECT "r"."progressid" FROM
      "iqxnetuserlink" AS "l" KEY JOIN "person" AS "p" KEY JOIN "progress" AS "r"
      WHERE "r"."progressid" = "pownerid" AND "l"."iqxnetuserid" = "pwebuserid")
      AND "blobstore"."publishtoweb" = 1
  ELSE IF "userclass" = 'AGENCY' THEN -- Agency candidates progress
    SELECT
      "documenttype"."description","oledocument"."description","isnull"("blobstore"
      ".changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"
      ("documenttype"."sortorder",0) AS "ord"
      FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
      "oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
      KEY JOIN "documenttype"
      WHERE "oledocument"."ownertype" = "pownertype"
  AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
      AND "oledocument"."ownerid" = any(SELECT "r"."progressid" FROM
      "iqxnetuserlink" AS "l" KEY JOIN "employment" AS "agemp" KEY JOIN "company"
      AS "agcomp" KEY JOIN "pay_employee" KEY JOIN "person" KEY JOIN "progress" AS
      "r" WHERE "r"."progressid" = "pownerid" AND "l"."iqxnetuserid" =
      "pwebuserid")
      AND "blobstore"."publishtoweb" = 1
  ELSE IF "userclass" = 'CLIENT' THEN -- Progress for clients vacancies
    SELECT
      "documenttype"."description","oledocument"."description","isnull"("blobstore"
      ".changedat","blobstore"."createdat"),"oledocument"."oledocumentid","isnull"
      ("documenttype"."sortorder",0) AS "ord"
      FROM "oledocument" JOIN "blobstore" ON "blobstore"."id" =
      "oledocument"."oledocumentid" AND "blobstore"."class" = '0',"oledocument"
      KEY JOIN "documenttype"
      WHERE "oledocument"."ownertype" = "pownertype"
  AND("oledocument"."rawfile" = 1 OR "blobstore"."zipped" = 2)
      AND "oledocument"."ownerid" = any(SELECT "r"."progressid" FROM
      "iqxnetuserlink" AS "l" KEY JOIN "employment" AS "e" KEY JOIN "company" KEY
      JOIN "employment" AS "ve" KEY JOIN "vacancy" AS "v" KEY JOIN "progress" AS
      "r" WHERE "r"."progressid" = "pownerid" AND "l"."iqxnetuserid" =
      "pwebuserid")
```



```
        AND "blobstore"."publishtoweb" = 1
    ELSE
        SELECT NULL,NULL,NULL,NULL,NULL FROM "dummy" WHERE 1 = 0
    END IF
END IF
END IF
END IF
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netoledocuments

Last update: **2026/08/07 19:24**

