



pears.NetOwnerCandidateSelect



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetOwnerCandidateSelect"( IN "pWebUserID" CHAR(20)
)
RESULT( "value" CHAR(5),"name" CHAR(25),"sortorder" INTEGER )
// IQXWeb
BEGIN
    SELECT "status" AS "PK","name" AS "Title","sortorder" FROM "status" WHERE
"type" = 'P' AND "PublishToWeb" = 1 UNION
    SELECT '%' AS "PK",'All' AS "name",-99999 AS "sortorder"
    ORDER BY "sortorder" ASC
END /* DOC
2016-09-22 PC
Ref:IW4
provide filter dropdown for Candidate status select box
2018-5-1 MHS simplify and simplify test

inputs:
pWebUserID

outputs:
PK - select code
Title - text for dropdown box

tests:
null pWebUserID
invalid pWebUserID
valid pWebUserID
add test status with sort order 0
*/
/* TEST
select value,name from NetOwnerCandidateSelect('test.owner');
expect %,All;
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetOwnerCandidateSelect" IS
```



```
{CREATE PROCEDURE pears."NetOwnerCandidateSelect"(IN pWebUserID CHAR(20))
RESULT("value" CHAR(5),"name" CHAR(25),sortorder INTEGER)
// IQXWeb
BEGIN
    SELECT STATUS AS PK,name AS Title,sortorder FROM STATUS WHERE TYPE='P'
AND PublishToWeb=1
    UNION
    SELECT '%' AS PK,'All' AS name,-99999 AS sortorder
    ORDER BY sortorder
END

/* DOC
2016-09-22 PC
Ref:IW4
provide filter dropdown for Candidate status select box
2018-5-1 MHS simplify and simplify test

inputs:
    pWebUserID

outputs:
    PK - select code
    Title - text for dropdown box

tests:
    null pWebUserID
    invalid pWebUserID
    valid pWebUserID
    add test status with sort order 0
*/

/* TEST
select value,name from NetOwnerCandidateSelect('test.owner');
expect %,All;
*/
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netownercandidateselect

Last update: 2026/08/07 19:24

