



pears.NetOwnerCompanyDetails



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetOwnerCompanyDetails"( IN "pWebUserID"
CHAR(20),IN "pCompanyID" CHAR(20) )
RESULT( "ObjID" CHAR(20),"Company_Name" CHAR(60),"Address_Line_1"
CHAR(40),"Address_Line_2" CHAR(40),"Address_Line_3" CHAR(40),"Town"
CHAR(30),"County" CHAR(30),"Country" CHAR(30),"Postcode" CHAR(20),"Phone"
CHAR(100),"Fax" CHAR(100),"Web_Site" CHAR(100) )
BEGIN
    DECLARE "divid" CHAR(20);
    SET "divid" = (SELECT FIRST "staff"."divisionid" FROM "iqxnetuser" KEY
JOIN "staff" WHERE "iqxnetuser"."iqxnetuserid" = "pwebuserid");
    IF "divid" IS NULL THEN
        RETURN
    END IF;
    IF "isnull"("pCompanyID",'') = '' THEN
        SELECT '','','','','','','','','','','','','','','',''
    ELSE
        SELECT "Company"."companyid" AS "ObjID",
            "Company"."Name" AS "Company_Name",
            "Company"."addr1" AS "Address_Line_1",
            "Company"."addr2" AS "Address_Line_2",
            "Company"."addr3" AS "Address_Line_3",
            "Company"."town" AS "Town",
            "Company"."county" AS "County",
            "Company"."country" AS "Country",
            "Company"."postcode" AS "Postcode",
            "getphone"('C','Telephone',"Company"."companyid") AS "Phone",
            "getphone"('C','Fax',"Company"."companyid") AS "Fax",
            "getphone"('C','Web Site',"Company"."companyid") AS "Web_Site"
        FROM "company"
        WHERE "companyid" = "pCompanyID" AND "divisionid" = "divid"
    END IF
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetOwnerCompanyDetails" IS
```

