



# pears.NetOwnerContactList



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Original SQL

```
CREATE PROCEDURE "pears"."NetOwnerContactList"( IN "pWebUserID" CHAR(20),IN
"pCompanyID" CHAR(20) )
RESULT( "Value" CHAR(20),"Descrip" CHAR(100) )
BEGIN
  IF NOT EXISTS(SELECT * FROM "company" WHERE "companyid" = "pCompanyID")
  THEN
    SELECT '0','No Contacts Available';
    RETURN
  END IF;
  SELECT "e"."employmentid",
    "p"."name"
  FROM "employment" AS "e"
    KEY JOIN "person" AS "p"
  WHERE "e"."temp" = 0
    AND "e"."leavedate" IS NULL
    AND "p"."status" IN( 'L','C' )
    AND "e"."companyid" = "pCompanyID"
  ORDER BY "p"."keyname" ASC
```

END /\* DOC

2016-08-22 PC Provide a list of contacts for creating a contact event for a Company

2018-09-14 JW Performance improvement for pulse

2018-09-28 IW-686 Changed order by from surname to keyname

Inputs:

pCompanyID - company id to create list

Outputs:

Value - EmploymentID

Descrip - Person Name

Test:

Check with empty CompanyID

check with incorrect CompanyID

Check with Correct CompanyID



```
*/
/* TEST
call NetTestSetup('');
delete from contactevent where contacteventid like 'TEST%';
insert into contactclass (classcode,classdescrip) on existing update values
('~','Test Class');
update person set status='L' where personid='TEST';
select * from
"NetOwnerContactEventsSet"('test.owner','TEST1','n','~','test','test','test
',dateformat(now(*),'dd/mm/yyyy'),'TestDescription','TestNote',dateformat(da
teadd(hh,1,now(*),'dd/mm/yyyy'),'TestOutcome',1);
expect pResult=0:~Success;
select * from NetOwnerContactList('TEST.OWNER',null);
expect value=0;
select * from NetOwnerContactList('TEST.OWNER','rr');
expect value=0;
select top 1 * from NetOwnerContactList('TEST.OWNER','TEST') where
value='test';
expect Value=TEST,Descrip=test;
expect EOF;
update person set status='P' where personid='TEST';
delete from contactevent where contacteventid like 'TEST%';
*/
GO
```

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetOwnerContactList" IS
{CREATE PROCEDURE pears."NetOwnerContactList"(IN pWebUserID CHAR(20), IN
pCompanyID CHAR(20))
RESULT(VALUE CHAR(20),Descrip CHAR(100) )
BEGIN
  IF NOT EXISTS (SELECT * FROM company WHERE companyid=pCompanyID) THEN
    SELECT '0','No Contacts Available';
    RETURN;
  END IF;
  SELECT
    e.employmentid,
    p.name
  FROM
    employment e
  KEY JOIN person p
  WHERE
    e.temp =0
    AND e.leavedate IS NULL
    AND p.status IN ('L','C')
    AND e.companyid=pCompanyID
  ORDER BY
    p.keyname ASC
END
```



```
/* DOC
2016-08-22 PC Provide a list of contacts for creating a contact event for a
Company
2018-09-14 JW Performance improvement for pulse
2018-09-28 IW-686 Changed order by from surname to keyname

Inputs:
    pCompanyID - company id to create list

Outputs:
    Value - EmploymentID
    Descrip - Person Name

Test:
    Check with empty CompanyID
    check with incorrect CompanyID
    Check with Correct CompanyID
*/

/* TEST
call NetTestSetup('');
delete from contactevent where contacteventid like 'TEST%';
insert into contactclass (classcode,classdescrip) on existing update values
('~~','Test Class');
update person set status='L' where personid='TEST';
select * from
"NetOwnerContactEventsSet"('test.owner','TEST1','n','~~','test','test','test
',dateformat(now(*),'dd/mm/yyyy'),'TestDescription','TestNote',dateformat(da
teadd(hh,1,now(*)),'dd/mm/yyyy'),'TestOutcome',1);
expect pResult=0:~Success;
select * from NetOwnerContactList('TEST.OWNER',null);
expect value=0;
select * from NetOwnerContactList('TEST.OWNER','rr');
expect value=0;
select top 1 * from NetOwnerContactList('TEST.OWNER','TEST') where
value='test';
expect Value=TEST,Descrip=test;
expect EOF;
update person set status='P' where personid='TEST';
delete from contactevent where contacteventid like 'TEST%';
*/
}
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears\\_netownercontactlist](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netownercontactlist)

Last update: **2026/08/07 19:24**

