



pears.NetOwnerRemoveFromFavs



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetOwnerRemoveFromFavs"( IN "pWebUserID"
CHAR(20),IN "FavID" CHAR(20) )
/*RESULT( column_name column_type, ... ) */
BEGIN
    IF((SELECT "count"() FROM "iqxnetuser" WHERE "iqxnetuserid" =
"pWebUserID") = 0) THEN
        SELECT '99:~invalid user';
        RETURN
    END IF;
    DELETE FROM "Favourites" WHERE "FavouritesID" = "FavID";
    SELECT '0:~Success'
END /* DOC
2016-12-01 PC test and doc
added check on pWebUserID

Inputs:
pWebUserID
FavID

Outputs:
undefined

Tests:
invalid pWebUserID
valid pWebUserID invalid FavID
valid pWebUserID, FavID

*/
/* TEST
call NetTestSetup('');
update iqxnetuserlink set employmentid=null where IQXNetUserLinkID in
('test.client','test.agency','test.candidate','test.owner');
update iqxnetuserlink set employmentid='TEST' where
IQXNetUserLinkID='test.owner';
insert into Favourites (FavouritesID, Parent, ID, Staffid, Description,
```



```
Type) on existing skip values ('TEST', null, null, 'TEST', '', 'H');
insert into Favourites (FavouritesID, Parent, ID, Staffid, Description,
Type) on existing skip values ('TEST2', 'TEST', 'TEST', 'TEST', 'test',
'P');
select * from NetOwnerIsFav(null,null);
expect 99*;
select * from NetOwnerRemoveFromFavs('test.owner',null);
expect 0*;
select * from NetOwnerRemoveFromFavs('test.owner','TEST');
expect 0*;
select * from favourites where staffid='TEST';
expect FavouritesID=TEST2,ID=TEST,Staffid=TEST,description=test;
expect EOF;
*/
GO
```

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetOwnerRemoveFromFavs" IS
{CREATE PROCEDURE pears."NetOwnerRemoveFromFavs"( IN "pWebUserID"
CHAR(20),IN "FavID" CHAR(20) )
/*RESULT( column_name column_type, ... ) */
```

```
BEGIN
```

```
    IF ((SELECT COUNT(*) FROM iqxnetuser WHERE iqxnetuserid=pWebUserID)=0)
THEN
```

```
    SELECT '99:~invalid user';
```

```
    RETURN;
```

```
END IF;
```

```
DELETE FROM Favourites WHERE FavouritesID=FavID;
```

```
SELECT '0:~Success';
```

```
END
```

```
/* DOC
```

```
2016-12-01 PC test and doc
```

```
added check on pWebUserID
```

```
Inputs:
```

```
pWebUserID
```

```
FavID
```

```
Outputs:
```

```
undefined
```

```
Tests:
```

```
invalid pWebUserID
```

```
valid pWebUserID invalid FavID
```

```
valid pWebUserID, FavID
```

```
*/
```



```
/* TEST
call NetTestSetup('');
update iqxnetuserlink set employmentid=null where IQXNetUserLinkID in
('test.client','test.agency','test.candidate','test.owner');
update iqxnetuserlink set employmentid='TEST' where
IQXNetUserLinkID='test.owner';
insert into Favourites (FavouritesID, Parent, ID, Staffid, Description,
Type) on existing skip values ('TEST', null, null, 'TEST', '', 'H');
insert into Favourites (FavouritesID, Parent, ID, Staffid, Description,
Type) on existing skip values ('TEST2', 'TEST', 'TEST', 'TEST', 'test',
'P');
select * from NetOwnerIsFav(null,null);
expect 99*;
select * from NetOwnerRemoveFromFavs('test.owner',null);
expect 0*;
select * from NetOwnerRemoveFromFavs('test.owner','TEST');
expect 0*;
select * from favourites where staffid='TEST';
expect FavouritesID=TEST2,ID=TEST,Staffid=TEST,description=test;
expect EOF;
*/
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netownerremovefromfavs

Last update: **2026/08/07 19:24**

