



pears.NetOwnerRequirementConsultantList



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetOwnerRequirementConsultantList"( IN
"pWebUserID" CHAR(20) )
RESULT( "ConsultantID" CHAR(20),"ConsultantName" CHAR(100),"ThisIsMe"
INTEGER,"SortCol" CHAR(50) )
// IQXWeb
BEGIN
    SELECT top 10000
        "staff"."staffid",
        "string"("staff"."userid",' (',"staff"."name",')') AS "ConsultantName",
        (IF "staff"."staffid" = "UserStaffID" THEN 1 ELSE 0 endif) AS
"ThisIsMe",
        "staff"."userid" AS "SortCol"
    FROM "staff"
    WHERE "isnull"("staff"."defunct",0) = 0
    AND "staff"."divisionid" = any(SELECT "divisionid" FROM
"dashboardstaffdivisions"())
    ORDER BY "SortCol" ASC
END /* DOC
```

2017-12-22 PC OP-13 provide a list of consultants who are in the divisions which pWebUserID consultant has access to.

2018-02-08 PC modify to include division name and ignore not in use

modify for agency

2018-02-15 PC OP-29 modify to include ThisIsMe to allow consultant to be pre-selected

2018-05-02 GJ IW-476 Sort order changed to keyname and full name replaces the division name in brackets

2018-05-07 PC modify method of selecting division list

2018-12-20 MHS fixed bug (non unique field), cleaned up, added minimal test

2019-06-21 GJ Increased column length due to issues with clients having it longer than 20

2020-02-17 AW ordered by keyname now works added"top 10000"

Inputs

pWebUserID



```
Outputs
ConsultantID
ConsultantName
*/
/* TEST
call NetTestSetup('');
select * from NetOwnerRequirementConsultantList('TEST.OWNER');
expect ROW;
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetOwnerRequirementConsultantList" IS
{CREATE PROCEDURE pears."NetOwnerRequirementConsultantList"(IN pWebUserID
CHAR(20) )
RESULT(ConsultantID CHAR(20), ConsultantName CHAR(100),ThisIsMe INTEGER,
SortCol CHAR(50))

// IQXWeb
BEGIN
SELECT top 10000
    staff.staffid,
    string(staff.userid,' (' ,staff.name,')') AS ConsultantName,
    (IF staff.staffid=UserStaffID THEN 1 ELSE 0 endif) AS ThisIsMe,
    staff.userid AS SortCol
FROM
    staff
WHERE
    isnull(staff.defunct,0)=0
    AND staff.divisionid IN (SELECT divisionid FROM dashboardstaffdivisions())
ORDER BY
    SortCol ASC
END

/* DOC
2017-12-22 PC OP-13 provide a list of consultants who are in the divisions
which pWebUserID consultant has access to.
2018-02-08 PC modify to include division name and ignore not in use
##### modify for agency #####
2018-02-15 PC OP-29 modify to include ThisIsMe to allow consultant to be
pre-selected
2018-05-02 GJ IW-476 Sort order changed to keyname and full name replaces
the division name in brackets
2018-05-07 PC modify method of selecting division list
2018-12-20 MHS fixed bug (non unique field), cleaned up, added minimal test
2019-06-21 GJ Increased column length due to issues with clients having it
longer than 20
2020-02-17 AW ordered by keyname now works added"top 10000"
```

*Inputs**pWebUserID**Outputs**ConsultantID**ConsultantName***/**/* TEST**call NetTestSetup('');**select * from NetOwnerRequirementConsultantList('TEST.OWNER');**expect ROW;***/**}*

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netownerrequirementconsultantlistLast update: **2026/08/07 19:24**