



pears.NetOwnerRequirementsTempdeskList



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetOwnerRequirementsTempdeskList"( IN "pWebUserID"
CHAR(20),IN "pType" CHAR(1) )
RESULT( "tempdeskid" CHAR(20),"tempdeskname" CHAR(100),"selected" CHAR(10) )
BEGIN
    DECLARE "CurrentDesk" CHAR(20);
    SET "CurrentDesk" = (SELECT top 1 "s"."tempdeskid" FROM "staff" AS "s" KEY
JOIN "iqxnetuser" WHERE "iqxnetuserid" = "pWebUserID" ORDER BY "s"."staffid"
ASC);
    SELECT "d"."tempdeskid",
        "d"."name" AS "tempdeskname",
        (IF "tempdeskid" = "CurrentDesk" THEN 'Selected' ELSE NULL endif) AS
"Selected"
    FROM "tempdesk" AS "d"
    WHERE(("d"."desktype" IN( 'M','W' ) AND "pType" = 'C')
    OR("d"."desktype" = 'S' AND "pType" = 'S'))
    AND "d"."divisionid" = any(SELECT "divisionid" FROM
"dashboardstaffdivisions"())
END /* DOC
2018-11-27 PC IW-758 provide list of tempdesks associated with a consultant

*/
/* TEST
update tempdesk set desktype='S' where tempdeskid in ('test','test2');
update staff set tempdeskid='test' where staffid='test';
insert into deptmaintenance (departmentid,staffid) on existing update
defaults off values ('~~','TEST');
select tempdeskid,tempdeskname,isNull(selected,'!') as A from
NetOwnerRequirementsTempdeskList('test.owner','S' ) where tempdeskid in
('test','test2') order by tempdeskid;
expect tempdeskid=TEST,tempdeskname=test,A=Selected;
expect tempdeskid=TEST2,tempdeskname=test2,A=!;
expect EOF;
update tempdesk set desktype='M' where tempdeskid in ('test','test2');
update staff set tempdeskid='test2' where staffid='test';
select tempdeskid,tempdeskname,isNull(selected,'!') as A from
```



```
NetOwnerRequirementsTempdeskList('test.owner','C' ) where tempdeskid in
('test','test2') order by tempdeskid;
expect tempdeskid=TEST,tempdeskname=test,A=!;
expect tempdeskid=TEST2,tempdeskname=test2,A=Selected;
update tempdesk set desktype='S' where tempdeskid in ('test','test2');
update staff set tempdeskid='test2' where staffid='test';
*/
GO
```

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetOwnerRequirementsTempdeskList" IS
{CREATE PROCEDURE pears."NetOwnerRequirementsTempdeskList"(IN pWebUserID
CHAR(20),IN pType CHAR(1) )
RESULT(tempdeskid CHAR(20),tempdeskname CHAR(100),selected CHAR(10))
BEGIN
    DECLARE CurrentDesk CHAR(20);
    SET CurrentDesk=(SELECT top 1 s.tempdeskid FROM staff s KEY JOIN
iqxnetuser WHERE ixqnetuserid=pWebUserID ORDER BY s.staffid);

    SELECT
        d.tempdeskid,
        d.name AS tempdeskname,
        (IF tempdeskid=CurrentDesk THEN 'Selected' ELSE NULL endif) AS
Selected
    FROM
        tempdesk d
    WHERE
        ((d.desktype IN ('M','W') AND pType='C')
        OR (d.desktype='S' AND pType='S'))
        AND d.divisionid IN (SELECT divisionid FROM
dashboardstaffdivisions());
END
```

```
/* DOC
2018-11-27 PC IW-758 provide list of tempdesks associated with a consultant
*/
```

```
/* TEST
update tempdesk set desktype='S' where tempdeskid in ('test','test2');
update staff set tempdeskid='test' where staffid='test';
insert into deptmaintenance (departmentid,staffid) on existing update
defaults off values ('~','TEST');
select tempdeskid,tempdeskname,isnull(selected,'!') as A from
NetOwnerRequirementsTempdeskList('test.owner','S' ) where tempdeskid in
('test','test2') order by tempdeskid;
expect tempdeskid=TEST,tempdeskname=test,A=Selected;
expect tempdeskid=TEST2,tempdeskname=test2,A=!;
```



```
expect EOF;
update tempdesk set desktype='M' where tempdeskid in ('test','test2');
update staff set tempdeskid='test2' where staffid='test';
select tempdeskid,tempdeskname,isnull(selected,'!') as A from
NetOwnerRequirementsTempdeskList('test.owner','C' ) where tempdeskid in
('test','test2') order by tempdeskid;
expect tempdeskid=TEST,tempdeskname=test,A=!;
expect tempdeskid=TEST2,tempdeskname=test2,A=Selected;
update tempdesk set desktype='S' where tempdeskid in ('test','test2');
update staff set tempdeskid='test2' where staffid='test';
*/
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netownerrequirements_tempdesklist

Last update: **2026/08/07 19:24**

