



pears.NetProvTimesheetSendForApproval



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetProvTimesheetSendForApproval"( IN "pWebUserID"
CHAR(20),IN "ptempprovtimesheetid" CHAR(20),IN "pfaxnumber" CHAR(20),IN
"pemailaddress" CHAR(100) )
RESULT( "pResult" CHAR(250) )
BEGIN
    DECLARE "returnMsg" CHAR(250);
    DECLARE "faxdomain" long VARCHAR;
    IF "pfaxnumber" IS NOT NULL OR "pemailaddress" IS NOT NULL THEN
        IF "pfaxnumber" IS NOT NULL AND "pfaxnumber" <> '' THEN
            SET "faxdomain" = (SELECT FIRST "EmailFaxAddress" FROM "params");
            SET "faxdomain" = "replace"("faxdomain",'#',"pfaxnumber");
            SET "faxdomain" = "replace"("faxdomain",' ','');
            SET "faxdomain" = "replace"("faxdomain",'(',')');
            SET "faxdomain" = "replace"("faxdomain",')','');
            SET "faxdomain" = "replace"("faxdomain",'+','');
            INSERT INTO "IQXNetAction"(
                "IQXNetActionID","IQXNetUserID","ActionType","TargetType","ActionState","WhenRequested","TargetID","ActionAddress" ) VALUES
                (
                    "uniquekey"("ptempprovtimesheetid"),"pWebUserID",'SendApproveEfax','T',0,"NOW"(),
                    "ptempprovtimesheetid","faxdomain" ) ;
            SET "returnMsg" = '0:~Success'
        END IF;
        IF "pemailaddress" IS NOT NULL AND "pemailaddress" <> '' THEN
            INSERT INTO "IQXNetAction"(
                "IQXNetActionID","IQXNetUserID","ActionType","TargetType","ActionState","WhenRequested","TargetID","ActionAddress" ) VALUES
                (
                    "uniquekey"("ptempprovtimesheetid"),"pWebUserID",'SendApproveEmail','T',0,"NOW"(),
                    "ptempprovtimesheetid","pemailaddress" ) ;
            SET "returnMsg" = '0:~Success'
        END IF
        ELSE SET "returnMsg" = '99:~No Fax number or Email Address provided.'
    END IF;
    SELECT "returnMsg"
```



```
END /* DOC
2016-12-05 PC test and doc
2018-07-26 PC include improved error handler

Tests:
invalid pWebUserID
valid pWebUserID, invalid pTempProvTimesheetID
valid pWebUserID, invalid pTempProvTimesheetID, invalid pfaxnumber,
pemailaddress
valid pWebUserID, invalid pTempProvTimesheetID, pfaxnumber, invalid
pemailaddress
valid pWebUserID, invalid pTempProvTimesheetID, pemailaddress, invalid
pfaxnumber
valid pWebUserID, invalid pTempProvTimesheetID, pemailaddress, pfaxnumber

*/
/* TEST
call NetTestSetup('');
delete from iqxnetaction where iqxnetuserid='test.candidate';
select * from NetProvTimesheetSendForApproval(null,null,null,null);
expect 99*;
select * from
NetProvTimesheetSendForApproval('test.candidate',null,null,null);
expect 99*;
select * from
NetProvTimesheetSendForApproval('test.candidate','TEST',null,null);
expect 99*;
select * from
NetProvTimesheetSendForApproval('test.candidate','TEST','0999999999',null);
expect 0*;
select * from
NetProvTimesheetSendForApproval('test.candidate','TEST',null,'a@b.com');
expect 0*;
select top 1 * from iqxnetaction where iqxnetuserid='test.candidate' order
by iqxnetactionid desc;
expect
ActionType=SendApproveEmail,TargetType=T,TargetID=TEST,ActionAddress=a@b.com
;

*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetProvTimesheetSendForApproval" IS
{CREATE PROCEDURE pears."NetProvTimesheetSendForApproval"( IN pWebUserID
CHAR(20), IN ptempprovtimesheetid CHAR(20), IN pfaxnumber CHAR(20), IN
pemailaddress CHAR(100) )
RESULT(pResult CHAR(250))
```

**BEGIN**

```
DECLARE returnMsg CHAR(250);
DECLARE faxdomain long VARCHAR;

IF pfaxnumber IS NOT NULL OR pemailaddress IS NOT NULL THEN
  IF pfaxnumber IS NOT NULL AND pfaxnumber != '' THEN
    SET faxdomain = (SELECT FIRST EmailFaxAddress FROM params);
    SET faxdomain = REPLACE(faxdomain,'#',pfaxnumber);
    SET faxdomain = REPLACE(faxdomain,' ','');
    SET faxdomain = REPLACE(faxdomain,'(',')');
    SET faxdomain = REPLACE(faxdomain,')','');
    SET faxdomain = REPLACE(faxdomain,'+', '');
    INSERT INTO IQXNetAction(IQXNetActionID, IQXNetUserID, ActionType,
TargetType, ActionState, WhenRequested, TargetID, ActionAddress)
VALUES( uniquekey(pTempProvTimesheetID), pWebUserID,
'SendApproveEfax', 'T', 0, NOW(), pTempProvTimesheetID, faxdomain);
    SET returnMsg = '0:~Success';
  END IF;

  IF pemailaddress IS NOT NULL AND pemailaddress != '' THEN
    INSERT INTO IQXNetAction(IQXNetActionID, IQXNetUserID, ActionType,
TargetType, ActionState, WhenRequested, TargetID, ActionAddress)
VALUES( uniquekey(pTempProvTimesheetID), pWebUserID,
'SendApproveEmail', 'T', 0, NOW(), pTempProvTimesheetID, pemailaddress);
    SET returnMsg = '0:~Success'
  END IF;
ELSE
  SET returnMsg = '99:~No Fax number or Email Address provided.';
END IF;

SELECT returnMsg;
END
```

/ DOC*

2016-12-05 PC test and doc

2018-07-26 PC include improved error handler

Tests:

```
invalid pWebUserID
valid pWebUserID, invalid pTempProvTimesheetID
valid pWebUserID, invalid pTempProvTimesheetID, invalid pfaxnumber,
pemailaddress
valid pWebUserID, invalid pTempProvTimesheetID, pfaxnumber, invalid
pemailaddress
valid pWebUserID, invalid pTempProvTimesheetID, pemailaddress, invalid
pfaxnumber
valid pWebUserID, invalid pTempProvTimesheetID, pemailaddress,
```



```
pfaxnumber

*/

/* TEST
call NetTestSetup('');
delete from iqxnetaction where iqxnetuserid='test.candidate';
select * from NetProvTimesheetSendForApproval(null,null,null,null);
expect 99*;
select * from
NetProvTimesheetSendForApproval('test.candidate',null,null,null);
expect 99*;
select * from
NetProvTimesheetSendForApproval('test.candidate','TEST',null,null);
expect 99*;
select * from
NetProvTimesheetSendForApproval('test.candidate','TEST','0999999999',null);
expect 0*;
select * from
NetProvTimesheetSendForApproval('test.candidate','TEST',null,'a@b.com');
expect 0*;
select top 1 * from iqxnetaction where iqxnetuserid='test.candidate' order
by iqxnetactionid desc;
expect
ActionType=SendApproveEmail,TargetType=T,TargetID=TEST,ActionAddress=a@b.com
;

*/
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netprovtimesheetsendforapproval

Last update: **2026/08/07 19:24**

