



pears.NetProvTimesheetShiftCheckDates



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetProvTimesheetShiftCheckDates"( IN "pWebUserID"
CHAR(20),IN "pTempProvTimesheetID" CHAR(20) )
RESULT( "startdate" DATE,"enddate" DATE )
BEGIN
    SELECT "weekmonthstartdate"("period","periodlength") AS "startdate",
        "weekmonthenddate"("period","periodlength") AS "enddate"
    FROM "tempprovtimesheet"
    WHERE "tempprovtimesheetid" = "pTempProvTimesheetID"
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetProvTimesheetShiftCheckDates" IS
{CREATE PROCEDURE pears."NetProvTimesheetShiftCheckDates"(IN pWebUserID
CHAR(20),IN pTempProvTimesheetID CHAR(20))
RESULT(startdate DATE, enddate DATE)
BEGIN
    SELECT
        weekmonthstartdate(period,periodlength) AS startdate,
        weekmonthenddate(period,periodlength) AS enddate
    FROM
        tempprovtimesheet
    WHERE tempprovtimesheetid=pTempProvTimesheetID;
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netprovtimesheetshiftcheckdates

Last update: 2026/08/07 19:24

