



pears.NetReferenceSet



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetReferenceSet"(  
    IN "pWebUserID" CHAR(20),  
    IN "pReferenceRequestID" CHAR(20),  
    IN "qanswers" long VARCHAR DEFAULT NULL,  
    IN "pDepartmentID" CHAR(2),  
    IN "pPosition" CHAR(100),  
    IN "pRefereeAddressName" CHAR(60),  
    IN "ppersonName" CHAR(30),  
    IN "pCompleted" SMALLINT DEFAULT 0,  
    IN "pReferenceConfirmationRequired" SMALLINT DEFAULT 0,  
    IN "pWithdrawn" SMALLINT DEFAULT 0 )  
RESULT( "pResult" CHAR(250) )  
BEGIN  
    IF "pCompleted" = 1 THEN  
        UPDATE  
            "ReferenceRequest"  
        SET "WhenCompleted" = CURRENT_TIMESTAMP,  
            "ReferenceConfirmationRequired" = "pReferenceConfirmationRequired"  
        WHERE "ReferenceRequestID" = "pReferenceRequestID"  
    END IF;  
    IF "pWithdrawn" = 1 THEN  
        UPDATE  
            "ReferenceRequest"  
        SET "ReferenceRefused" = CURRENT_TIMESTAMP  
        WHERE "ReferenceRequestID" = "pReferenceRequestID"  
    END IF;  
    CALL "IQXNetSaveQuestionnaire"("pReferenceRequestID","qanswers");  
    SELECT '0:~Success'  
END /* DOC  
Details: Updates the reference questionnaire items and sets the summary box  
if needed.  
Author: Gareth  
  
24-09-2015 GJ Created  
2020-07-06 GJ IW-1194 - Updated to allow withdrawl of reference
```



```
*/
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetReferenceSet" IS
{CREATE PROCEDURE pears."NetReferenceSet"(
    IN pWebUserID CHAR(20),
    IN pReferenceRequestID CHAR(20),
    IN qanswers long VARCHAR DEFAULT NULL,
    IN pDepartmentID CHAR(2),
    IN pPosition CHAR(100),
    IN pRefereeAddressName CHAR(60),
    IN ppersonName CHAR(30),
    IN pCompleted SMALLINT DEFAULT 0,
    IN pReferenceConfirmationRequired SMALLINT DEFAULT 0,
    IN pWithdrawn SMALLINT DEFAULT 0
)
RESULT( "pResult" CHAR(250) )
BEGIN
    IF pCompleted = 1 THEN
        UPDATE
            ReferenceRequest
        SET
            WhenCompleted = CURRENT_TIMESTAMP,
            ReferenceConfirmationRequired = pReferenceConfirmationRequired
        WHERE
            ReferenceRequestID = pReferenceRequestID;
    END IF;

    IF pWithdrawn = 1 THEN
        UPDATE
            ReferenceRequest
        SET
            ReferenceRefused = CURRENT_TIMESTAMP
        WHERE
            ReferenceRequestID = pReferenceRequestID
    END IF;

    CALL "IQXNetSaveQuestionnaire"("pReferenceRequestID","qanswers");
    SELECT '0:~Success'
END

/* DOC
Details: Updates the reference questionnaire items and sets the summary box
if needed.
Author: Gareth

24-09-2015 GJ Created
```



2020-07-06 GJ IW-1194 - Updated to allow withdrawl of reference
*/
}

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netreferenceset

Last update: **2026/08/07 19:24**

