



pears.NetReportConsultantDailies



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetReportConsultantDailies"( IN "pWebUserID"
CHAR(20) )
RESULT( "Title__H" CHAR(100),"Consultant__1" CHAR(60),"Contacts_Made__RT"
INTEGER,"Placements_Made__RT" INTEGER,"Shifts_Entered__RT"
INTEGER,"Shifts_Booked__RT" INTEGER,"Timesheets_Completed__RT" INTEGER )
BEGIN
    DECLARE "rTitle" CHAR(100);
    DECLARE "deptid" CHAR(2);
    DECLARE "deptname" CHAR(30);
    SELECT "d"."departmentid","d"."name" INTO "deptid","deptname" FROM
"department" AS "d" KEY JOIN "staff" KEY JOIN "iqxnetuser" AS "u" WHERE
"u"."iqxnetuserid" = "pWebUserID";
    SET "rTitle" = "dateformat"(CURRENT DATE,'dd/mm/yyyy')+' '+'deptname';
    SELECT "rTitle",
        "s"."name",
        (SELECT "count"() FROM "contactevent" WHERE "staffid" = "s"."staffid"
AND "contactdate" = CURRENT DATE),
        (SELECT "count"() FROM "placement" WHERE "staffid" = "s"."staffid" AND
"placedate" = CURRENT DATE),
        (SELECT "count"() FROM "tempshiftplan" WHERE "staffid" = "s"."staffid"
AND "whenentered" BETWEEN CURRENT DATE AND CURRENT DATE+1),
        (SELECT "count"() FROM "tempshift" WHERE "state" IN( 'P','B','W' ) AND
"staffid" = "s"."staffid" AND "whenentered" BETWEEN CURRENT DATE AND CURRENT
DATE+1),
        (SELECT "count"() FROM "temptimesheet" WHERE "staffid" = "s"."staffid"
AND "whenentered" BETWEEN CURRENT DATE AND CURRENT DATE+1)
FROM "staff" AS "s"
WHERE "s"."defaultdepartid" = "deptid"
ORDER BY "s"."keyname" ASC
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetReportConsultantDailies"
IS
{CREATE PROCEDURE pears."NetReportConsultantDailies"(IN pWebUserID CHAR(20))
```



```
RESULT(Title__H CHAR(100),Consultant__1 CHAR(60),Contacts_Made__RT
INTEGER,Placements_Made__RT INTEGER,Shifts_Entered__RT
INTEGER,Shifts_Booked__RT INTEGER,Timesheets_Completed__RT INTEGER)
BEGIN
  DECLARE rTitle CHAR(100);
  DECLARE deptid CHAR(2);
  DECLARE deptname CHAR(30);
  SELECT d.departmentid,d.name INTO deptid,deptname FROM department d KEY
JOIN staff KEY JOIN iqxnetuser u WHERE u.ixxnetuserid=pWebUserID;
  SET rTitle=dateformat(CURRENT DATE,'dd/mm/yyyy')+' '+deptname;
  SELECT rTitle,
  s.name,
  (SELECT COUNT(*) FROM contactevent WHERE staffid=s.staffid AND
contactdate=CURRENT DATE),
  (SELECT COUNT(*) FROM placement WHERE staffid=s.staffid AND
placedate=CURRENT DATE),
  (SELECT COUNT(*) FROM tempshiftplan WHERE staffid=s.staffid AND
whenentered BETWEEN CURRENT DATE AND CURRENT DATE+1),
  (SELECT COUNT(*) FROM tempshift WHERE state IN ('P','B','W') AND
staffid=s.staffid AND whenentered BETWEEN CURRENT DATE AND CURRENT DATE+1),
  (SELECT COUNT(*) FROM temptimesheet WHERE staffid=s.staffid AND
whenentered BETWEEN CURRENT DATE AND CURRENT DATE+1)
  FROM staff s
  WHERE s.defaultdepartid=deptid
  ORDER BY s.keyname
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netreportconsultantdailies

Last update: 2026/08/07 19:24

