



pears.NetReportProvTimesheetLines



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetReportProvTimesheetLines"( IN "pWebUserID"
CHAR(20),IN "pProvTimesheetID" CHAR(20) )
RESULT( "Pay_Type" CHAR(100),"Unit" CHAR(100),"Units__R" DOUBLE,"Rate__MR"
DOUBLE,"Total__MR" DOUBLE )
-- 20121003 NetReportTimesheets modified for Current timesheets
BEGIN
  DECLARE "userClass" CHAR(20);
  SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
  SELECT "b"."description",
    "b"."unit",
    (IF "userclass" = 'CLIENT' THEN "l"."unitscharged" ELSE "l"."unitspaid"
endif),
    (IF "userclass" = 'CLIENT' THEN "l"."chargerate" ELSE "l"."payrate"
endif),
    (IF "userclass" = 'CLIENT' THEN "l"."unitscharged"*"l"."chargerate" ELSE
"l"."unitspaid"*"l"."payrate" endif)
  FROM "tempprovtimesheetline" AS "l" KEY JOIN "temppayband" AS "b"
  WHERE "l"."tempprovtimesheetid" = "pProvTimesheetID"
  ORDER BY "b"."sortorder" ASC,"b"."description" ASC
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetReportProvTimesheetLines" IS
{CREATE PROCEDURE pears."NetReportProvTimesheetLines"( IN "pWebUserID"
CHAR(20),IN "pProvTimesheetID" CHAR(20) )
RESULT( "Pay_Type" CHAR(100),"Unit" CHAR(100),"Units__R" DOUBLE,"Rate__MR"
DOUBLE,"Total__MR" DOUBLE )
-- 20121003 NetReportTimesheets modified for Current timesheets
BEGIN
  DECLARE "userClass" CHAR(20);
  SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
  SELECT "b"."description",
```



```
"b"."unit",
(IF "userclass" = 'CLIENT' THEN "l"."unitscharged" ELSE "l"."unitspaid"
endif),
(IF "userclass" = 'CLIENT' THEN "l"."chargerate" ELSE "l"."payrate"
endif),
(IF "userclass" = 'CLIENT' THEN "l"."unitscharged"*"l"."chargerate" ELSE
"l"."unitspaid"*"l"."payrate" endif)
FROM "tempprovtimesheetline" AS "l" KEY JOIN "temppayband" AS "b"
WHERE "l"."tempprovtimesheetid" = "pProvTimesheetID"
ORDER BY "b"."sortorder" ASC,"b"."description" ASC
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netreportprovtimesheetlines

Last update: 2026/08/07 19:24

