



# pears.NetReportProvTimesheets



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Original SQL

```
CREATE PROCEDURE "pears"."NetReportProvTimesheets"( IN "pWebUserID" CHAR(20)
)
RESULT( "Title__H" CHAR(100),"Number__1" CHAR(20),"Temp" CHAR(60),"Position"
CHAR(60),"Client__B" CHAR(100),"End_Date__DXA" DATE,"Total__RMTG"
DOUBLE,"Details__Eat" CHAR(100) )
-- 20121003 NetReportTimesheets modified for Current timesheets
BEGIN
  DECLARE "pstart" DATE;
  DECLARE "pend" DATE;
  DECLARE "pStartPeriod" INTEGER;
  DECLARE "pEndPeriod" INTEGER;
  DECLARE "rTitle" CHAR(100);
  SELECT '' AS "rTitle",
    "t"."serialnumber",
    "string"("person"."surname",',', ' ','person"."forenames") AS "tempname",
    "vacancy"."position",
    "company"."name" AS "companyname",
    "weekmonthenddate"("t"."period","t"."periodlength") AS "weekenddate",
    "sum"((SELECT "sum"("unitspaid"*"payrate") FROM "tempprovtimesheetline"
WHERE "tempprovtimesheetid" = "t"."tempprovtimesheetid")) AS
"timesheettotal",'NetReportProvTimesheetLines&pProvTimesheetID='
+"t"."tempprovtimesheetid" AS "Details"
FROM "tempprovtimesheet" AS "t"
  KEY JOIN "vacancy"
  KEY JOIN "employment"
  KEY JOIN "company","tempprovtimesheet" AS "t"
  KEY JOIN "tempdesk","tempprovtimesheet" AS "t"
  KEY JOIN "person"
  KEY JOIN "pay_employee"
  KEY JOIN "company" AS "agcomp"
  KEY JOIN "employment" AS "agemp"
  KEY JOIN "iqxnetuserlink"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pWebUserID"
AND "weekenddate" >= CURRENT date-60
AND "t"."extnumber" > 0
```



```
GROUP BY GROUPING
sets((("weekenddate"),(("weekenddate"),"rTitle","t"."serialnumber","tempna
me","vacancy"."position","companyname","Details")))
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetReportProvTimesheets" IS
{CREATE PROCEDURE pears."NetReportProvTimesheets"( IN "pWebUserID" CHAR(20)
)
RESULT( "Title__H" CHAR(100),"Number__1" CHAR(20),"Temp" CHAR(60),"Position"
CHAR(60),"Client__B" CHAR(100),"End_Date__DXA" DATE,"Total__RMTG"
DOUBLE,"Details__Eat" CHAR(100) )
-- 20121003 NetReportTimesheets modified for Current timesheets
BEGIN
  DECLARE "pstart" DATE;
  DECLARE "pend" DATE;
  DECLARE "pStartPeriod" INTEGER;
  DECLARE "pEndPeriod" INTEGER;
  DECLARE "rTitle" CHAR(100);
  SELECT '' AS "rTitle",
    "t"."serialnumber",
    "string"("person"."surname",',', ',',"person"."forenames") AS "tempname",
    "vacancy"."position",
    "company"."name" AS "companyname",
    "weekmonthenddate"("t"."period","t"."periodlength") AS "weekenddate",
    "sum"((SELECT "sum"("unitspaid"*"payrate") FROM "tempprovtimesheetline"
WHERE "tempprovtimesheetid" = "t"."tempprovtimesheetid")) AS
"timesheettotal",'NetReportProvTimesheetLines&pProvTimesheetID='
+"t"."tempprovtimesheetid" AS "Details"
FROM "tempprovtimesheet" AS "t"
  KEY JOIN "vacancy"
  KEY JOIN "employment"
  KEY JOIN "company","tempprovtimesheet" AS "t"
  KEY JOIN "tempdesk","tempprovtimesheet" AS "t"
  KEY JOIN "person"
  KEY JOIN "pay_employee"
  KEY JOIN "company" AS "agcomp"
  KEY JOIN "employment" AS "agemp"
  KEY JOIN "iqxnetuserlink"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pWebUserID"
AND "weekenddate" >= CURRENT date-60
AND "t"."extnumber" > 0
GROUP BY GROUPING
sets((("weekenddate"),(("weekenddate"),"rTitle","t"."serialnumber","tempna
me","vacancy"."position","companyname","Details")))
END
}
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears\\_netreportprovtimesheets](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netreportprovtimesheets)

Last update: **2026/08/07 19:24**

