



pears.NetSetVacancyCascade



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetSetVacancyCascade"( IN "svacid" CHAR(20) )
BEGIN
    DECLARE "dtCascade" "datetime";
    SELECT
        "getvacancycascadetime"("employment"."companyid","vacancy"."vacancyid",CURRENT
        NT_TIMESTAMP,"vacancy"."startdate",CURRENT_TIMESTAMP,1)
        INTO "dtCascade"
        FROM "vacancy" KEY JOIN "employment" WHERE "vacancy"."vacancyid" =
        "svacid";
    IF "dtCascade" IS NOT NULL THEN
        UPDATE "vacancy" SET "cascadedatetime" = "dtCascade" WHERE "vacancyid" =
        "svacid"
    END IF
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetSetVacancyCascade" IS
{CREATE PROCEDURE pears."NetSetVacancyCascade"( IN "svacid" CHAR(20) )
BEGIN
    DECLARE "dtCascade" "datetime";
    SELECT
        "getvacancycascadetime"("employment"."companyid","vacancy"."vacancyid",CURRENT
        NT_TIMESTAMP,"vacancy"."startdate",CURRENT_TIMESTAMP,1)
        INTO "dtCascade"
        FROM "vacancy" KEY JOIN "employment" WHERE "vacancy"."vacancyid" =
        "svacid";
    IF "dtCascade" IS NOT NULL THEN
        UPDATE "vacancy" SET "cascadedatetime" = "dtCascade" WHERE "vacancyid" =
        "svacid"
    END IF
END
}
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netsetvacancycascade

Last update: **2026/08/07 19:24**

